



Embarcadero Performance Center 2.7 Expert Guide: DB2

Copyright © 1994-2009 Embarcadero Technologies, Inc.

Embarcadero Technologies, Inc.
100 California Street, 12th Floor
San Francisco, CA 94111 U.S.A.
All rights reserved.

All brands and product names are trademarks or registered trademarks of their respective owners. This software/documentation contains proprietary information of Embarcadero Technologies, Inc.; it is provided under a license agreement containing restrictions on use and disclosure and is also protected by copyright law. Reverse engineering of the software is prohibited.

If this software/documentation is delivered to a U.S. Government Agency of the Department of Defense, then it is delivered with Restricted Rights and the following legend is applicable:

Restricted Rights Legend Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of DFARS 252.227-7013, Rights in Technical Data and Computer Software (October 1988).

If this software/documentation is delivered to a U.S. Government Agency not within the Department of Defense, then it is delivered with Restricted Rights, as defined in FAR 552.227-14, Rights in Data-General, including Alternate III (June 1987).

Information in this document is subject to change without notice. Revisions may be issued to advise of such changes and additions. Embarcadero Technologies, Inc. does not warrant that this documentation is error-free.

DB2 Expert Guide	10
Home View Statistics	10
Memory Vital Signs	10
Contention Vital Signs	10
I/O Vital Signs	11
Users Vital Signs	11
Space Vital Signs	11
Instance Vital Signs	11
Memory Page Statistics	12
Buffer Pool Hit Ratio	12
Buffer Pool Index Hit Ratio	13
Database Heap Utilization	13
Catalog Cache Hit Ratio	13
Sort Overflow Percentage	14
Hash Join Overflow Percentage	14
Catalog Cache Overflows	15
Package Cache Overflows	15
Private Workspace Overflows	15
Shared Workspace Overflows	16
Lock List Utilization	16
Package Cache Hit Ratio	17
Session Leaders – Memory	17
Sort Heap Utilization	17
Shared Workspace Hit Ratio	18
I/O Page Statistics	18
Direct Read Ratio	19
Logical Read Ratio	19
Physical Read Ratio	20
Synchronous Read Ratio	20
Asynchronous Read Ratio	20
Direct Write Ratio	20
Synchronous Write Ratio	20
Asynchronous Write Ratio	20
Log Read Rate	21
Direct Read Rate	21
Synchronous Read Rate	21
Asynchronous Read Rate	21
Log Write Rate	21
Direct Write Rate	21
Synchronous Write Rate	22

Asynchronous Write Rate	22
Prefetchers	22
Page Cleaners	22
Log Space Cleans	22
Dirty Page Cleans	23
Prefetch Wait Time	23
Buffer Pool Hit Ratio	23
Buffer Pool Index Hit Ratio	24
Victim Cleans Ratio	24
Threshold Cleans Ratio	24
Log Space Cleans Ratio	24
Session Leaders – I/O	25
Space Page Statistics	25
DMS Space (Total Used and Total Free)	26
DMS Utilization	26
SMS Space (Total Used and Total Free)	26
SMS Utilization	27
Active Log Size	27
Active Log Used	27
Active Log Free	27
Active Log Utilization	27
Secondary Logs Allocated	27
Secondary Log Used HWM	28
Inaccessible Containers	28
Tablespaces Low on Space	28
Abnormal State Tablespaces	29
Tablespace Overview	29
Object Page Statistics	30
Buffer Pools Tab – Overview	30
Buffer Pools Tab – I/O Analysis	30
Tablespaces Tab – Overview	31
Tablespaces Tab – I/O Analysis	32
Containers Tab	33
Tables Tab	33
Contention Page Statistics	34
Deadlocks	34
Lock Waits	35
Lock Timeouts	35
Lock Escalations	35
Applications Waiting on Locks	36

Lock Overview	36
Lock List Utilization	36
Lock Wait Time	37
Average Lock Wait Time	37
Users Page Statistics	38
Connections	38
Connections Idle	39
Connections Active	39
Connections Waiting	39
Static SQL Statements	39
Dynamic SQL Statements	39
Transactions	40
Transactions Per Second	40
Sorts Per Transaction	40
Lock Waits Per Transaction	40
Selects Per Transaction	40
Rows Selected Per Transaction	40
Session Leaders – Memory	40
Session Leaders – I/O	41
Session Leaders – CPU	41
Max. Connections	42
Percent Executing	42
Percent of Maximum	42
Users Detail	42
Overview Tab	43
Locking Tab	43
Sorting Tab	44
I/O Tab	44
Memory Tab	45
SQL Activity Tab	46
Instance Page Statistics	47
Sort Heap Utilization	49
Monitor Heap Utilization	49
Sort Heap (MB)	49
Private Memory (MB)	50
Piped Sorts Requested	50
Piped Sorts Rejected	50
Post Threshold Sorts	51
Post Threshold Hash Joins	51
Buffer Utilization	52

Request Block Utilization	52
Message Anchor Utilization.	52
Connection Entry Utilization	52
Instance Identification	53
Monitor Switches.	53
Idle	54
Stolen	54
Requests.	54
Registered.	54
Request Overflows	55
Waiting for Tokens	55
Assigned from Pool.	55
Created Empty Pool	55
Database Configuration	56
Memory Pools	56
Memory Pool Utilization	56
Memory Pool Size.	57
Instance Utilities	57
FCM Throughput.	57
FCM Resource Utilization.	58
Agent Utilization	58
Percent of Agents Stolen	58
Other Views and Statistics	59
Archive View	59
Health Index View	60
Hot Objects	60
Hot Tables.	60
Hot Code.	61
Lock View	61
All Locks Tab.	62
All Locks Tab for Oracle	62
All Locks Tab for SQL Server	62
All Locks Tab for Sybase.	63
All User Locks Tab	64
Blocking Locks Tab.	65
Blocking Locks Tab for Oracle	65
Blocking Locks Tab for SQL Server	66
Blocking Locks Tab for Sybase.	67
Locks View for DB2.	68
Applications.	69

Locks Held Tab	69
Locks Waiting Tab	69
Unit of Work Tab	70
Operating System View	70
OS Page Statistics	71
Summary Tab	72
Processor Time	72
Processor Speed	73
Processor	73
Disk Time	73
Load Average	73
Paged Memory Used	73
Number of Processors	74
Swap Memory Used	74
Average Disk Queue	74
Page Faults/Sec	74
Processor Queue	75
Network Output Queue/Network Queue	75
Available Physical Memory	75
Available Paged Memory	76
Available Swap Memory	76
Total Physical Memory	76
Total Paged Memory/Total Swap Memory	76
Used Disk Space	77
Total Disk Space	77
Free Disk Space	77
Top Memory Process	77
Processes Overview	78
Top CPU Process	78
Top I/O Process	78
Number of Logins	78
Number of Processes	78
CPU Tab	78
CPU Utilization	79
% Privileged Time	79
% User Time	79
Interrupts/Sec	79
Context Switches/Sec	80
Processor Queue Length	80
Processes Tab	80

I/O Tab	81
Memory Tab	82
Paging Activity	82
Pages Input/Sec	82
Pages Output/Sec	82
Free Physical	83
Free Paged	83
Total Physical	83
Total Paged	83
Page Faults/Sec	83
Cache Efficiency	84
Copy Read Hits %	84
Data Map Hits %	84
MDL Read Hits %	84
Pin Read Hits %	85
Space Tab	85
Disk Space Free	85
Disk Space Detail	85
Network Tab	86
Session Detail View	86
Oracle Session Detail View	86
Session Memory Tab for Oracle	87
Session I/O Tab for Oracle	87
Session Contention Tab for Oracle	87
Session Objects Tab for Oracle	88
Session Network Tab for Oracle	89
Session SQL Tab for Oracle	89
Session Statistics Tab for Oracle	89
SQL Server Session Detail View	90
Overview Tab for SQL Server	90
SQL Tab for SQL Server	92
Blocked By Tab for SQL Server	92
Blocking Tab for SQL Server	94
All Locks Tab for SQL Server	95
Sybase Session Detail View	96
Overview Tab for Sybase	96
SQL Tab for Sybase	97
Blocked By Tab for Sybase	98
Blocking Tab for Sybase	98
All Locks Tab for Sybase	99

DB2 Session Detail View	100
Application Tab for DB2	101
Unit of Work Tab for DB2	102
Locking Tab for DB2	104
Memory Tab for DB2.....	105
I/O Tab for DB2.....	106
SQL Statistics Tab for DB2	108
Top Sessions View	109
Memory Tab	109
Memory Tab for Oracle	110
Memory Tab for SQL Server	110
Memory Tab for Sybase	111
Memory Tab for DB2.....	112
I/O Tab	113
I/O Tab for Oracle	113
I/O Tab for SQL Server	114
I/O Tab for Sybase	115
I/O Tab for DB2.....	116
CPU Tab	117
CPU Tab for Oracle.....	118
CPU Tab for SQL Server.....	118
CPU Tab for Sybase	118
CPU Tab for DB2	119
Top SQL View.....	119

DB2 Expert Guide

This section includes expert help for all DB2 UDB LUW categories and statistics in the Performance Center views and pages. For detailed information on using the application, see [Using Performance Center](#). This help is divided into the following sections:

- [Home View Statistics](#)
- [Memory Page Statistics](#)
- [Object Page Statistics](#)
- [Contention Page Statistics](#)
- [I/O Page Statistics](#)
- [Users Page Statistics](#)
- [Space Page Statistics](#)
- [Instance Page Statistics](#)

Home View Statistics

In the Performance Center Home view you can review availability and overall performance of all monitored databases from a single window. Statistics on the Home view are organized into the following categories:

- [Memory Vital Signs](#)
- [Contention Vital Signs](#)
- [I/O Vital Signs](#)
- [Users Vital Signs](#)
- [Space Vital Signs](#)
- [Instance Vital Signs](#)

Memory Vital Signs

The following memory statistics are on the DB2 Home view:

- [Buffer Pool Hit Ratio](#)
- [Catalog Cache Hit Ratio](#)
- [Package Cache Overflows](#)
- [Shared Workspace Hit Ratio](#)

NOTE: For the complete set of available memory statistics, see [Memory Page Statistics](#).

Contention Vital Signs

The following contention statistics are on the DB2 Home view:

- [Deadlocks](#)
- [Lock Timeouts](#)
- [Lock Escalations](#)
- [Applications Waiting on Locks](#)

NOTE: For the complete set of available Contention statistics, see [Contention Page Statistics](#).

I/O Vital Signs

The following I/O statistics are located on the DB2 Home view:

- [Logical Read Ratio](#)
- [Physical Read Ratio](#)
- [Synchronous Read Ratio](#)
- [Asynchronous Read Ratio](#)

NOTE: For the complete set of available I/O statistics, see [I/O Page Statistics](#).

Users Vital Signs

The following users statistics are located on the DB2 Home view:

- [Connections](#)
- [Max. Connections](#)
- [Percent Executing](#)
- [Percent of Maximum](#)

NOTE: For the complete set of available Users statistics, see [Users Page Statistics](#).

Space Vital Signs

The following space statistics are located on the DB2 Home view:

- [DMS Utilization](#)
- [SMS Utilization](#)
- [Active Log Utilization](#)
- [Tablespaces Low on Space](#)

NOTE: For the complete set of available Space statistics, see [Space Page Statistics](#).

Instance Vital Signs

The following instance statistics are located on the DB2 Instance view:

- [Agent Utilization](#)

- [Sort Heap Utilization](#)
- [Percent of Agents Stolen](#)
- [Waiting for Tokens](#)

NOTE: For the complete set of available Instance statistics, see [Instance Page Statistics](#).

Memory Page Statistics

The Memory view includes the following statistics:

- [Buffer Pool Hit Ratio](#)
- [Buffer Pool Index Hit Ratio](#)
- [Database Heap Utilization](#)
- [Catalog Cache Hit Ratio](#)
- Memory Overflows
 - [Sort Overflow Percentage](#)
 - [Hash Join Overflow Percentage](#)
 - [Catalog Cache Overflows](#)
 - [Package Cache Overflows](#)
 - [Private Workspace Overflows](#)
 - [Shared Workspace Overflows](#)
- [Lock List Utilization](#)
- [Package Cache Hit Ratio](#)
- [Session Leaders – Memory](#)
- [Sort Heap Utilization](#)
- [Shared Workspace Hit Ratio](#)

Buffer Pool Hit Ratio

The DB2 database server reads and updates all data from a bufferpool because memory access is much faster than disk access. Data is copied from disk to a bufferpool as needed by the applications using the database. When the server needs to read/write data and the data is already in the bufferpool, no disk access is required. However, if the data is not in the bufferpool, it needs to be read from the disk, which is a significantly slower process.

The buffer pool hit ratio indicates the percentage of time that the database server did not need to load a page to service the request for a page. The calculation takes into account all the index and data pages that were requested.

Metrics

Avoiding disk I/O is the main issue when you try to improve the performance tuning. A high buffer pool hit ratio is desirable because it indicates a lower frequency of synchronous disk I/O. A database where data is accessed uniformly from very large tables will have a poor hit ratio. There is little you can do to improve the performance in such cases.

Troubleshooting

The buffer pool hit ratio on the database Home page is the overall hit ratio of the database. First, drill down to the bufferpool level and check the individual buffer pool hit ratios to identify the elements that may require tuning. Increasing the bufferpool size generally improves the buffer pool hit ratio. You can use one of the following methods to increase the bufferpool size depending on the layout of the data.

- 1 If the tablespaces using the bufferpool have tables and indexes on them, increase the bufferpool size incrementally until the index page hit ratio stops increasing for that bufferpool. You will not usually get any benefit increasing the bufferpool size after you reach that point.
- 2 If the tablespaces associated with the bufferpool have only *indexes* on them, increase the bufferpool size until the index page hit ratio stops increasing.
- 3 If the tablespaces associated with the bufferpool have only *data* on them, increase the bufferpool size until the data page hit ratio stops increasing.

One general design guideline is to try and use different tablespaces for indexes and tables and associate different bufferpools with them. This generally improves performance and makes bufferpool tuning much easier.

Buffer Pool Index Hit Ratio

The buffer pool index hit ratio is calculated by separating the pages and indexes that are cached by the buffer pool: $(1 - ((\text{pool_index_p_reads}) / (\text{pool_index_l_reads}))) * 100\%$.

Troubleshooting

By tuning the buffer pool index hit ratio separately, you may be able to improve the buffer pool hit ratio.

Database Heap Utilization

There is one database heap per database, and the database manager uses it on behalf of all applications connected to the database. The database heap utilization is the percentage of database heap that is currently being used.

Metrics

The database heap contains control block information for tables, indexes, table spaces, and bufferpools. It also contains space for event monitor buffers, the log buffer, and temporary memory used by utilities. Thus, the heap utilization can increase or decrease whenever any of the constituent elements change. If the utilization goes above 85% several times or stays above 85% for a sustained period, it may mean that you need to increase the maximum database heap size.

Troubleshooting

The *dbheap* database configuration parameter determines the maximum amount of heap memory that can be allocated. Examine the individual memory pools and how they are using the memory before increasing this parameter. An excessively large use of one of the memory pools may cause this problem.

Catalog Cache Hit Ratio

Catalog cache is used to cache the following types of catalog information:

- Metadata for tables, views, and aliases.
- Database authorization information that is used to check authorization when performing operations like CONNECT, LOAD, CREATE, BIND, and so on.

- Execute privileges for user-defined functions and stored procedures.

When a database operation accesses catalog information, it inserts this information into the catalog cache so operations accessing the same information can read it from the cache and avoid disk reads.

The catalog cache hit ratio indicates how well the catalog cache avoids accesses to the catalog.

Metrics

A high catalog cache hit ratio (> 80%) is desirable and it indicates that the catalog cache is working well. A smaller ratio can indicate that this parameter needs tuning. You may see a smaller ratio immediately following the first connection to the database and execution of DDL/DCL statements since these require heavy catalog accesses.

Troubleshooting

If the catalog cache hit ratio is consistently small, the database configuration parameter *catalogcache_sz* should be increased. When you increase the value of this parameter, pause to consider whether it would be more effective to allocate the extra memory you are reserving to another purpose such as package cache or bufferpools.

In a partitioned database environment, make the *catalog cache_sz* larger on the catalog partition than on other partitions because the catalog information required for all partitions will go through this partition.

When tuning this parameter, it is advisable to monitor changes to the database catalog via DDL statements. During the execution of DDL statements, there may be a large drop in the catalog cache hit ratio due to invalidation of the cached data.

Sort Overflow Percentage

The sort overflows statistic is the total number of sorts that ran out of sort heap and that may have required disk space for temporary storage. Sort Overflow Percentage is the percentage of sorts that need more heap space.

Metrics

When a sort overflows, additional overhead is incurred. The sort requires a merge phase and can potentially require more I/O if data needs to be written to disk.

Troubleshooting

Sort overflows can be reduced by increasing the *sortheap* database configuration parameter.

Hash Join Overflow Percentage

Hash join is an option for the DB2 optimizer. A hash join compares the hash codes before comparing the predicates for tables involved in a join. This reduces the number of comparisons. The hash join overflows percentage metric gives the percentage of all hash join operations that ran out of sort heap and may have required disk space for temporary storage since the current instance of Performance Analyst started monitoring the database.

Metrics

An overflowing hash join incurs a large overhead because of the amount of disk I/O required to complete the operation. If this value crosses the 30% mark, the DBA should take action.

Troubleshooting

Increase the *sortheap* database configuration parameter to reduce the number of overflows.

Catalog Cache Overflows

The catalog cache overflow statistic is the number of times the catalog cache overflowed the bounds of its allocated memory.

Metrics

Catalog cache overflows can cause unnecessary lock escalations. This can result in loss of concurrency, or 'out of memory' errors from other heaps allocated to the database's shared memory. Overflows of the catalog cache can also cause performance degradation.

DB2 reclaims the catalog cache space by evicting table descriptor information for tables, views, or aliases and/or authorization information that is not currently being used by any transaction.

Troubleshooting

Use this element with the catalog cache high watermark to determine whether the size of the catalog cache needs to be increased to avoid overflowing.

If the number of overflows is large, the catalog cache may be too small for the workload. Enlarging the catalog cache can improve its performance. If the workload includes transactions that compile a large number of SQL statements referencing many tables, views, aliases, user-defined functions, or stored procedures in a single unit of work, then compiling fewer SQL statements in a single transaction can improve the performance of the catalog cache. Or, if the workload includes binding packages that contain many SQL statements referencing many tables, views, aliases, user-defined functions, or stored procedures, you can try splitting packages so that they include fewer SQL statements to improve performance.

Package Cache Overflows

The package cache overflows metric is the number of times that the package cache overflowed the bounds of its allocated memory.

Metrics

Package cache overflows can cause unnecessary lock escalations. This can result in loss of concurrency, or 'out of memory' errors from other heaps allocated to the database's shared memory. Overflows of the package cache can also cause performance degradation.

Troubleshooting

Use this element with the package cache high watermark to determine whether the size of the package cache needs to be increased to avoid overflowing.

Private Workspace Overflows

The private workspace overflows statistic is the number of times that private workspaces overflowed the bounds of their allocated memory.

Metrics

Private workspace overflows can cause performance degradation as well as 'out of memory' errors from other heaps allocated to the agent's private memory.

Troubleshooting

Use this element with the private workspace high watermark to determine whether the size of the private workspace needs to be increased to avoid overflowing.

Shared Workspace Overflows

The shared workspace overflows metric is the number of times that shared workspaces overflowed the bounds of their allocated memory.

Metrics

Overflows of shared workspaces can cause performance degradation. Overflows can also 'out of memory' errors from the other heaps allocated out of application's shared memory.

Troubleshooting

Use this element with the shared workspace high watermark to determine whether the size of the shared workspaces need to be increased to avoid overflowing.

Lock List Utilization

Lock list utilization is the percentage of total database memory allocated for locks that is currently being used.

Metrics

There is only one lock list for each database and it contains the locks held by all applications connected to the database. Once the lock list is full, the database manager starts escalating row locks to table locks to free up space. This escalation may result in serious performance degradation because of reduced concurrency. Additionally, the number of deadlocks and transaction rollbacks may go up.

If this metric reaches the 75% mark, you should consider bringing this percentage down with tuning.

Troubleshooting

Depending on the database's activity level, you may be able to reduce the lock utilization by following these recommendations:

Increase size of lock list: If there is not enough lock list space available, lock escalations will occur, thereby increasing contention and reducing concurrency. Update the *locklist* database configuration parameter to increase this value.

Tune applications to reduce locking: On the Locks tab of the Users detail section, identify the applications that are holding many locks and then consider the following steps for controlling the size of the lock list:

- Make the transactions shorter by increasing the COMMIT frequency. This ensures that locks are released frequently, thus freeing up lock space.
- Before you update many rows in a single table, lock the entire table (using the SQL LOCK TABLE statement). This prevents many row-level locks from being obtained (although this decreases concurrency)
- To control how locking is done for a specific table, use the LOCKSIZE parameter of the ALTER TABLE.
- To decrease the number of share locks held, use the Cursor Stability isolation level when possible. If the applications' integrity requirements are not compromised, use Uncommitted Read instead of Cursor Stability to further decrease the amount of locking.

Decrease percentage of lock list: If a small number of applications are consuming most of the lock space, decrease the percentage of lock list for each application. You can throttle back those applications by decreasing the maxlocks database configuration parameter. This reduces the amount of lock list memory available to each application thereby allowing for better distribution of lock list memory.

NOTE: Decreasing the percentage of lock list should be the last resort, and used only if you cannot decrease utilization with the other recommendations. It can cause a large number of lock escalations.

Package Cache Hit Ratio

The sections for frequently used dynamic and static SQL statements are cached in the package cache.

The package cache hit ratio indicates how well the package cache is avoiding catalog accesses to packages and recom compilations.

Metrics

A high package cache hit ratio (> 80%) is a good thing. It indicates that the package cache is working well. In the case of static SQL statements, package caching allows the Database Manager to reduce the internal overhead by eliminating the need to access system catalogs when reloading a package. For dynamic SQL, the benefit of package caching is even greater since it a cache hit eliminates the need for recompilation.

The package cache hit ratio metric is particularly important for transaction-processing applications since a typical workload involves repeatedly executing the same SQL statements.

Troubleshooting

Executing DDL statements can invalidate sections of SQL statements in the cache, causing the hit ratio to decrease dramatically. Before attempting to tune this parameter, you should check the DDL activity to see if that is causing a skew. No amount of tuning will improve the package cache performance if the DDL activity is causing package invalidations in the cache.

If the DDL activity is minimal and package cache hit ratio is consistently small, consider increasing the package cache size (`pckcachesz`) in the database configuration. When increasing the value of this parameter, consider whether it might be more effective to allocate the extra memory being reserved to another purpose such as catalog cache or bufferpools.

Session Leaders – Memory

Session Leaders – Memory shows the top five memory consuming applications that are running in the database. The details include:

Agent ID: A system-wide unique identifier for the application. On a single-partitioned database, this identifier consists of a 16 bit counter. On a multi-partitioned database, this identifier consists of the coordinating partition number concatenated with a 16 bit counter. In addition, this identifier will be the same on every partition where the application may make a secondary connection.

Auth ID: The authorization ID of the user who invoked the application that is being monitored.

Memory: The total memory pool usage for the application.

NOTE: Click the **Session Leaders -- Memory** heading to view more details on the Top Sessions View.

Sort Heap Utilization

The amount of memory allocated for each sort may be some or all of the available sort heap size. Sort heap size is the amount of memory available for each sort as defined in the database configuration parameter `sortheap`. Shared sort memory utilization gives the percentage of the sort heap being used.

It is possible for a single application to have concurrent sorts active. For example, in some cases a SELECT statement with a subquery can cause concurrent sorts.

Metrics

Memory estimates do not usually include sort heap space. If excessive sorting is occurring, the extra memory used for the sort heap should be added to the base memory requirements for running the database manager. Generally, the larger the sort heap, the more efficient the sort. Typically the shared sort utilization should be less than or equal to 70%. You should consider tuning the database if you see a utilization value greater than this.

Troubleshooting

To bring the sort heap utilization to an acceptable level, use the following guidelines:

- Examine the queries you are running on the database to see if you can add indexes to columns frequently accessed in the *WHERE* clause. This minimizes the use of the sort heap.
- If you are using dynamic bitmaps or hash join buffers in your queries, or your queries frequently require large sorts, increase the *sortheap* size.
- If you adjust the *sortheap* size, also look at the *sheaphres* database manager configuration parameter to see if it too needs to be adjusted

If you are adjusting the *sortheap* size, you may also benefit from rebinding your packages since the optimizer takes this parameter into account when determining the access paths.

Shared Workspace Hit Ratio

When sections are required by an application for executing dynamic or static SQL statements, they are placed in the shared workspace. The shared workspace exists at the application level and is shared among applications using the database.

The hit ratio is a percentage indicating how well the shared SQL workspace is helping to avoid initialization of sections for SQL statements that are about to be executed. A high ratio indicates the shared workspace is successful in avoiding this action.

Metrics

A shared workspace is shared by many applications. If applications have similar database access patterns, they can benefit greatly if they find required sections in the shared workspace. If an application finds a section in the shared workspace (e.g., a hit), that application avoids the setup and initialization cost for that section. A high hit ratio is desirable for this metric. Typically, you should expect to see a high ratio (>80%) in transaction processing environments.

Troubleshooting

Shared workspace memory is allocated from the application control heap (*app_ctl_heap_sz* database configuration parameter) and increasing this may improve the hit ratio.

I/O Page Statistics

The I/O statistics page displays the following vital DB2 I/O statistics:

- [Direct Read Ratio](#)
- [Logical Read Ratio](#)
- [Physical Read Ratio](#)
- [Synchronous Read Ratio](#)

- [Asynchronous Read Ratio](#)
- [Direct Write Ratio](#)
- [Synchronous Write Ratio](#)
- [Asynchronous Write Ratio](#)
- [Log Read Rate](#)
- [Direct Read Rate](#)
- [Synchronous Read Rate](#)
- [Asynchronous Read Rate](#)
- [Log Write Rate](#)
- [Direct Write Rate](#)
- [Synchronous Write Rate](#)
- [Asynchronous Write Rate](#)
- I/O Agent Statistics
 - [Prefetchers](#)
 - [Page Cleaners](#)
 - [Log Space Cleans](#)
 - [Dirty Page Cleans](#)
 - [Prefetch Wait Time](#)
- Key I/O Ratios
 - [Buffer Pool Hit Ratio](#)
 - [Buffer Pool Index Hit Ratio](#)
 - [Victim Cleans Ratio](#)
 - [Threshold Cleans Ratio](#)
 - [Log Space Cleans Ratio](#)
- [Session Leaders – I/O](#)

Direct Read Ratio

Direct Read Ratio is the percentage of all reads that were direct reads. Direct reads are read operations that do not use the buffer pool.

Logical Read Ratio

Logical Read Ratio is the percentage of all reads that were logical reads. Logical Reads is the sum of all Buffer Pool Data Logical Reads and Buffer Pool Index Logical Reads.

Physical Read Ratio

Physical Read Ratio is the percentage of all reads that were physical reads. Physical Reads is the sum of all Buffer Pool Data Physical Reads and Buffer Pool Index Physical Reads.

Synchronous Read Ratio

Synchronous Read Ratio is the percentage of all index and data reads that performed synchronously by the database manager prefetchers.

Asynchronous Read Ratio

Asynchronous Read Ratio is the percentage of all index and data reads that performed asynchronously by the database manager prefetchers.

Metrics

Prefetching refers to the technique whereby the Database Manager can read several pages on the physical reads device simultaneously into a bufferpool in anticipation of access to these pages. Since each physical read operation is costly, a 50% async read ratio is desirable. It shows that the prefetchers are working well and read waits are being minimized.

Troubleshooting

The *num_ioserver* database configuration parameter defines the number of prefetchers that are available for the database. To get an optimal async read ratio, you should set the *num_ioserver* database configuration parameter to 1-2 more than the number of physical storage devices used by the database to ensure that asynchronous I/O is occurring. This parameter should be changed judiciously. Having too many prefetchers invariably results in high system I/O because prefetchers can read many more pages than required into the bufferpools.

Direct Write Ratio

Direct Write Ratio is the percentage of all writes that were direct writes. Direct Writes are write operations that do not use the buffer pool.

Synchronous Write Ratio

Synchronous Write Ratio is the percentage of all index and data writes that were performed synchronously by the database manager bufferpool page cleaners.

Asynchronous Write Ratio

Asynchronous Write Ratio is the percentage of all index and data writes that were performed asynchronously by the database manager bufferpool page cleaners.

Metrics

Page cleaners write changed pages from bufferpool to disk before the space in the bufferpool is needed by a database agent. If the page cleaners are not working well, the problem may manifest itself in two ways:

- The database agents need to synchronously free space in bufferpools resulting in poorer response time.

- If the system crashes, the recovery time of the system is greater because there will be a large number of pages that would not have been committed to disk at the time of the crash and they require processing for a large number of log records.

An overall async write ratio of 50% is desirable for most transactional database systems. If your database is 'query only' (i.e., updates are rarely or never performed), it is fine to have an async write ratio of 0 to less than 50%. Even in 'query only' databases if the queries create temp tables on the database for intermediate results, a 30-40% async write ratio is desirable.

Troubleshooting

The async write ratio can be tuned using the *num_iocleaners* database configuration parameter, which specifies the number of asynchronous page cleaners for a database. Increasing the number of page cleaners generally results in a higher async write ratio. The following rules of thumb should be followed when tuning this parameter:

- For most transactional systems set this parameter to between one and the number of physical storage devices used by the database.
- For workloads that consists mainly of simple reads from the database, set this parameter to zero.
- When you define very large bufferpools on your database you may need to increase the *num_iocleaners*
- Monitor the victim page cleaners% metric when tuning the *num_iocleaners*.

Log Read Rate

Log Read Rate is the number of pages (per second) the logger read from disk during the last monitoring interval.

Direct Read Rate

Direct Reads Rate is the number of read operations not using the buffer pool (per second) during the last monitoring interval.

Synchronous Read Rate

Synchronous Read Rate is the number of synchronous reads (per second) in the last monitoring interval.

Asynchronous Read Rate

Asynchronous Read Rate is the number of asynchronous reads (per second) in the last monitoring interval.

Log Write Rate

Log Write Rate is the number of pages (per second) the logger read from disk during the last monitoring interval.

Direct Write Rate

Direct Write Rate is the number of write operations not using the buffer pool (per second) during the last monitoring interval.

Synchronous Write Rate

Synchronous Write Rate is the number of synchronous writes (per second) in the last monitoring interval.

Asynchronous Write Rate

Asynchronous Write Rate is the number of asynchronous writes (per second) in the last monitoring interval.

Prefetchers

The *num_ioserver* database configuration parameter defines the number of prefetchers that are available for the database.

Troubleshooting

To get an optimal async read ratio, you should set the *num_ioserver* database configuration parameter to 1-2 more than the number of physical storage devices used by the database to ensure that asynchronous I/O is occurring. This parameter should be changed judiciously since having too many prefetchers invariably results in high system I/O because prefetchers can read many more pages than required into the bufferpools.

Page Cleaners

The *num_iocleaners* database configuration parameter specifies the number of asynchronous page cleaners for a database. Increasing the number of page cleaners generally results in a higher async write ratio.

Troubleshooting

The following rules of thumb can be followed when tuning this parameter:

- For most transactional systems set this parameter to between 1 and the number of physical storage devices used by the database.
- For workloads that consists of mainly simple reads from the database, set this parameter to 0.
- When you define very large bufferpools on your database you may need to increase the *num_iocleaners*.

Monitor the victim page cleaners% metric when tuning the *num_iocleaners*.

Log Space Cleans

Log Space Cleans is the number of times a page cleaner was invoked because the logging space used reached a predefined criterion for the database.

Metrics

This element can help you determine whether you have enough space for logging, and whether you need more log files or larger log files. The page cleaning criterion is set using the *softmax* configuration parameter. Page cleaners are triggered when the oldest page in the buffer pool contains an update described by a log record that is older than the current log position by the criterion value.

Dirty Page Cleans

Dirty Page Cleans is the sum of all buffer pool victim page cleaners triggered and buffer pool threshold cleaners triggered. *Buffer pool victim page cleaners triggered* is the number of times a page cleaner was invoked because a synchronous write was needed during the victim buffer replacement for the database. *Buffer pool threshold cleaners triggered* is the number of times a page cleaner was invoked because a buffer pool had reached the dirty page threshold criterion for the database.

Prefetch Wait Time

This is the total time database applications spent waiting for prefetchers to finish loading.

Metrics

None.

Troubleshooting

If you see a high number for this metric, it indicates there is a bottleneck in the prefetcher operations. Experiment with changing the number of I/O servers (*num_ioserver*) and the I/O server sizes.

Buffer Pool Hit Ratio

The DB2 database server reads and updates all data from a bufferpool because memory access is much faster than disk access. Data is copied from disk to a bufferpool as needed by the applications using the database. When the server needs to read/write data and the data is already in the bufferpool, no disk access is required. However, if the data is not in the bufferpool, it needs to be read from the disk, which is significantly slower process.

The buffer pool hit ratio indicates the percentage of time that the database server did not need to load a page to service the request for a page. The calculation takes into account all the index and data pages that were requested.

Metrics

Avoiding disk I/O is the main issue when you try to improve the performance tuning. A high buffer pool hit ratio is desirable because it indicates a lower frequency of synchronous disk I/O. A database where data is accessed uniformly from very large tables will have a poor hit ratio. There is little you can do to improve the performance in such cases.

Troubleshooting

The buffer pool hit ratio on the database Home page is the overall hit ratio of the database. First, drill down to the bufferpool level and check the individual buffer pool hit ratios to identify the elements that may require tuning. Increasing the bufferpool size generally improves the buffer pool hit ratio. You can use one of the following methods to increase the bufferpool size depending on the layout of the data:

- 1 If the tablespaces using the bufferpool have tables and indexes on them, increase the bufferpool size incrementally until the index page hit ratio stops increasing for that bufferpool. You will not usually get any benefit increasing the bufferpool size after you reach that point.
- 2 If the tablespaces associated with the bufferpool have only *indexes* on them, increase the bufferpool size until the index page hit ratio stops increasing.
- 3 If the tablespaces associated with the bufferpool have only *data* on them, increase the bufferpool size until the data page hit ratio stops increasing.

One general design guideline is to try and use different tablespaces for indexes and tables and associate different bufferpools with them. This generally improves performance and makes bufferpool tuning much easier.

Buffer Pool Index Hit Ratio

The buffer pool index hit ratio is calculated by separating the pages and indexes that are cached by the buffer pool: $(1 - ((\text{pool_index_p_reads}) / (\text{pool_index_l_reads}))) * 100\%$.

Troubleshooting

By tuning the buffer pool index hit ratio separately, you may be able to improve the buffer pool hit ratio.

Victim Cleans Ratio

Victim Cleans Ratio is the percentage of all page cleans that were victim page cleans. Victim page cleans are triggered when a synchronous write is needed during the victim buffer replacement for the database.

Troubleshooting

If this ratio is low, you may have defined too many page cleaners. Because the buffer pool is meant to defer writing to the last possible moment, having too many page cleaners is counterproductive. If the ratio is high, it might mean that you have too few page cleaners defined, which will increase recovery time after failures.

Threshold Cleans Ratio

Threshold Cleans Ratio is the percentage of all page cleans that were invoked because a buffer pool had reached the dirty page threshold criterion for the database.

Metrics

This dirty page threshold is set by the *chnpggs_thresh* configuration parameter. Cleaners are triggered when the number of dirty pages in the pool exceeds the percentage (threshold) applied to the buffer pool size.

Troubleshooting

If this ratio is too low, pages could be written out too early, and they will need to be read back in. If the ratio is too high, too many pages may accumulate, and users will have to write out pages synchronously.

Log Space Cleans Ratio

The log space cleaners triggered metric is the number of times a page cleaner was triggered because log space usage reached a predefined threshold for the database.

Metrics

The log space cleaners are triggered every time the space used by the DB2 log reaches the limit set in the *softmax* database configuration parameter. This parameter specifies the percentage of primary log size at which the cleaners are triggered. By default this parameter is set to 100.

A low rate of log space cleaners getting triggered may indicate that logs are not being written to disk frequently enough and that you may need to process a large number of log records and redundant log records in the event of a crash recovery.

High rates of log space cleaners getting triggered can indicate that your primary log is too small or that you have set the *softmax* too high. In either case, a very high rate of log cleaners being triggered may adversely impact database performance.

It is important to keep in mind, however, that more page cleaner triggers and more frequent soft checkpoints increase the overhead associated with database logging. This can have an impact on the performance of the Database Manager. Also, more frequent soft checkpoints may not reduce the time required to restart a database, if you have:

- Very long transactions with few commit points.
- A very large bufferpool and the pages containing the committed transactions are not written back to disk very frequently. The use of asynchronous page cleaners can help avoid this situation.

In both of these cases, the log control information kept in memory does not change frequently and there is no advantage in writing the log control information to disk, unless it has changed

Troubleshooting

Examine this metric together with other page cleaner metrics and the async write ratio to determine if excessive numbers of log page cleaners are being triggered. If this is true, you need to either increase your primary log size or adjust the *softmax* parameter to a higher value.

NOTE: Decreasing the log page cleaner triggering rate can impact the overall crash recovery time so it needs to be done judiciously.

Session Leaders – I/O

Session Leaders – I/O shows the top five applications consuming the most I/O. The details include:

Application	Description
Agent ID	A system-wide unique ID for the application. On a single-partitioned database, this identifier consists of a 16 bit counter. On a multi-partitioned database, this identifier consists of the coordinating partition number concatenated with a 16 bit counter. In addition, this identifier will be the same on every partition where the application may make a secondary connection.
Auth ID	The authorization ID of the user who invoked the application that is being monitored. On a DB2 Connect gateway node, this is the user's authorization ID on the host.
Total I/O (ms)	The total amount time (in milliseconds) spent performing buffered and direct reads and writes.

Space Page Statistics

- Database Overview
 - [DMS Space \(Total Used and Total Free\)](#)
 - [DMS Utilization](#)
 - [SMS Space \(Total Used and Total Free\)](#)
 - [SMS Utilization](#)

- Log Overview
 - [Active Log Size](#)
 - [Active Log Used](#)
 - [Active Log Free](#)
 - [Active Log Utilization](#)--+
 - [Secondary Logs Allocated](#)
 - [Secondary Log Used HWM](#)
- Exception Summary
 - [Inaccessible Containers](#)
 - [Tablespaces Low on Space](#)
 - [Abnormal State Tablespaces](#)
- [Tablespace Overview](#)

DMS Space (Total Used and Total Free)

The total used and total free metrics show the space details for DMS tablespaces. Specifically, they show the amount of used and free space on the DMS tablespaces in the database.

Metrics

Unlike SMS tablespaces, the total available space to the DMS tablespaces is defined at the time the database is defined. The DBA needs to explicitly increase the amount of space on DMS tables by adding/extending tablespace containers (using the ALTER TABLESPACE statement). If left unattended, a DMS tablespace can either remain underutilized or fill up completely. Keeping an eye on the DMS space is important because the once it fills up, the applications trying to write to the database will come to a halt suddenly.

Troubleshooting

Go to the Space home page or drilldown to see the usage metrics for individual tablespaces and allocate/deallocate space to containers accordingly using ALTER TABLESPACE command.

DMS Utilization

DMS utilization is the percentage of all DMS tablespaces that are free.

SMS Space (Total Used and Total Free)

This metric shows the total amount of free and used SMS space by the database.

Metrics

The maximum size of SMS tablespaces is not set at the time the tablespaces are created. The maximum size that can be reached is the space available on the drives/volumes that the SMS tablespace containers are defined on. You need to periodically examine the available space of the drives/volumes (using OS metrics Space page) to make sure there is enough space available for your database requirements. Since the space is determined by the space available on the drives/volumes, remember that if other applications are reading and writing to the same devices (especially logs, traces, etc), DB2 may be periodically competing for space with these applications.

Troubleshooting

Ideally, try and isolate the DB2 SMS drives/volumes from other applications. If the OS level metrics show that you are running out of space on a volume that is used by a tablespace's containers, you can add more containers defined on volumes with more space, to the tablespace using the ALTER TABLESPACE command.

SMS Utilization

SMS utilization is the percentage of all SMS tablespaces that are free.

Active Log Size

Active Log Size is the total amount of active log space (in megabytes) available in the database.

Active Log Used

Active Log Used is the current amount of active log space (in megabytes) being used in the database.

Active Log Free

Active Log Free is the active log space (in megabytes) in the database that is not currently being used.

Active Log Utilization

Active Log Utilization is the percentage of space consumed in the database. A very high percentage may cause an alert.

Secondary Logs Allocated

This section shows the secondary logs allocations by the database over the monitoring period.

Metrics

When the primary log files become full, the secondary log files are allocated one at a time as needed, up to a maximum number as controlled by the logsecond database configuration parameter. Secondary log files are useful in preventing occasional log fill ups but they may not be as efficient as primary log and they also increase the recovery time. If you see a constant reliance on secondary log files, it may indicate infrequent commits by database applications or insufficient primary log space.

Troubleshooting

First examine the database applications to see if secondary log files are due to long running transactions and whether these transactions can be shortened. If the transactions cannot be shortened or you still see a very frequent use of secondary logs after transaction tuning, increase the primary log size (logprimary, logfilesiz Database configuration parameters) to reduce the dependence on secondary logs.

If there is an occasional long running transaction, and you see your see transaction log full (SQL0964C) error messages, you can either increase the number of secondary log files (logsecond database configuration parameter) or set the number to -1 (no limit on number of secondary log files).

Secondary Log Used HWM

Secondary Log Used HWM is the maximum amount of secondary log space used (in megabytes).

Troubleshooting

If this value is high, you can try several options:

- Increase the size of the log files.
- Create more primary logs.

The following configuration parameters may need to be updated as a result:

- logfilsiz
- logprimary
- logsecond
- logretain

NOTE: If there are no secondary log files defined, the value will be zero.

Inaccessible Containers

The inaccessible containers metric identifies the number of containers on all tablespaces that are currently inaccessible.

Metrics

Inaccessible containers represent a serious problem on the database. The database is unable to access/write any data on an inaccessible container. Usually this is caused by either media errors or modifications to the container files/directories from outside DB2.

Troubleshooting

Drill down to the Space metrics to examine the inaccessible containers and the tablespaces on which they are contained. You may need to perform a redirected restore on the tablespace from a backup to correct this.

Tablespaces Low on Space

Tablespaces Low on Space is the number of tablespaces in the database where the used space on the tablespace is more than 80% of the total available space.

Metrics

This metric is an indicator that some of the tablespaces in your database may be running out of space. You should drill down to identify the tablespaces that may be at the critical utilization level. In tablespaces where there are little or no inserts after the initial data is loaded, little or no free space may have been left on purpose. In such cases, it is normal to see a high utilization.

Troubleshooting

If this metric goes beyond the normal operational value for your database, consider creating additional space on the tablespaces that are running out of space. You can do this by performing one or more one of the following tasks:

- Clean up unused space by deleting the tables/indexes that are no longer required.

- Resize or extend the existing containers in the tablespaces.
- Add new containers to the tablespaces.

Abnormal State Tablespaces

The tablespaces in abnormal state metric is a count of the number of tablespaces in your database that are not in a 'Normal State'.

Metrics

Tablespaces in not normal state are not necessarily a cause for alarm. They may have been transitioned to that state intentionally by the DBA for maintenance related tasks. If this metric shows a value that is higher than you anticipated, you may need to drilldown to the Space metrics to see which tablespaces are not normal.

A tablespace can be in one or more of the following states when it is not 'Normal':

- Quiesced: SHARE, UPDATE, EXCLUSIVE
- Pending: Load, delete, backup, roll forward, restore, disable, drop
- In progress: Roll forward, reorg, backup, TBS deletion, TBS creation
- Storage must be defined
- Restore in progress
- Offline and not accessible
- Storage may be defined
- Storage definition is in 'final' state
- Storage definition was changed prior to rollforward
- DMS rebalancer is active

Tablespace Overview

The Tablespace Overview section includes a list of all of the tablespaces in the database. The following information is presented for each tablespace:

- **Tablespace:** The name of the tablespace.
- **Type:** system managed (SMS) or database managed (DMS) tablespace.
- **State:** This element describes the current state of the tablespace.
- **Size (MB):** Total space (Used and Free) used by the tablespace on the storage device(s). This will be the same as used space for SMS tables.
- **Used (MB):** The space currently in use on tablespace.
- **Free (MB):** The space currently free on the tablespace. (This is not applicable to SMS tablespaces.)
- **% Used:** The percentage of used space on the tablespace.

Object Page Statistics

The Object view includes the following statistics:

- [Buffer Pools Tab – Overview](#)
- [Buffer Pools Tab – I/O Analysis](#)
- [Tablespaces Tab – Overview](#)
- [Tablespaces Tab – I/O Analysis](#)
- [Containers Tab](#)
- [Tables Tab](#)

Buffer Pools Tab – Overview

The Buffer Pools tab displays details about the buffer pools in the database being monitored:

Buffer Pool Details	Description
Node:	The unique identification number assigned to the node.
Bufferpool:	The name of the buffer pool.
Size (MB):	The current buffer pool size.
Page Size (KB):	The default page size of the buffer pool.
Files Closed:	The number of times a database file was closed because the limit for concurrently open files was reached.
Overall Hit Ratio:	Indicates the percentage of time that the database server did not need to load a page from in order to service the request for a page.
Index Hit Ratio:	The percentage of all index reads that were satisfied because the page was already available in a bufferpool.
Avg Read Time (ms):	The average amount of time (in milliseconds) spent reading in data and index pages from table space containers.
Avg Write Time (ms):	The average amount of time (in milliseconds) spent writing data and index pages from the buffer pool to disk.
Pages Read Per Minute:	The number of physical reads per minute.

Buffer Pools Tab – I/O Analysis

The Buffer Pools tab displays details about the buffer pools in the database being monitored:

Buffer Pool Details	Description
Node:	The unique identification number assigned to the node.
Bufferpool:	The name of the buffer pool.

Buffer Pool Details	Description
% Async Reads:	The percentage of all index and data reads performed asynchronously by the database manager prefetchers.
% Sync Reads:	The percentage of all index and data reads that performed synchronously by the database manager prefetchers.
% Async Writes:	The percentage of all index and data writes performed asynchronously by the database manager bufferpool page cleaners.
% Sync Writes:	The percentage of all index and data writes that were performed synchronously by the database manager bufferpool page cleaners.
% Block I/O:	The percentage of all block/vectored I/O that is block I/O. Block I/O represents the number of times DB2 performs sequential prefetching of pages into the block area of the buffer pool.
% Vectored I/O:	The percentage of all block/vectored I/O that is vectored I/O. Vectored I/O represents the number of times DB2 performs sequential prefetching of pages into the page area of the buffer pool.
Avg Async Read (ms):	The average amount of time spent reading data and index pages.
Avg Sync Read (ms):	The average amount of time spent performing synchronous reads.
Avg Async Write (ms):	The average amount of time spent writing data and index pages to disk.
Avg Sync Write (ms):	The average amount of time spent performing synchronous writes.

Tablespaces Tab – Overview

The Tablespaces tab displays details about the tablespaces in the database being monitored:

Tablespaces	Description
Tablespace:	The name of the tablespace.
Type:	System managed (SMS) or database managed (DMS) tablespace.
State:	This element describes the current state of the tablespace.
Size (MB):	The current buffer pool size.
Used (MB):	The space currently in use on tablespace.
Free (MB):	The space currently free on the tablespace. (This is not applicable to SMS tablespaces.)
% Used:	The percentage of space currently in use on tablespace.
Page Size (KB):	The default page size of the buffer pool.

Tablespaces	Description
Files Closed:	The number of times a database file was closed because the limit for concurrently open files was reached.
Overall Hit Ratio:	Indicates the percentage of time that the database server did not need to load a page from in order to service the request for a page.
Index Hit Ratio:	The percentage of all index reads that were satisfied because the page was already available in a bufferpool.
Avg Read Time (ms):	The average amount of time (in milliseconds) spent reading in data and index pages from table space containers.
Avg Write Time (ms):	The average amount of time (in milliseconds) spent writing data and index pages from the buffer pool to disk.
Pages Read Per Minute:	The number of physical reads per minute.

Tablespaces Tab – I/O Analysis

The Tablespaces tab displays details about the tablespaces in the database being monitored:

Tablespace: The name of the tablespace.

Bufferpool: The name of the buffer pool.

% Async Reads: The percentage of all index and data reads performed asynchronously by the database manager prefetchers.

% Sync Reads: The percentage of all index and data reads that performed synchronously by the database manager prefetchers.

% Async Writes: The percentage of all index and data writes performed asynchronously by the database manager bufferpool page cleaners.

% Sync Writes: The percentage of all index and data writes that were performed synchronously by the database manager bufferpool page cleaners.

% Block I/O: The percentage of all block/vectored I/O that is block I/O. Block I/O represents the number of times DB2 performs sequential prefetching of pages into the block area of the buffer pool.

% Vectored I/O: The percentage of all block/vectored I/O that is vectored I/O. Vectored I/O represents the number of times DB2 performs sequential prefetching of pages into the page area of the buffer pool.

Avg Async Read (ms): The average amount of time spent reading data and index pages.

Avg Sync Read (ms): The average amount of time spent performing synchronous reads.

Avg Async Write (ms): The average amount of time spent writing data and index pages to disk.

Avg Sync Write (ms): The average amount of time spent performing synchronous writes.

Async Pages Read Per Request: The average number of pages read per asynchronous request.

Containers Tab

The Containers tab displays details about the containers for a tablespace:

Node: The unique identification number assigned to the node.

Tablespace: The name of the tablespace.

ID: A value that uniquely identifies a tablespace used by the current database.

Type: System managed (SMS) or database managed (DMS) tablespace.

Container: The name of the container. Typically this is the full path of the file/directory/device where the container exists.

ID: A value that uniquely identifies the container within the tablespace

Type: The type of container. An SMS Container will be a directory. A DMS Containers will be a raw device/file/stripped disk/ or stripped file. Together with Container name, and partition, this metric identifies the physical location of the container.

Accessible: This element describes if a container is accessible or not.

Size (MB): The size of the container (in megabytes).

Total Pages: Total pages in the container.

Useable Pages: Usable pages in the container (applicable to DMS Tablespaces only).

Node Name: The name of the node.

FS Type: This is the type of file system that the container is defined on such as 'NTFS'. It is obtained from the IBM supplied user defined function "SYSPROC.SNAPSHOT_CNTRFS" and is only available for DB2 v8.2 databases and above.

FS Size (GB): This is the total size in gigabytes (GB) of the file system that the container is defined on. It is obtained from the IBM supplied user defined function "SYSPROC.SNAPSHOT_CNTRFS" and is only available for DB2 v8.2 databases and above.

FS Free (GB): This is the total amount of space in gigabytes (GB) that is available on the file system that the container is defined on. It is obtained from the IBM supplied user defined function "SYSPROC.SNAPSHOT_CNTRFS" and is only available for DB2 v8.2 databases and above.

NOTE: If the DB2 database is not a DB2 v8.2 database the values in these columns will be N/A or zero.

Tables Tab

The Tables tab displays details about the tables in the database being monitored:

Schema: The schema name for the table.

Table Name: The name of the table.

Type: The type of table for which information is returned.

Tablespace: Tablespace where the table data resides.

Bufferpool: The name of the buffer pool.

Rows Read Per Tran: The average number of rows read per transaction.

Rows Read: The number of rows read from the table.

Rows Written: The number of rows written to each table.

Overflow Accesses: The number of reads and writes to overflowed rows in this table.

Page Reorgs: The number of page reorganizations executed for a table.

Data Pages (MB): The amount of tablespace used by data pages (in megabytes).

Index Pages (MB): The amount of tablespace used by index pages (in megabytes).

LOB Pages (MB): The amount of tablespace used by LOB pages (in megabytes).

Long Pages (MB): The amount of tablespace used by long pages (in megabytes).

Contention Page Statistics

The Contention view includes the following statistics:

- System Contention
 - [Deadlocks](#)
 - [Lock Waits](#)
 - [Lock Timeouts](#)
 - [Lock Escalations](#)
 - [Applications Waiting on Locks](#)
- [Lock Overview](#)
- [Lock List Utilization](#)
- [Lock Wait Time](#)
- [Average Lock Wait Time](#)

Deadlocks

Deadlocks shows the total number of deadlocks that have occurred since this instance of Performance Center started monitoring the database.

Metrics

If a large number of deadlocks are detected, it can indicate that applications are experiencing lock contention problems. Deadlocks are usually caused by one of the following situations:

- Lock escalations on the database.
- Catalog tables locked for Repeatable Read.
- Applications are using inappropriate isolation levels at bind time.
- Applications are obtaining the same locks in a different order.
- Applications are locking tables explicitly where row level locks are sufficient.

Troubleshooting

You may be able to modify the applications causing lock contentions for better concurrency.

To identify the applications that may be causing contentions, go to the Lock View.

Lock Waits

At the database level, this is the total number of times that applications have had to wait for locks within this database. At the application-connection level, this is the total number of times that this connection requested a lock but had to wait because another connection was already holding a lock on the data.

Metrics

This element may be used with `lock_wait_time` to calculate, at the database level, the average wait time for a lock. This calculation can be done at either the database or the application-connection level.

Troubleshooting

If the average lock wait time is high, you should look for applications that hold many locks, or have lock escalations, with a focus on tuning your applications to improve concurrency, if appropriate. If escalations are the reason for a high average lock wait time, then the values of one or both of the `locklist` and `maxlocks` configuration parameters may be too low.

Lock Timeouts

The lock timeouts metric identifies the number of times that a request to lock an object timed out without being granted.

Metrics

If the number of lock timeouts becomes excessive when compared to the acceptable range for your database, it can indicate that an application is holding locks for long durations. It can also indicate that the amount of time an application waits for a lock before timing out is too short.

If you have too few lock timeouts and the average lock wait time is too high, it can indicate that the lock timeout configuration parameter is set to an excessively high value.

Troubleshooting

First you should examine the lock activity at the application level to identify any particular application that is causing excessive lock contentions. If so, you can tune the application to provide better concurrency. If lock timeouts are excessive, and average lock wait times are very short, you can increase the `locktimeout` database configuration parameter to make the applications wait longer before timing out.

Lock Escalations

The lock escalations metric indicates the number of times that locks have been escalated from row locks to table locks, since this instance of Performance Center started monitoring the database.

Metrics

A lock is escalated when the total number of locks held by an application reaches the maximum amount it is allowed in the lock list memory. There are several possible causes of lock escalations:

- The database lock list size is too small for the concurrent workload
- The maximum percentage of lock list memory allowed for each application is too small
- One or more applications are obtaining an excessive number of locks

Monitor the lock escalations over a period of time to determine what levels are acceptable in your environment. If the escalations are excessive, or are accompanied by deadlocks or long lock waits, consider tuning the database.

Applications Waiting on Locks

The Apps Waiting on Locks metric gives the percentage of all currently connected applications that are waiting for locks.

Metrics

If this number is high, you should investigate whether the applications are having concurrency problems.

Troubleshooting

Compare this metric with the lock escalations metric to identify if the lock list memory is too small.

Go to the Locks Waiting Details tab of the Lock View and examine the lock activity at application level to identify the applications that are holding a large number of row locks and table-level locks. You may be able to tune the applications with a high number of locks.

Lock Overview

Agent ID – A system-wide unique ID for the application. On a single-partitioned database, this identifier consists of a 16 bit counter. On a multi-partitioned database, this identifier consists of the coordinating partition number concatenated with a 16 bit counter. In addition, this identifier will be the same on every partition where the application may make a secondary connection.

Auth ID – The authorization ID of the user who invoked the application that is being monitored. On a DB2 Connect gateway node, this is the user's authorization ID on the host.

Application – The name of the application running at the client, as known to the database or DB2 Connect server.

Locks Waiting – The total number of times that applications or connections waited for locks.

Lock Wait Time (ms) – The total elapsed time applications waited for a lock (given in milliseconds).

Timeouts – Indicates the timeout value (in seconds) when an application has issued a SET CURRENT LOCK TIMEOUT statement. In cases where the statement has not been executed, the database level lock timeout will be shown.

Deadlocks – Shows the total number of deadlocks that have occurred since this instance of Performance Center started monitoring the database.

Lock List Utilization

Lock list utilization is the percentage of total database memory allocated for locks that is currently being used.

Metrics

There is only one lock list for each database and it contains the locks held by all applications connected to the database. Once the lock list is full, the database manager starts escalating row locks to table locks to free up space. This escalation may result in serious performance degradation because of reduced concurrency. Additionally, the number of deadlocks and transaction rollbacks may go up.

If this metric reaches the 75% mark, you should consider bringing this percentage down with tuning.

Troubleshooting

Depending on the database's activity level, you may be able to reduce the lock utilization by following these recommendations:

Increase size of lock list: If there is not enough lock list space available, lock escalations will occur, thereby increasing contention and reducing concurrency. Update the *locklist* database configuration parameter to increase this value.

Tune applications to reduce locking: On the Lock View, identify the applications that are holding many locks and then consider the following steps for controlling the size of the lock list:

- Make the transactions shorter by increasing the COMMIT frequency. This ensures that locks are released frequently, thus freeing up lock space.
- Before you update many rows in a single table, lock the entire table (using the SQL LOCK TABLE statement). This prevents many row-level locks from being obtained (although this decreases concurrency).
- To control how locking is done for a specific table, use the LOCKSIZE parameter of the ALTER TABLE.
- To decrease the number of share locks held, use the Cursor Stability isolation level when possible. If the applications' integrity requirements are not compromised, use Uncommitted Read instead of Cursor Stability to further decrease the amount of locking.

Decrease percentage of lock list: If a small number of applications are consuming most of the lock space, decrease the percentage of lock list for each application. You can throttle back those applications by decreasing the maxlocks database configuration parameter. This reduces the amount of lock list memory available to each application thereby allowing for better distribution of lock list memory.

NOTE: Decreasing the percentage of lock list should be the last resort, and used only if you cannot decrease utilization with the other recommendations. It can cause a large number of lock escalations.

Lock Wait Time

Lock Wait Time is the elapsed time (in milliseconds) that all applications were waiting for a lock.

Metrics

At the database level, this is the total amount of elapsed time that all applications were waiting for a lock within this database. At the application-connection and transaction levels, this is the total amount of elapsed time that this connection or transaction has waited for a lock to be granted to it.

This element may be used in conjunction with the lock_waits monitor element to calculate the average wait time for a lock. This calculation can be performed at either the database or the application-connection level.

When using monitor elements providing elapsed times, you should consider:

- Elapsed times are affected by system load, so the more processes you have running, the higher this elapsed time value.
- To calculate this element at the database level, the database system monitor sums the application-level times. This can result in double counting elapsed times at a database level, since more than one application process can be running at the same time.

Troubleshooting

None.

Average Lock Wait Time

This is the average time, applications waited for locks in the database.

Metrics

This metric helps you determine if the applications are spending a large amount of time waiting to obtain locks.

Troubleshooting

If the average lock wait time is high, you should look for applications that hold many locks or have lock escalations. If appropriate, you may need to tune such applications for better concurrency. If escalations are the reason for high average lock wait time, the values of one or both of the *locklist* and *maxlocks* database configuration parameters may be too low.

Users Page Statistics

The Users view includes the following statistics:

- Session Activity Summary
 - [Connections](#)
 - [Connections Idle](#)
 - [Connections Active](#)
 - [Connections Waiting](#)
 - [Static SQL Statements](#)
 - [Dynamic SQL Statements](#)
- Session Transaction Summary
 - [Transactions](#)
 - [Transactions Per Second](#)
 - [Sorts Per Transaction](#)
 - [Lock Waits Per Transaction](#)
 - [Selects Per Transaction](#)
 - [Rows Selected Per Transaction](#)
- [Session Leaders – Memory](#)
- [Session Leaders – I/O](#)
- [Session Leaders – CPU](#)
- [Max. Connections](#)
- [Percent Executing](#)
- [Percent of Maximum](#)

Related Topics

- [Users Detail](#)

Connections

The total connections metric is the number of applications currently connected to the database.

Metrics

You can use this metric to help you get an overview of the level of database activity and the amount of system resources in use.

Troubleshooting

This metric can help you adjust the setting of the *maxappls* and *max_coordagents* configuration parameters. For example, if this value is always the same as *maxappls*, you consider increasing the value of *maxappls*.

Connections Idle

The connections idle metric indicates the number of applications that are currently connected to the database for which the database manager is not executing any requests.

Metrics

You may use this element to help you understand the level of activity within a database and the amount of system resource being used.

Connections Active

The connections active statistic indicates the number of applications for which the database manager is currently executing requests.

Metrics

You can use this element to understand how many of the database manager agent tokens are being used by applications connected to this database.

Connections Waiting

This metric indicates the percentage of all connected applications waiting on locks.

Metrics

If this number is high, the application may have concurrency problems.

Troubleshooting

You can identify the applications that are holding locks or exclusive locks for a long time from the Users Detail>Locks page and tune such applications for better concurrency.

Static SQL Statements

The static SQL metric is the number of static SQL statement executions attempted on the database each second.

Dynamic SQL Statements

The dynamic SQL metric is the number of dynamic SQL statement executions being attempted on the database each second.

Transactions

Transactions is the number of transactions executed on the database since the start of this instance of Performance Center.

Metrics

A low number of units of work compared to the overall SQL activity (static + dynamic SQL statements) indicate long transactions. This may in turn be an indicator of poor concurrency and heavy log usage.

Transactions Per Second

Transactions per second is the number of transactions (units of work) completed per second on the database.

Metrics

A small rate of transactional activity on the database can indicate that applications are not doing frequent commits, which may lead to logging and concurrency problems.

Troubleshooting

Drill down to the Users Detail>SQL Activity page to check which applications are running their transactions for long periods of time.

Sorts Per Transaction

Sorts per transaction is the number sorts that have been executed during per transaction.

Lock Waits Per Transaction

Lock Waits Per transaction is the number of times per transaction applications or connections had to wait because another connection was holding a lock on the data.

Selects Per Transaction

Selects per transaction is the number of SQL SELECT statements executed per transaction.

Rows Selected Per Transaction

Rows selected per transaction is the number of rows per transaction that have been selected and returned to the application.

Session Leaders – Memory

Session Leaders – Memory shows the top five memory consumption applications that are running in the database. The details include:

Session Leader Details	Description
Agent ID:	A system-wide unique ID for the application. On a single-partitioned database, this identifier consists of a 16 bit counter. On a multi-partitioned database, this identifier consists of the coordinating partition number concatenated with a 16 bit counter. In addition, this identifier will be the same on every partition where the application may make a secondary connection.
Auth ID:	The authorization ID of the user who invoked the application that is being monitored. On a DB2 Connect gateway node, this is the user's authorization ID on the host.
Memory:	Total memory pool usage for the application.

Session Leaders – I/O

I/O shows the top five applications consuming the most I/O. The details include:

Details	Description
Agent ID	A system-wide unique ID for the application. On a single-partitioned database, this identifier consists of a 16 bit counter. On a multi-partitioned database, this identifier consists of the coordinating partition number concatenated with a 16 bit counter. In addition, this identifier will be the same on every partition where the application may make a secondary connection.
Auth ID	The authorization ID of the user who invoked the application that is being monitored. On a DB2 Connect gateway node, this is the user's authorization ID on the host.
Total I/O (ms)	The total amount time (in milliseconds) spent performing buffered and direct reads and writes.

Session Leaders – CPU

Session Leaders – CPU shows the top five applications with the highest CPU usage. The details include:

Details	Description
Agent ID:	A system-wide unique ID for the application. On a single-partitioned database, this identifier consists of a 16 bit counter. On a multi-partitioned database, this identifier consists of the coordinating partition number concatenated with a 16 bit counter. In addition, this identifier will be the same on every partition where the application may make a secondary connection.

Details	Description
Auth ID	The authorization ID of the user who invoked the application that is being monitored. On a DB2 Connect gateway node, this is the user's authorization ID on the host.
CPU (sec):	The total user and system CPU time used by the application agents.

Max. Connections

This parameter (*maxappls*) is the maximum number of concurrent applications that can be connected locally and remotely to a database. Allowing a higher number of concurrent applications to connect increases the potential for more memory use.

Metrics

If you set *maxappls* to *automatic*, any number of applications will be allowed to connect. Otherwise, you can set the *maxappls* parameter to a specific number that allows for all of the following:

- The sum of the connected applications.
- The number of these connected applications that might be concurrently in the process of completing a two-phase commit or rollback.
- The expected number of indoubt transactions that may exist at any given time.

Percent Executing

Percent Executing is the percentage of applications that are currently executing in the database, and for which the database manager is currently processing a request.

Percent of Maximum

Percent of Maximum is the percentage of the maximum number of allowed concurrent applications that are currently connected to the database.

Users Detail

The following tabbed pages are available on the Users Detail page:

Overview Tab

Column	Description
Agent ID	This is a system-wide unique identifier for the application.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
Client PID	The process ID of the client application that made the connection to the database.
OS User ID	The authorization ID used to access the operating system.
Application	Name of the application executable.
Status	The current status of the application.
Coord Node	In a multi-node system, this is the node number of the node where the selected application connected or attached to the instance.
UOW Elapsed Time (sec)	The elapsed execution time of the most recently completed unit of work.
Memory Used (KB)	Total memory pool usage for the application.
Lock Wait Time (ms)	The current amount of wait time for the process, in milliseconds.
Total Sort Time (ms)	The total elapsed time (in milliseconds) for all sorts that have been executed.
User CPU Time (sec)	The total user CPU time used by the application agents.
System CPU Time (sec)	The total system CPU time used by the application agents.
Buffered I/O Time (ms)	The total time spent by application in performing buffered reads and writes.
Direct I/O Time (ms)	The total time spent by application in performing non-buffered reads and writes.

Locking Tab

Column	Description
Agent ID	This is a system-wide unique identifier for the application.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
Client PID	The process ID of the client application that made the connection to the database.
OS User ID	The authorization ID used to access the operating system.
Application	Name of the application executable.
Status	The current status of the application.
Coord Node	In a multi-node system, this is the node number of the node where the selected application connected or attached to the instance.
Lock Wait Time (ms)	The current amount of wait time for the process, in milliseconds.
Lock Waits	At the database level, this is the total number of times that applications have had to wait for locks within this database. At the application-connection level, this is the total number of times that this connection requested a lock but had to wait because another connection was already holding a lock on the data.
Locks Waiting	The number of agents waiting on a lock.
Locks Held	The number of locks currently held either by all applications in the database (database level) or by all agents for the application (application level).
Deadlocks	The total number of deadlocks that have occurred since this instance of Performance Center started monitoring the database.

Column	Description
Timeouts	The number of times that a request to lock an object timed out without being granted.
Timeout Value (sec)	Indicates the timeout value (in seconds) when an application has issued a SET CURRENT LOCK TIMEOUT statement.
Lock Escalations	The number of times that locks have been escalated from row locks to table locks, since this instance of Performance Center started monitoring the database.
X Lock Escalations	The number of times that locks have been escalated from several row locks to one exclusive table lock, or the number of times an exclusive lock on a row caused the table lock to become an exclusive lock.

Sorting Tab

Column	Description
Agent ID	This is a system-wide unique identifier for the application.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
Client PID	The process ID of the client application that made the connection to the database.
OS User ID	The authorization ID used to access the operating system.
Application	Name of the application executable.
Status	The current status of the application.
Coord Node	In a multi-node system, this is the node number of the node where the selected application connected or attached to the instance.
Total Sort Time (ms)	The total elapsed time (in milliseconds) for all sorts that have been executed.
Total Sorts	The total number of sorts that have been executed.
Sort Overflows	The total number of sorts that ran out of sort heap and may have required disk space for temporary storage.
Hash Joins	The total number of hash joins executed.
Hash Join Loops	The total number of times that a single partition of a hash join was larger than the available sort heap space.
Hash Join Overflows	The number of times that hash join data exceeded the available sort heap space.
Hash Join Small Overflows	The number of times that hash join data exceeded the available sort heap space by less than 10%.

I/O Tab

Column	Description
Agent ID	This is a system-wide unique identifier for the application.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
Client PID	The process ID of the client application that made the connection to the database.
OS User ID	The authorization ID used to access the operating system.

Column	Description
Application	Name of the application executable.
Status	The current status of the application.
Coord Node	In a multi-node system, this is the node number of the node where the selected application connected or attached to the instance.
Total I/O Time (ms)	The total time spent by application in performing buffered and non-buffered reads and writes.
Buffered I/O Time (ms)	The total time spent by application in performing buffered reads and writes.
Direct I/O Time (ms)	The total time spent by application in performing non-buffered reads and writes.
Total Reads	The number of reads issued against the database.
Total Writes	The number of writes issued against the database.
Logical Reads	The total number of db block gets and consistent gets (data read from memory) since the last refresh.
Physical Reads	The total number of physical reads performed on all datafiles since the last refresh.
Direct Reads	This is the number of read operations that do not use the buffer pool.
Direct Writes	This is the number of write operations that do not use the buffer pool.
Buffered Writes	This indicates the number of times a buffer pool data page was physically written to disk.
Pre-Fetch Wait Time (ms)	This is the time an application spent waiting for an I/O server (prefetcher) to finish loading pages into the buffer pool.
Pre-Fetch Unread Pgs	This indicates the number of pages that the prefetcher read in that were never used.

Memory Tab

Column	Description
Agent ID	This is a system-wide unique identifier for the application.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
Client PID	The process ID of the client application that made the connection to the database.
OS User ID	The authorization ID used to access the operating system.
Application	Name of the application executable.
Status	The current status of the application.
Coord Node	In a multi-node system, this is the node number of the node where the selected application connected or attached to the instance.
Memory Used (KB)	Total memory pool usage for the application.
Priv Work HWM (KB)	This is the largest size (in kilobytes) reached by the private workspace.
Shr Work HWM (KB)	This is the largest size (in kilobytes) reached by shared workspaces.
Cache Overflows	This is the number of times that the catalog cache overflowed the bounds of its allocated memory.
Cache Lookups	This is the number of times that the catalog cache was referenced to obtain table descriptor information or authorization information.
Cache Inserts	This is the number of times that the system tried to insert table descriptor or authorization information into the catalog cache.

Column	Description
Catlg Cache Hit Ratio	The catalog cache hit ratio indicates how well the catalog cache is helping to avoid actual accesses to the catalog on disk. A high ratio indicates successful avoidance of actual disk I/O accesses.
Pkg Cache Hit Ratio	The package cache hit ratio indicates how well the package cache is helping to avoid reloading packages and sections for static SQL from the system catalogs as well as helping to avoid recompiling dynamic SQL statements. A high ratio indicates successful avoidance of these activities.
Priv Work Hit Ratio	The private workspace hit ratio indicates how well the private SQL workspace is helping to avoid having to initialize sections for SQL statements that are about to be executed. A high ratio indicate successful avoidance of this action.
Shr Work Hit Ratio	The shared workspace hit ratio indicates how well the shared SQL workspace is helping to avoid having to initialize sections for SQL statements that are about to be executed. A high ratio indicate successful avoidance of this action.
Appl Sect Hit Ratio	The application workspace hit ratio indicates how well the application SQL workspace is helping to avoid having to initialize sections for SQL statements that are about to be executed. A high ratio indicate successful avoidance of this action.

SQL Activity Tab

Column	Description
Agent ID	This is a system-wide unique identifier for the application.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
Client PID	The process ID of the client application that made the connection to the database.
OS User ID	The authorization ID used to access the operating system.
Application	Name of the application executable.
Status	The current status of the application.
Coord Node	In a multi-node system, this is the node number of the node where the selected application connected or attached to the instance.
Rows Read	This is the number of rows read from the table.
Rows Written	This is the number of rows changed (inserted, deleted, or updated) in the table.
Rows Read Per Tran	The average number of rows read per transaction.
Rows Written Per Tran	The average number of rows read per transaction.
Transactions	The total number of active transactions in that have not yet been committed, or are waiting on a blocking lock to complete.
Commits	This is the total number of commits initiated by the database manager.
Rollbacks	This is the total number of rollbacks initiated by the database manager.
Rows Selected	This is the number of rows that have been selected and returned to the application.
Rows Inserted	This is the number of row insertions attempted.
Rows Updated	This is the number of row updates attempted.
Rows Deleted	This is the number of row deletions attempted.
Select Stmt	This is the percentage of all executed statements that were SQL Select Statements.

Column	Description
DDL Stmt%	This is the percentage of all executed statements that were SQL DDL Statements.
Failed Stmt%	This is the percentage of all executed statements that were SQL Failed Statements.

Instance Page Statistics

Summary Tab

- Memory
 - [Sort Heap Utilization](#)
 - [Monitor Heap Utilization](#)
 - [Sort Heap \(MB\)](#)
 - [Private Memory \(MB\)](#)
- Sorts/Joins
 - [Piped Sorts Requested](#)
 - [Piped Sorts Rejected](#)
 - [Post Threshold Sorts](#)
 - [Post Threshold Hash Joins](#)
- FCM
 - [Buffer Utilization](#)
 - [Request Block Utilization](#)
 - [Message Anchor Utilization](#)
 - [Connection Entry Utilization](#)
- [Instance Identification](#)
 - Product Name
 - Service Level
 - Instance Type
 - Instance Name
 - Last Reset Time
 - Active Databases
 - Number of Nodes
 - Operating System

- [Monitor Switches](#)
 - Lock
 - Sort
 - Table
 - Bufferpool
 - Statement
 - Timestamp
 - Unit of Work
- Agent Statistics
 - [Idle](#)
 - [Stolen](#)
 - [Requests](#)
 - [Registered](#)
 - [Request Overflows](#)
 - [Waiting for Tokens](#)
 - [Assigned from Pool](#)
 - [Created Empty Pool](#)

Configuration Tab

- [Database Configuration](#)

Memory Pool Tab

- [Memory Pools](#)
- [Memory Pool Utilization](#)
- [Memory Pool Size](#)

Utilities Tab

- [Instance Utilities](#)

FCM Tab

- [FCM Throughput](#)
- [FCM Resource Utilization](#)
- [Buffer Utilization](#)
- [Message Anchor Utilization](#)
- [Connection Entry Utilization](#)
- [Request Block Utilization](#)

Other

- [Agent Utilization](#)
- [Percent of Agents Stolen](#)

Sort Heap Utilization

The amount of memory allocated for each sort may be some or all of the available sort heap size. Sort heap size is the amount of memory available for each sort as defined in the database configuration parameter *sortheap*. Shared sort memory utilization gives the percentage of the sort heap being used.

It is possible for a single application to have concurrent sorts active. For example, in some cases a SELECT statement with a subquery can cause concurrent sorts.

Metrics

Memory estimates do not usually include sort heap space. If excessive sorting is occurring, the extra memory used for the sort heap should be added to the base memory requirements for running the database manager. Generally, the larger the sort heap, the more efficient the sort. Typically the shared sort utilization should be less than or equal to 70%. You should consider tuning the database if you see a utilization value greater than this.

Troubleshooting

To bring the sort heap utilization to an acceptable level, use the following guidelines:

- Examine the queries you are running on the database to see if you can add indexes to columns frequently accessed in the WHERE clause. This minimizes the use of the sort heap.
- If you are using dynamic bitmaps or hash join buffers in your queries, or your queries frequently require large sorts, increase the *sortheap* size.
- If you adjust the *sortheap* size, also look at the *sheaphres* database manager configuration parameter to see if it too needs to be adjusted

If you are adjusting the *sortheap* size, you may also benefit from rebinding your packages since the optimizer takes this parameter into account when determining the access paths.

Monitor Heap Utilization

The Monitor Heap Utilization statistic measures the consumption of monitor heap memory based on the memory pool. The utilization is calculated from using the following equation $(db2.pool_cur_size / db2.pool_max_size) * 100$.

Metric

The rate of utilization is measured by looking at the current memory heap pool size being used in relation to the maximum memory heap pool size. When the percentage reaches the maximum 100%, monitor operations may fail.

Troubleshooting

If you are experiencing trouble, consider increasing the monitor heap memory size.

Sort Heap (MB)

The Sort Heap metric is the total number of allocated pages of sort heap space for all sorts at the database manager level and at the moment the snapshot was captured.

Metric

Sort heap size is the amount of memory available for each sort as defined in the *sortheap* database configuration parameter. At the database manager level, it is the total sort heap space allocated in all active databases in the database manager.

Troubleshooting

If excessive sorting is occurring, you can add the extra memory used for the sort heap to the base memory requirements. Often, the larger the sort heap, the more efficient the sort. Use the information returned at the database manager level to help you adjust the *sheapthres* parameter.

Private Memory (MB)

This is the amount of private memory that the instance of the database manager has allocated at the time the snapshot was taken.

To change the amount of private memory allocated, change the minimum committed private memory configuration parameter (*min_priv_mem*). The default value is recommended, but you can use it to commit more memory to the database server. If you set the allocation too high, you can have a negative impact on the performance of non-DB2 applications.

Piped Sorts Requested

This metric gives the number of piped sorts that have been requested.

Metrics

Each active sort on the system allocates memory, which may result in sorting taking up too much of the available system memory. A piped sort is not accepted if the sort heap threshold is exceeded when the sort heap is allocated for the sort.

The sort list heap (*sortheap*) and sort heap threshold (*sheapthres*) configuration parameters help control the amount of memory used for sort operations. These parameters are also used to determine whether a sort will be piped.

Since piped sorts may reduce disk I/O, allowing more piped sorts can improve the performance of sort operations and possibly the performance of the overall system.

Troubleshooting

If piped sorts are being rejected, you might consider decreasing your sort heap or increasing your sort heap threshold. You should be aware of the possible implications of either of these options. If you increase the sort heap threshold there is the possibility that more memory will remain allocated for sorting. This could cause paging memory to disk. If you decrease the sort heap, you might require an extra merge phase that could slow down the sort.

Piped Sorts Rejected

The piped sorts rejects statistic is the number of piped sorts that were rejected by the database manager.

Metrics

Each active sort on the system allocates memory, which may result in sorting taking up too much of the available system memory. A piped sort is not accepted if the sort heap threshold is exceeded when the sort heap is allocated for the sort.

The sort list heap (*sortheap*) and sort heap threshold (*sheapthres*) configuration parameters help control the amount of memory used for sort operations. These parameters are also used to determine whether a sort will be piped.

Since piped sorts may reduce disk I/O, allowing more piped sorts can improve the performance of sort operations and possibly the performance of the overall system.

Troubleshooting

If piped sorts are being rejected, you might consider decreasing your sort heap or increasing your sort heap threshold. You should be aware of the possible implications of either of these options. If you increase the sort heap threshold there is the possibility that more memory will remain allocated for sorting. This could cause paging memory to disk. If you decrease the sort heap, you might require an extra merge phase that could slow down the sort.

Post Threshold Sorts

The post threshold sorts is the number of sorts that have requested heaps after the sort heap threshold has been exceeded.

Metrics

Under normal conditions, the Database Manager allocates sort heap using the value specified by the *sortheap* configuration parameter. If the amount of memory allocated to sort heaps exceeds the sort heap threshold (*sheapthres* configuration parameter), the database manager allocates sort heap using a value less than that specified by the *sortheap* configuration parameter.

Each active sort on the system allocates memory, which may result in sorting taking up too much of the system memory available. Sorts that start after the sort heap threshold has been reached may not receive an optimum amount of memory to execute. As a result, however, the entire system may benefit.

Troubleshooting

By modifying the sort heap threshold and sort heap size configuration parameters, the performance of sort operations and/or the overall system can be improved. If this element's value is high, you can:

- Increase the sort heap threshold (*sheapthres*) or,
- Adjust applications to use fewer or smaller sorts via SQL query changes.

Post Threshold Hash Joins

The post threshold hash joins statistic is the number of times that a hash join heap request was limited because of concurrent use of shared or private sort heap space.

Metrics

Each active sort on the system allocates memory, which may result in sorting taking up too much of the available system memory. A piped sort is not accepted if the sort heap threshold is exceeded when the sort heap is allocated for the sort.

The sort list heap (*sortheap*) and sort heap threshold (*sheapthres*) configuration parameters help control the amount of memory used for sort operations. These parameters are also used to determine whether a sort will be piped.

Since piped sorts may reduce disk I/O, allowing more piped sorts can improve the performance of sort operations and possibly the performance of the overall system.

Troubleshooting

If this value is large (greater than 5% of hash join overflows), the sort heap threshold should be increased.

Buffer Utilization

This element indicates the percentage of all FCM buffers that are currently being used by the fast communication manager.

Metrics

None.

Troubleshooting

You can use this information to tune *fcm_num_anchors*. If the utilization percentage is high, you should increase the *fcm_num_anchors* to ensure that operations do not run out of FCM message anchors. If the utilization is low, you can decrease *fcm_num_anchors* to conserve system resources.

Request Block Utilization

This element indicates the percentage of all request blocks that are currently being used by the fast communication manager.

NOTE: This metric is only applicable to DB2 version 7. In DB2 version 8, the maximum request blocks are adjusted dynamically and automatically

Troubleshooting

You can use this information to tune *fcm_num_rqb*. If the utilization percentage is high, you should increase the *fcm_num_rqb* to ensure that operations do not run out of FCM request blocks. If the utilization is low, you can decrease *fcm_num_rqb* to conserve system resources.

Message Anchor Utilization

This element indicates the percentage of all message anchors that are currently being used by the fast communication manager.

NOTE: This metric is only applicable to DB2 version 7. In DB2 version 8, the maximum message anchors are adjusted dynamically and automatically

Metrics

None.

Troubleshooting

You can use this information to tune *fcm_num_buffers*. If the utilization percentage is high, you should increase the *fcm_num_buffers* to ensure that operations do not run out of FCM buffers. If the utilization is low, you can decrease *fcm_num_buffers* to conserve system resources.

Connection Entry Utilization

The connection entry utilization element indicates the percentage of all connection entries that are currently being used by the fast communication manager.

NOTE: This metric is only applicable to DB2 version 7. In DB2 version 8, the maximum connection entries are adjusted dynamically and automatically.

Troubleshooting

You can use this information to tune *fc_num_connect*. If the utilization percentage is high, you should increase the *fc_num_connect* to ensure that operations do not run out of FCM connection entries. If the utilization is low, you can decrease *fc_num_connect* to conserve system resources.

Instance Identification

The following information about the database instance is displayed.

Database Instance Information	Description
Product Name:	The name of the database software.
Service Level:	The FixPack level.
Instance Type:	The type of DB2 server.
Instance Name:	The name of the DB2 instance.
DB2 Start Time:	The date and time that the database manager was started using the <code>db2start</code> command.
Active Databases:	The number of active databases running on the server.
Number of Nodes:	The number of nodes running on the instance.
Operating System:	The operating system the database is running on.

Monitor Switches

Monitor switches control the collection of potentially expensive data by the database manager. Each switch can be set to ON or OFF.

Lock

The lock monitor switch controls the collection of data related to the lock wait times and deadlocks.

Sort

The sort monitor switch controls the collection of data related to the number of heaps used and sort performance.

Table

The table monitor switch controls the collection of data related to the measure of activity (rows read/written).

Bufferpool

The bufferpool monitor switch controls the collection of data related to the number of reads and writes and the amount of time taken.

Statement

The statement monitor switch controls the collection of data related to the start/stop time and statement identification.

Timestamp

The timestamp monitor switch controls the collection of timestamps. This switch is ON by default.

Unit of Work

The unit of work monitor switch controls the collection of data related to start and end times and completion status.

Idle

An idle agent is one type of worker agent, that is an agent that carries out application requests but that has no fixed attachment to any given application. More specifically, an idle agent doesn't have a local database or outbound connection.

Metrics

The idle agents metric is the number of agents in the agent pool that are currently unassigned to an application and are, therefore, "idle."

Having idle agents available to service requests for agents can improve performance.

Troubleshooting

You can use this element to help set the *num_poolagents* configuration parameter.

Stolen

This is the number of times agents are stolen. Agents are stolen when an idle agent is reassigned from one application to another.

Metric

Agents stolen can be used along with *associate_agents_top* to evaluate the load the application places on the system.

Troubleshooting

If *agents_stolen* is high, try increasing the *num_poolagents* configuration parameter.

Requests

This metric is the number of requests for agents from the agent pool. As requests are made, idle agents are deployed.

Troubleshooting

Adjust the *num_poolagents* configuration parameter if there are there are more requests than agents available.

Registered

The agents registered metric is the number of agents registered in the Database Manager instance that is being monitored (coordinator agents and subagents).

Metrics

None.

Troubleshooting

You can use this element to help evaluate your setting for the *maxagents* configuration parameter.

Request Overflows

Request Overflows is the maximum number of agents associated with an application. The *max_agent_overflows* metric is the number of requests received after the *maxagents* configuration parameter has been reached.

Waiting for Tokens

The agents waiting for tokens statistic is the number of agents waiting for a token so they can execute a transaction in the database manager.

Metrics

Each application has a dedicated coordinator agent to process database requests within the Database Manager. Furthermore, each agent has to get a token before it can execute a transaction. The maximum number of agents that can execute Database Manager transactions is limited by the configuration parameter *maxcagents*.

Troubleshooting

You can use this element to help evaluate your setting for the *maxcagents* configuration parameter.

Assigned from Pool

This is the number of agents that have been assigned from the pool of agents available.

Troubleshooting

Use the *agents_created_empty_pool* in conjunction with the *agents_from_pool* metric to determine how often an agent has to be created because the pool is empty. If you see the ratio (Agents Created Due to Empty Agent Pool / Agents Assigned from Pool) is high, consider increasing the *num_poolagents* configuration parameter.

A low ratio suggests *num_poolagents* is set too high and rarely used agents are wasting resources. A high ratio may indicate the workload is too high for that node.

Created Empty Pool

This is the number of agents created because the agent pool ran dry. The metric includes the number of agents at startup (*num_intiagents*).

Troubleshooting

Use the *agents_created_empty_pool* in conjunction with the *agents_from_pool* metric to determine how often an agent has to be created because the pool is empty. If you see the ratio (Agents Created Due to Empty Agent Pool / Agents Assigned from Pool) is high, consider increasing the *num_poolagents* configuration parameter.

A low ratio suggests *num_poolagents* is set too high and rarely used agents are wasting resources. A high ratio may indicate the workload is too high for that node.

Database Configuration

The following information about the Database Manager (Instance) is available on the configuration tab:

Database Manager Information	Description
Parameter:	The parameter name.
Description:	The description of the parameter.
Value:	The value set for the parameter.
Modifiable:	Whether the parameter is modifiable or not.

Memory Pools

This section shows the memory pool usage details of the selected memory pool over time.

Usage Details	Description
Node:	Indicates the database partition number.
Memory Pool:	This is the kind of memory pool. Each pool type is only shown once.
Utilization:	The percentage of utilization of the selected memory pool.
High Watermark (MB):	The largest size of a memory pool since its creation.
Current Size (MB):	The current size of a memory pool.
Max Size (MB):	The internally configured size of a memory pool in DB2 UDB.

Metrics

The nature of *memory_pool* data elements varies between platforms. On Windows systems, no memory usage is reported at the database level, while on UNIX systems, memory is reported at the database level. Instead of reporting this memory at the database level, the system monitor for Windows systems reports it in instance -level snapshots. This divergence in reporting is due to differences in the underlying memory architecture between Windows systems and UNIX systems.

Memory Pool Utilization

This section shows the percentage of utilization of the selected memory pool.

Metrics

You can use this metric to see if a memory pool is nearly full. You can diagnose the problems with specific memory pools by monitoring their utilization over time.

Troubleshooting

If the value of the pool utilization is consistently close to or exceeds 100%, you may need to increase the configuration parameter associated with that pool.

Memory Pool Size

This section shows the current memory pool size for the selected application (or database level).

Instance Utilities

The Utilities tab of the Instance Page gives information on the utilities currently executing in the database manager (available in DB2 version 8 only). The Utility details are as follows:

Utility Details	Description
Node:	Indicates the database partition number.
Database:	Database on which the utility is operating.
ID:	The unique identifier corresponding to the utility invocation.
Type:	Class of the utility (Rebalance, Backup, Restore, Reorg, etc.).
Description:	A brief description of the work the utility is performing.
Start Time:	The time the utility was invoked.
% Complete:	Shows the completion status of the utility.

FCM Throughput

This section gives a detailed view of inter-node communication in a multipartition environment. The information shown here includes the connection status and buffers sent and received between various combinations of partitions in a multi-partitioned environment. The columns presented here include:

Source Node: Partition that sends the information.

Target Node: Partition that received the information.

Buffers Sent: Number of Buffers sent from source node to the target node.

Buffers Received: Number of Buffers sent from source node to the target node.

Connection Status: Status of the connection between nodes.

Metrics

If the total number of FCM buffers sent or received between selected nodes is high, you may want to redistribute the database, or move tables to reduce the inter-node traffic.

FCM Resource Utilization

The FCM Resource Utilization chart shows the following:

Node: Indicates the database partition number.

FCM Buffer Utilization: The current utilization and low watermark of FCM buffers.

FCM Message Anchor Utilization: The current utilization and low watermark of FCM message anchors.

FCM Connection Entries Utilization: The current utilization and low watermark of FCM connection entries.

FCM Request Block Utilization: The current utilization and low watermark of FCM request blocks.

Agent Utilization

Agent Utilization is the percentage of available database manager agents (maxagents) that are currently registered on the database manager (agents_registered).

Percent of Agents Stolen

Percent of Agents Stolen is the percentage of all agent requests—including the number of agents assigned from the agent pool (agents_from_pool), the number of agents created because the agent pool was empty (agents_created_empty_pool), and the number of agents stolen (agents_stolen)—that were agents stolen.

Other Views and Statistics

In addition to the Home view, Enterprise view, and the performance category views, Performance Center offers many other views. The tables below lists, by database platform, the other views available in Performance Center:

View	Oracle	SQL Server	Sybase	DB2
Alert Log	x	x	x	x
Archive	x			
Configuration Parameters		x	x	x
Health Index	x	x	x	x
Hot Objects	x			
Instance Parameters	x			
Lock	x	x	x	x
Operating System	x	x	x	x
Session Detail	x	x	x	x
SQL Server Logs		x		
Top Sessions	x	x	x	x
Top SQL	x	x		x
Trends	x	x	x	x

Archive View

- [Metrics](#)

To allow for point-in-time recovery, Oracle writes copies of redo log information to disk. When a database is running in archive log mode, a DBA, with proper backup techniques in place, can recover nicely from a database error and roll forward to almost any point in time as long as the proper archive logs are in place.

The I/O needed to write these archive logs is handled by Oracle's ARCH process. The Archive view allows archive files written by the ARCH process to be viewed by user-specified time frames. The table below describes the information available on the Archive view:

Column	Description
Date/Time	The timestamp of the archive log (when the log was written).
Title	The actual archive log file name and path.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Numerous archive files can be written to disk if there is heavy redo log activity. Batch jobs have the potential to move very fast; sometimes so fast that the online redo logs wrap back around before they have a chance to be archived. Messages indicating this has happened show up in the Oracle alert log. If this happens frequently, you should think about increasing the size of the online redo log files, or increasing the number of redo logs in general.

Seeing archive files written at a rate of more than one every 30-60 minutes can indicate the redo size is too small (or there is an above-average data modification load).

If you do not want to lose an archive file that can be needed for recovery and you are using Oracle 8 or later, you can take advantage of the feature where you can write archive files to more than one destination on disk. This feature also allows multiple ARCH processes to be invoked. Investigate using the Init.ora parameters `log_archive_dest_n` and `log_archive_max_processes`.

Always remember one thing with respect to archive files and running Oracle in archive log mode: Running out of archive file space on the server can halt all activity in a database. Make sure you have ample free space available on your archive drives. And, you should also implement a purge procedure for older archives in conjunction with your backup routine.

Health Index View

- [Metrics](#)

Performance Center's global and category-specific health indexes are fast and efficient indicators you can use to determine if a database is experiencing problems. They also locate the most problematic area(s). With the Health Index view, you can scan individual category indexes simultaneously and see, over time, where the problem areas reside.

Metrics

Generically speaking, you should investigate any index that falls below 90. Temporary dips in a health index graph should not be a cause for concern unless the dips form a pattern and occur on a predictable and continuous basis.

Hot Objects

The following tabbed pages are available on the Hot Objects view:

- [Hot Tables](#)
- [Hot Code](#)

NOTE: The Hot Objects view is for Oracle datasources.

Hot Tables

- [Metrics](#)

Certain objects in an Oracle database are accessed more than others. These objects can become a source of contention given certain conditions. The Hot Tables tab of the Hot Objects view identifies tables that are being frequently accessed through various SQL statements. The table below describes the information that Performance Center displays on the Hot Tables tab of the Hot Objects view:

Column	Description
Table Owner	The owner of the table.
Table Name	The name of the table.
Command Issued	The SQL statement command issued against the table.
Executions	The number of SQL executions the object has experienced.

Column	Description
Disk Reads	The number of estimated disk reads from the object.
Buffer Gets	The number of estimated logical I/O's from the object.
Rows Processed	The number of estimated rows processed from the object.

Metrics

DML activity against tables can cause contention for space management objects like free lists. Oracle9i and above provides automatic segment management, which can remove problems with free lists and the like.

Hot Code

- [Metrics](#)

Certain objects in an Oracle database are accessed more than others. Data objects can become a source of contention given certain conditions, while code objects rarely cause contention issues. The Hot Code tab of the Hot Objects view identifies code objects (procedure, functions, etc.) that are being frequently accessed through various SQL statements. The table below describes the information that Performance Center displays on the Hot Code tab of the Hot Objects view:

Column	Description
Object Owner	The owner of the object.
Object Name	The name of the object.
Object Type	The type of object (package, etc.)
# of Executions	The number of estimated executions for the object.
Loads	The number of times the object was loaded into the shared pool.
Locks	The number of locks the object has experienced.
Pins	The number of times the object was pinned in the shared pool.

Metrics

Often referenced code objects should be pinned in the shared pool using the Oracle DBMS_SHARED_POOL package. Objects with many executions and loads should be considered candidates for pinning.

Lock View

The following tabbed pages are available on the Lock view:

- [All Locks](#)
- [All User Locks \(Oracle only\)](#)
- [Blocking Locks](#)
- [Locks View for DB2](#)

All Locks Tab

The information on the All Locks tab of the Locks view depends on the target DBMS:

- [Oracle](#)
- [SQL Server](#)
- [Sybase](#)

All Locks Tab for Oracle

- [Metrics](#)

To modify database information or structures, a user session must obtain a lock on the object to perform its task. In addition to user locks, Oracle issues lock requests to carry out its internal duties. The All Locks tab of the Locks view displays information about all locks currently on a system. The table below describes the information available on the All Locks tab of the Locks view for Oracle:

Column	Description
SID	The session identifier of the session holding the lock.
User Name	The user account of the session holding the lock. NULL if it is a background process.
Lock Mode	The lock mode (EXCLUSIVE, SHARE, etc.)
Request Type	The type of lock requested by the session.
Object Name	The name of the object being locked.
Object Type	The type of object being locked (TABLE, etc.)
Lock Type	The type of lock (TRANSACTION, DML, etc.)
Lock ID 1	The lock identifier #1 (depends on type).
Lock ID 2	The lock identifier #2 (depends on type).

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Locks held for unusually long periods are candidates for further investigation. The application logic can be inefficient or the program may not be issuing COMMIT frequently enough.

All Locks Tab for SQL Server

- [Metrics](#)

To modify database information or structures, a user session must obtain a lock on the object to perform its task. In addition to user locks, SQL Server issues lock requests to carry out its internal duties. Performance Center displays information about all locks currently on a system on the All Locks tab of the Locks view and the Lock Detail grid on the Lock tab of the Contention Detail view.

The table below describes the information available on the tab and the grid:

Column	Description
SPID	The process ID of the process holding the lock.
Login	The login name of the process.
NT User	The operating system name of the process.
Database	The database where the locks are occurring.
Table Name	The name of the table involved in a lock. This will be NULL for non-table locks or table locks that take place in the tempdb database.
Ndx ID	The index ID involved in the lock.
Lock Type	The type of lock (database, table, row ID, etc.)
Lock Mode	The mode of the lock (shared, exclusive, etc.)
Lock Status	The status of the lock (waiting or granted).
Owner Type	Whether the lock came from a regular session or a transaction.
Program	The executable the process is using against the server.
BLK SPID	If nonzero, the process ID of the process blocking the requested lock. A value of zero indicates that the process is not blocked.
Wait Time	The time the process has waited for the lock, in milliseconds.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Command	The command the process is currently issuing.
NT Domain	The name of the Windows 2000/NT domain.

NOTE: The information in the Lock Detail grid is available in the [Lock Detail grid](#) on the Locks tab of the Contention Detail view and the All Locks tab of the Locks view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Locks held for unusually long periods are candidates for further investigation. The application logic may be inefficient or the program may not be issuing COMMIT frequently enough.

All Locks Tab for Sybase

- [Metrics](#)

To modify database information or structures, a user session must obtain a lock on the object to perform its task. In addition to user locks, Sybase issues lock requests to carry out its internal duties. The All Locks tab of the Locks view displays information about all locks currently on a system. The table below describes the information available on the All Locks tab of the Locks view for Sybase:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
Database	The database in which the process is running.
Lock Type	The type of lock (database, table, row ID, etc.)
Object Name	The name of the object being locked.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Lock Page	The page number where the lock is currently applied.
Lock Class	The name of the cursor the lock is associated with (if any).
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Command	The command the process is currently issuing.
CPU Time	The CPU time accumulated for the current command.
Physical I/O	The current cumulative number of reads and writes issued by the process.
Mem Usage	The memory accumulated for the current command.
FID	The process ID of the worker process' parent.
Transaction	The name of any transaction.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Locks held for unusually long periods are candidates for further investigation. The application logic may be inefficient or the program may not be issuing COMMIT frequently enough.

All User Locks Tab

- [Metrics](#)

To modify database information or structures, a user session must obtain a lock on the object to perform its task. The All User Locks tab of the Locks view displays information about all user locks currently on a system. The table below describes the information available on the All User Locks tab of the Locks view:

Column	Description
User Name	The user account that holds the lock.
Terminal	The machine name of the client session.
SID	The unique Oracle identifier for the session.
Serial #	The serial number of the lock.
Table	The name of the object being locked.
Lock Mode	The lock mode (EXCLUSIVE, SHARE, etc.)
Request	The type of lock requested by the session.

NOTE: The All User Locks tab of the Locks view is only available for Oracle datasources.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Locks held for unusually long periods are candidates for further investigation. The application logic may be inefficient or the program may not be issuing COMMITs frequently enough.

Blocking Locks Tab

The information on the Blocking Locks tab of the Locks view depends on the target DBMS.

- [Oracle](#)
- [SQL Server](#)
- [Sybase](#)

Blocking Locks Tab for Oracle

- [Metrics](#)

Blocking-lock situations can make the database appear frozen, rivaling only a stuck archive in effect. A single blocking user has the potential to stop work for nearly all other processes on a small system, or can cause major headaches on large systems. Although Oracle supports unlimited row-level locking, blocking-lock situations do occur - sometimes frequently.

The Blocking Locks tab of the Locks view contains information relating to user accounts that are currently blocked and the sessions that are blocking them. The table below describes the information available on the Blocking Locks tab of the Locks view for Oracle:

Column	Description
Blocked SID	The session ID of the session waiting for the lock.
Blocked User	The user account of the session waiting for the lock.
Wait Time (sec)	The current wait time for the session, in seconds.
Blocking SID	The session ID of the session holding the offending lock.
Blocking User	The user account of the session holding the offending lock.
Lock Type	The type of lock (TRANSACTION, DML, etc.)
Lock Mode	The lock mode (EXCLUSIVE, SHARE, etc.)
Request Type	The type of lock being requested by the session.
Locked Object	The name of the object being locked.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

When a blocking lock is discovered, the DBA can quickly remedy the situation by issuing a KILL against the offending process. This eliminates the user's stranglehold on the objects the user was accessing. Other user processes then usually complete in an instant. Tools like Performance Center make it easier to discover the blocking-lock situation.

The culprit of blocking-lock scenarios is often the application design, or the SQL used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. Most DBAs who have had to face Oracle Forms applications have suffered through the dreaded SELECT...FOR UPDATE statements that place unnecessary restrictive locks on nearly every read operation. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

Data warehouses, whose data is mostly read, can benefit from tablespaces set in read-only mode. Read-only mode signals to the other databases that exclusive locks need not be used for the data contained within the tablespace. This is especially helpful in Oracle Parallel Server environments and drastically reduces ping activity.

Blocking Locks Tab for SQL Server

- [Metrics](#)

Performance Center displays information about all blocking locks currently on a system on the Blocking Locks tab of the Locks view and the Blocking Lock Detail grid on the Blocking Lock tab of the Contention Detail view.

The table below describes the information available on the tab and the grid:

Column	Description
SPID	The process ID of the process holding the lock.
Login	The login name of the process.
NT User	The operating system name of the process.
Database	The database where the locks are occurring.
Table Name	The name of the table involved in a lock. This will be NULL for non-table locks or table locks that take place in the tempdb database.
Ndx ID	The index ID involved in the lock.
Lock Type	The type of lock (database, table, row ID, etc.).
Lock Mode	The mode of the lock (shared, exclusive, etc.).
Lock Status	The status of the lock (waiting or granted).
Owner Type	Whether the lock came from a regular session or a transaction.
Program	The executable the process is using against the server.
BLK SPID	If nonzero, the process ID of the process blocking the requested lock. A value of zero indicates that the process is not blocked.
Wait Time	The time the process has waited for the lock, in milliseconds.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Command	The command the process is currently issuing.
NT Domain	The name of the Windows 2000/NT domain.

NOTE: The information in the Blocking Lock Detail grid is available in the [Blocking Lock Detail grid](#) on the Blocking Locks tab of the Contention view and the Blocking Locks tab of the Locks view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

When a blocking lock is discovered, the DBA can quickly remedy the situation by issuing a KILL against the offending process. This eliminates the user's stranglehold on the objects the user was accessing. Other user processes then usually complete in an instant. Tools like Performance Center make it easier to discover the blocking-lock situation.

Blocking Locks Tab for Sybase

- [Metrics](#)

The Blocking Locks tab of the Locks view contains information relating to user accounts that are currently blocked and the sessions that are blocking them. The table below describes the information available on the Blocking Locks tab of the Locks view for Sybase:

Column	Description
Holding PID	The process ID that owns the blocking lock.
Holding User	The user account of the session holding the offending lock.
Waiting PID	The session PID of the session waiting for the lock.
Waiting User	The user account of the session waiting for the lock.
Database	The database in which the process is running.
Object Name	The table on which the lock is being held.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Lock Type	The type of lock being applied.
Time Blocked	The time that a process has been waiting for the lock, in seconds.
Lock Page	The page number where the lock is currently applied.
Lock Class	The name of the cursor the lock is associated with (if any).
Holding Host	The name of the host computer with the blocking lock.
Waiting Host	The name of the host computer waiting for the lock.
Holding Program	The program the process is running that has the lock.
Waiting Program	The program the process is running that is waiting for the lock.
Holding Command	The command being issued by the process holding the lock.
Waiting Command	The command being issued by the process waiting for the lock.
CPU Time	The CPU time accumulated for the current command.
Physical I/O	The physical I/O accumulated for the current command.
Mem Usage	The memory accumulated for the current command.
Holding FID	The process ID of the worker process' parent that has the lock.
Waiting FID	The process ID of the worker process' parent that is waiting for the lock.
Transaction	The name of the associated transaction (if any).

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

When a blocking lock is discovered, the DBA can quickly remedy the situation by issuing a KILL against the offending process. This eliminates the user's stranglehold on the objects the user was accessing. Other user processes then usually complete in an instant. Tools like Performance Center make it easier to discover the blocking-lock situation.

Locks View for DB2

The Locks view displays all processes that are currently holding locks on an IBM DB2 UDB database. The following sections of this view are available to display lock information:

- [Applications](#)
- [Locks Held Tab](#)

- [Locks Waiting Tab](#)
- [Unit of Work Tab](#)

Applications

This section lists the following lock information for all applications:

Agent ID – The application handle of the agent holding a lock for which this application is waiting.

Auth ID – The authorization ID of the user who invoked the application that is being monitored.

OS User ID – The authorization ID used to access the operating system.

Client PID – The process ID of the client application that made the connection to the database.

Application – Name of the application executable.

Status – The lock's status (waiting or granted).

Locks Held – The number of locks on the lock being held.

Locks Waiting – Indicates the number of agents waiting on a lock

Lock Wait Time (ms) – The current amount of wait time for the process, in milliseconds.

Timeouts – The number of times that a request to lock an object timed out without being granted.

Deadlocks – Processes that cannot proceed because they are waiting on a set of resources held by each other or held by other processes.

Locks Held Tab

This tab displays all the locks held by the selected application in the Applications list. The following data is available:

Lock Mode – The type of lock being held.

Object Type – The type of object against which the application holds a lock (for object-lock-level information), or the type of object for which the application is waiting to obtain a lock (for application-level and deadlock-level information).

Table Schema – Schema of the table that the lock is on.

Table Name – Name of the table that the lock is on. This element is only set if Object Type indicates Table.

Tablespace – The name of the table space against which the lock is held.

Lock Status – The lock's status (waiting or granted).

Escalation – Indicates whether a lock request was made as part of a lock escalation.

Locks Waiting Tab

This tab displays all the locks waiting by the selected application in the Applications list. The following data is available:

Agent ID – The application handle of the agent holding a lock for which this application is waiting.

Application ID – The application ID of the application that is holding a lock on the object that this application is waiting to obtain.

Lock Mode – The type of lock being held.

Mode Requested – The lock mode being requested by the application.

Object Type – The type of object against which the application holds a lock.

Table Schema – Schema of the table that the lock is on.

Table Name – Name of the table that the lock is on. This element is only set if Object Type indicates Table.

Tablespace – The name of the table space against which the lock is held.

Wait Start Time – The date and time that this application started waiting to obtain a lock on the object that is currently locked by another application

Escalation – Indicates whether a lock request was made as part of a lock escalation.

Unit of Work Tab

This tab displays the SQL statement text for the selected application. The statement is available if the selected application is in lock wait status or is the thread blocking other applications. This enables you to easily identify what SQL statements are causing lock wait conditions and to help diagnose deadlock scenarios.

Click **Explain SQL** to view an explain plan for the statement.

Operating System View

The Operating System view displays vital operating system statistics on the following tabbed pages:

- [Summary](#)
- [CPU](#)
- [Processes](#)
- [I/O](#)
- [Memory](#)
- [Space](#)
- [Network](#)

To use integrated security, or gather certain operating system statistics, there are two main things to know:

- 1 You must enable the Performance Center Server for operating system monitoring. To enable it, you must select the Enable operating system monitoring option on the [Machine tab](#) of the Datasource Properties dialog.
- 2 You must supply the credentials necessary to view these statistics. To be able to view performance counters on a remote computer, Microsoft requires specific permissions on the remote computer that you want to monitor.

Because the Performance Center Server collects data using the registry, monitoring a remote computer requires the use of the Remote Registry Service. If the service stops due to failure, the system restarts it automatically only once. Therefore, if the service stops again, you must manually restart it. You can change this default behavior by modifying the properties for Remote Registry Service. To access service properties, see Services under Services and Applications in Computer Management or see Administrative Tools. You can also check the Event Viewer's Application and System Logs for events that might have stopped the service.

Remote data collection also requires access to specific registry subkeys and system files. To provide remote access to the registry to collect data on remote systems, Microsoft requires that users have a minimum of Read access to the Winreg subkey in HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\SecurePipeServers. By default, members of the Administrators group have Full Control access and members of the Backup Operators group have Read access. Microsoft also requires that users have Read access to the registry subkey that stores counter names and descriptions used by System Monitor, HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Perflib\LanguageID, where *LanguageID* is the numeric code for the spoken language for the operating system installation. (For English, the subkey is Perflib\009.) By default, Microsoft gives Full Control access to the System account and members of the Administrators and Creator Owners groups. Therefore, a local user on a server who is not logged in as an administrator cannot see performance counters.

In addition, users might also require read access to the files that supply counter names and descriptions to the registry, Perf*.dat and Perfh*.dat. (where the asterisk is a wildcard character representing the specific language code; for English, these are Perf009.dat and Perfh009.dat.) If these files reside on an NTFS volume, to have access to them, the access control lists (ACLs) on these files must specify that the user has such access. By default, members of the Administrators and Interactive groups have sufficient access.

OS Page Statistics

In many scenarios, an optimally tuned database may not perform well because there are constraints imposed by the system where the database is running. These constraints may include processes competing with the database server for resources (CPU, I/O, or Memory), a slow CPU, insufficient or slow I/O devices, and insufficient memory. In the OS Statistics page of Performance Center you can examine operating system metrics for the following platforms:

- [AIX](#)
- [HP-UX](#)

NOTE: To view processor info and swap disk info on an HP-UX box, you need to login as ROOT in the OS login.

- [Linux](#)
- [Solaris](#)
- [Unix](#)
- [Windows XP, 2000, and NT](#)

Summary Tab

The OS Summary tab displays the following statistics to communicate the general overall performance levels of the operating system:

- [Disk Time](#)
- [Load Average](#)
- [Processor Time](#)
- [Paged Memory Used \(Windows\)](#)
- [Swap Memory Used \(AIX, HP-UX, Linux, Solaris, Unix\)](#)
- [Average Disk Queue](#)
- [Network Output Queue \(Windows\)](#)
- [Network Queue \(Solaris\)](#)
- [Page Faults/Sec](#)
- [Processor Queue](#)
- [Processor Speed](#)
- [Processor](#)
- [Available Paged Memory \(Windows\)](#)
- [Available Physical Memory](#)
- [Available Swap Memory \(AIX, HP-UX, Linux, Solaris, Unix\)](#)
- [Total Paged Memory \(Windows\)](#)
- [Total Physical Memory](#)
- [Total Swap Memory \(AIX, HP-UX, Linux, Solaris, Unix\)](#)
- [Free Disk Space](#)
- [Total Disk Space](#)
- [Used Disk Space](#)
- [Number of Logins](#)
- [Number of Processes](#)
- [Number of Processors](#)
- [Top CPU Process](#)
- [Top I/O Process](#)
- [Top Memory Process](#)

Processor Time

The Processor Time statistic indicates the percentage of time the processor is working. This counter is a primary indicator of processor activity.

Metrics

If your computer seems to be running sluggishly, this statistic could be displaying a high percentage.

Troubleshooting

Upgrade to a processor with a larger L2 cache, a faster processor, or install an additional processor.

Processor Speed

The Processor Speed statistic displays the speed of the active processor in MHz. The speed is approximate.

Processor

The Processor Statistic displays the type of processor currently in use, for example, GenuineIntel.

Disk Time

The Disk Time statistic is the percentage of elapsed time that the selected disk drive/device was busy servicing read or write requests.

Metrics

You should avoid consistently seeing values for this statistic greater than 90%.

Troubleshooting

Add more disk drives and partition the files among all of the drives.

Load Average

The Load Average statistic represents the system load averages over the last 1, 5, and 15 minutes.

Metrics

High load averages usually mean that the system is being used heavily and the response time is correspondingly slow.

Paged Memory Used

The Paged Memory Used statistic is the ratio of Commit Memory Bytes to the Commit Limit. Committed memory is where memory space has been reserved in the paging file if it needs to be written to disk. The commit limit is determined by the size of the paging file. As the paging file increases, so does the commit limit.

NOTE: This statistic is available for the Windows platform.

Metrics

This value displays the current percentage value only and not an average. If the percentage of paged memory used is above 90%, you may be running out of memory.

Troubleshooting

Increase the size of page file.

Number of Processors

This statistic displays the number of processors currently in use.

Swap Memory Used

The Swap Memory Used statistic is the percentage of swap space currently in use.

Metrics

If the percentage of swap memory used is above 90%, you may be running out of memory.

Troubleshooting

Increase the size of your swap files.

Average Disk Queue

The Average Disk Queue statistic is the average number of both read and write requests that were queued for the selected disk during the sample interval.

Metrics

This metric is useful in identifying I/O related bottlenecks. If the disk queue lengths for certain disks are consistently much higher than others, you may need to redistribute the load among available disks. If the disk queues lengths for all disks are consistently large, and you see a high amount of I/O activity, your disks may be inefficient.

Troubleshooting

Some things you can do if you have problems with this statistic include:

- Redistribute the data on the disk with the large average disk queue to other disks.
- Upgrade to faster disk(s).

Page Faults/Sec

The Page Faults/Sec statistic is the overall rate faulted pages are handled by the processor. It is measured in numbers of pages faulted per second. A page fault occurs when a process requires code or data that is not in its working set. This counter includes both hard faults and soft faults.

Metrics

This counter displays the difference between the values observed in the last two samples, divided by the duration of the sample interval.

Troubleshooting

If the number of page faults remains consistently high, you can check with your Windows System Administrator for further investigation. Often, large numbers of page faults are not a problem so long as they are soft faults. However, hard faults, that require disk access, can cause delays.

Processor Queue

The Processor Queue Length statistic is the number of threads in the processor queue.

Metrics

Unlike the disk counters, this counter shows ready threads only, not threads that are running. There is a single queue for processor time even on computers with multiple processors. Therefore, if a computer has multiple processors, you need to divide this value by the number of processors servicing the workload. A sustained processor queue of less than 10 threads per processor is normally acceptable, dependent of the workload.

Troubleshooting

A sustained high value in the Processor Queue could indicate that a processor bottleneck has developed due to threads of a process requiring more process cycles than are available. If this is the case, you should look at installing a faster (or an additional) processor.

Network Output Queue/Network Queue

The Network Output Queue Length statistic is the number of threads in the processor queue.

NOTE: The name of this statistic depends on the platform of the operating system.

Metrics

Unlike the disk counters, this counter shows ready threads only, not threads that are running. There is a single queue for processor time even on computers with multiple processors. Therefore, if a computer has multiple processors, you need to divide this value by the number of processors servicing the workload. A sustained processor queue of less than 10 threads per processor is normally acceptable, dependent of the workload.

Troubleshooting

A sustained high value in the Processor Queue Length could indicate that a processor bottleneck has developed due to threads of a process requiring more process cycles than are available. If this is the case, you should look at installing a faster (or an additional) processor.

Available Physical Memory

The Available Physical Memory statistic represents the amount of RAM available to all processes.

Metrics

This counter displays the last observed value only and not an average. Use this value with the Total physical memory and paging metrics (Memory details page). If the available physical memory is very small compared to this value, and the paging activity is high, your system may be running low on memory.

Troubleshooting

Some things you can do if you have problems with this statistic include:

- Check the running processes to see if there are any memory leaks.
- Stop any services that are not required.
- Install additional RAM.

Available Paged Memory

The Available Paged Memory statistic shows the amount of virtual memory available for the processes.

NOTE: This statistic is available for the Windows platform.

Metrics

If the available virtual memory is less than 10% of the total virtual memory, your system may run out of memory.

Troubleshooting

Increase the size of page file.

Available Swap Memory

The Available Swap Memory statistic represents the amount of virtual memory available for the processes.

Metrics

If the available Available Swap Memory is less than 10% of the total Swap Memory, your system may run out of memory.

Troubleshooting

Increase the size of swap files.

Total Physical Memory

The Total Physical Memory statistic shows the amount of physical memory installed on your computer.

Metrics

This is an informational metric and displays the total amount installed on the machine. Use this value with the available physical memory and paging metrics (Memory details page). If the available physical memory is very small compared to this value, and the paging activity is high, your system may be running low on memory.

Total Paged Memory/Total Swap Memory

The Total Paged Memory statistic shows the maximum amount of virtual memory available to all processes.

NOTE: The name of this statistic depends on the platform of the operating system.

Metrics

It is recommended that this value is between 1.5 to 3 times the amount of RAM on the system.

Used Disk Space

The Used Disk Space statistic shows the amount of allocated space, in megabytes on all logical disk drives.

Troubleshooting

There are many things a DBA can do to ensure that a database does not encounter a space problem due to physical space limitations:

- If a database currently resides on a disk that has little free space, you can add more files to the database. Of course, you should add the new files to other physical hard disks that can accommodate a growing database.
- You should examine hard disks with shrinking disk space to see if you can relocate or delete files to allow more free space.

Total Disk Space

Total Disk Space displays the total allocated and unallocated space, in megabytes on all logical disk drives.

Troubleshooting

There are many things a DBA can do to ensure that a database does not encounter a space problem due to physical space limitations, here are two:

- 1 If a database currently resides on a disk that has little free space, you can add more files to the database. Of course, you should add the new files to other physical hard disks that can accommodate a growing database.
- 2 You should examine hard disks with shrinking disk space to see if you can relocate or delete files to allow more free space.

Free Disk Space

The Free Disk Space statistic shows the unallocated space, in megabytes on all logical disk drives.

Troubleshooting

There are many things a DBA can do to ensure that a database does not encounter a space problem due to physical space limitations:

- If a database currently resides on a disk that has little free space, you can add more files to the database. Of course, you should add the new files to other physical hard disks that can accommodate a growing database.
- You should examine hard disks with shrinking disk space to see if you can relocate or delete files to allow more free space.

Top Memory Process

Top Memory Process shows the current process that is consuming the most amount of memory. The information displayed is dependent on the platform of the operating system. Information displayed includes the name of the process, process ID, amount of memory consumed expressed in KB, amount of CPU expressed as a percentage, the amount of Major Page Faults, and the amount of I/O expressed in KB/sec.

Metrics

If you are running out of memory on the system, this is a quick way to identify the top memory user. If the displayed process is using a significant portion of the total memory, it could be causing the memory issues.

Processes Overview

The Processes Overview of the OS Summary includes the following sections:

- [Top CPU Process](#)
- [Top I/O Process](#)
- [Top Memory Process](#)

Top CPU Process

Top CPU Process shows the current process that is consuming the most amount of CPU. The information displayed is dependent on the platform of the operating system. Information displayed includes the name of the process, process ID, amount of memory consumed expressed in KB, amount of CPU expressed as a percentage, the amount of Major Page Faults, and the amount of I/O expressed in KB/sec.

Metrics

If the amount of CPU time used by this process is close to 100% and the CPU usage is very high, this process may be the bottleneck on the server.

Troubleshooting

Investigate the process further to see if it is in an inconsistent state. Also, look at minimum requirements for CPU speed for the process. You may need to upgrade your CPU.

Top I/O Process

The Top I/O Process statistic shows the current process that is consuming the most amount of CPU. The information displayed is dependent on the platform of the operating system. Information displayed includes the name of the process, process ID, amount of memory consumed expressed in KB, amount of CPU expressed as a percentage, the amount of Major Page Faults, and the amount of I/O expressed in KB/sec.

Number of Logins

This statistic displays the total number of logins on the server.

Number of Processes

This statistic displays the total number of processes on the server.

CPU Tab

The CPU tab of the OS Detail includes the following sections:

- [Context Switches/Sec](#)
- [CPU Utilization](#)
- [Interrupts/Sec](#)
- [Processor Queue Length](#)

CPU Utilization

The CPU Utilization section includes the following information:

- [% Privileged Time](#)
- [% User Time](#)

% Privileged Time

The % Privileged Time statistic is the percentage of elapsed time that the process threads spent executing code in privileged mode.

NOTE: For Windows systems, when a Windows system service is called, the service will often run in privileged mode to gain access to system-private data. Such data is protected from access by threads executing in user mode. Calls to the system can be explicit or implicit, such as page faults or interrupts. These kernel commands, are considered privileged to keep the low-level commands executing and prevent a system freeze. Unlike some early operating systems, Windows uses process boundaries for subsystem protection in addition to the traditional protection of user and privileged modes. Some work done by Windows on behalf of the application might appear in other subsystem processes in addition to the privileged time in the process.

Metrics

The ideal range should be 0-40% (less than 40% indicates excessive system activity).

Troubleshooting

If your CPU consistently runs at less than 40% you may need to upgrade your system to include a faster processor(s).

% User Time

The % User Time statistic is the percentage of elapsed time the processor spends in the user mode. User mode is a restricted processing mode designed for applications, environment subsystems, and integral subsystems. The alternative, privileged mode, is designed for operating system components and allows direct access to hardware and all memory. The operating system switches application threads to privileged mode to access operating system services. This counter displays the average busy time as a percentage of the sample time.

Metrics

If the Privileged Time is high in conjunction with Physical Disk Reads, consider upgrading the disk I/O subsystem.

Interrupts/Sec

The Interrupts/Sec statistic is the average rate, in incidents per second, at which the processor received and serviced hardware interrupts. It does not include deferred procedure calls (DPCs), which are counted separately. This value is an indirect indicator of the activity of devices that generate interrupts, such as the system clock, the mouse, disk drivers, data communication lines, network interface cards, and other peripheral devices. These devices normally interrupt the processor when they have completed a task or require attention. Normal thread execution is suspended. The system clock typically interrupts the processor every ten milliseconds, creating a background of interrupt activity. This counter displays the difference between the values observed in the last two samples, divided by the duration of the sample interval.

Metrics

The ideal range should be 0-5000. A number greater than 5000 indicates possible excessive hardware interrupts; justification is dependent on device activity.

Context Switches/Sec

The Context Switches/Sec section shows the combined rate at which all processors on the computer are switched from one thread to another. Context switches occur when a running thread voluntarily relinquishes the processor, is preempted by a higher priority ready thread, or switches between user-mode and privileged (kernel) mode to use an Executive or subsystem service.

Metrics

The ideal range should be between 0-10,000. GA number greater than 10,000 may indicate too many threads contending for resources.

Processor Queue Length

The Processor Queue Length statistic is the number of threads in the processor queue. There is a single queue for processor time even on computers with multiple processors.

NOTE: For Windows systems, unlike the disk counters, this counter shows ready threads only, not threads that are running.

Metrics

A sustained high value in the Processor Queue Length could indicate that a processor bottleneck has developed due to threads of a process requiring more process cycles than are available. If this is the case, you should look at installing a faster (or an additional) processor.

Processes Tab

The Processes tab of the OS Detail page succinctly communicates the general overall performance levels of processes. The columns available in this table depend on the platform of operating system. The table below describes the information available in the table on this tab:

Column	Description
Process	The name of the process.
User	The user of the process.
ID	The ID Process is the unique identifier of this process. ID Process numbers are reused, so they only identify a process for the lifetime of that process.
CPU	The CPU is the percentage of elapsed time that all of process threads used the processor to execution instructions.
User Mode	The User Mode is the percentage of elapsed time that the process threads spent executing code in user mode.
Memory WINDOWS ONLY	Memory is the current size, in bytes, of the virtual address space the process is using. Use of virtual address space does not necessarily imply corresponding use of either disk or main memory pages. Virtual space is finite, and the process can limit its ability to load libraries.
Memory (MB)	Memory is the current size, in bytes, of the virtual address space the process is using. Use of virtual address space does not necessarily imply corresponding use of either disk or main memory pages. Virtual space is finite, and the process can limit its ability to load libraries.
Memory	Memory is the percentage of the memory used of the total memory.
Active Memory	Active Memory is the amount of committed virtual memory, in bytes for this process. Active memory is the physical memory which has space reserved on the disk paging file(s). There can be one or more paging files on each physical drive. This counter displays the last observed value only; it is not an average.

Column	Description
I/O Data	The rate at which the process is reading and writing bytes in I/O operations. This counter counts all I/O activity generated by the process to include file, network and device I/Os.
Elapsed Time	The total elapsed time, in seconds, that this process has been running.
Thread Count	The number of threads currently active in this process. An instruction is the basic unit of execution in a processor, and a thread is the object that executes instructions. Every running process has at least one thread.
Handle Count	The total number of handles currently open by this process. This number is equal to the sum of the handles currently open by each thread in this process.
Priority	The current base priority of this process. Threads within a process can raise and lower their own base priority relative to the process' base priority.
Creating Proc ID	The Creating Process ID value is the Process ID of the process that created the process. The creating process may have terminated, so this value may no longer identify a running process.
Page Faults/Sec	Page Faults/Sec is the rate at which page faults by the threads executing in this process are occurring. A page fault occurs when a thread refers to a virtual memory page that is not in its working set in main memory. This may not cause the page to be fetched from disk if it is on the standby list and hence already in main memory, or if it is in use by another process with whom the page is shared.
Page File	Page File is the current number of kilobytes that this process has used in the paging file(s). Paging files are used to store pages of memory used by the process that are not contained in other files. Paging files are shared by all processes, and the lack of space in paging files can prevent other processes from allocating memory.
Private	Private is the current size, in kilobytes, of memory that this process has allocated that cannot be shared with other processes.

I/O Tab

The table below describes the information available in this section:

Column	Description
Disk	The disk number assignment.
Reading (KB/s)	The amount of bytes read from the device.
Writing (KB/s)	The amount of bytes written to the device.
Disk Read Time	Disk Read Time is the percentage of elapsed time that the selected disk drive was busy servicing read requests.
Disk Write Time	Disk Write Time is the percentage of elapsed time that the selected disk drive was busy servicing write requests.
Disk Time	Disk Time is the percentage of elapsed time that the selected disk was busy servicing requests.
Avg. Read Queue	Avg. Disk Read Queue Length is the average number of read requests that were queued for the selected disk during the sample interval.
Avg. Write Queue	Avg. Disk Write Queue Length is the average number of write requests that were queued for the selected disk during the sample interval.
Disk Reads/Sec	Disk Reads/Sec is the rate of read operations on the disk.
Disk Writes/Sec	Disk Writes/Sec is the rate of write operations on the disk.

Memory Tab

The Memory tab of the OS Detail page includes the following sections:

- [Cache Efficiency](#)
- [Free Physical](#)
- [Free Paged](#)
- [Paging Activity](#)
- [Page Faults](#)
- [Total Physical](#)
- [Total Paged](#)

Paging Activity

The Paging Activity section includes the following statistics:

- [Pages Input/Sec](#)
- [Pages Output/Sec](#)

Pages Input/Sec

The Pages Input/Sec statistic is the number of pages read from disk to resolve hard page faults. Hard page faults occur when a process requires code or data that is not in its working set or elsewhere in physical memory, and must be retrieved from disk.

Metrics

This value was designed as a primary indicator of the kinds of faults that cause system-wide delays. It includes pages retrieved to satisfy faults in the file system cache (usually requested by applications) and in non-cached mapped memory files. This counter counts numbers of pages, and can be compared to other counts of pages, such as Memory: Page Faults/sec, without conversion. This counter displays the difference between the values observed in the last two samples, divided by the duration of the sample interval.

Troubleshooting

Although it never hurts to have as much physical memory as your system can handle, there are some things you can check within your system to alleviate the memory bottleneck.

- Check to see if you have any drivers or protocols that are running but not being used. They use space in all memory pools even if they are idle.
- Check to see if you have additional space on your disk drive that you could use to expand the size of your page file. Normally, the bigger the initial size of your page file, the better, in performance terms.

Pages Output/Sec

The Pages Output/Sec statistic is the number of pages written to disk to free up space in physical memory. Pages are written back to disk only if they are changed in physical memory. A high rate of pages output might indicate a memory shortage.

Metrics

Windows NT writes more pages back to disk to free up space when low in physical memory. This counter counts numbers of pages, and can be compared to other counts of pages, without conversion. This counter displays the difference between the values observed in the last two samples, divided by the duration of the sample interval.

Troubleshooting

Although it never hurts to have as much physical memory as your system can handle, there are some things you can check within your system to alleviate the memory bottleneck.

- Check to see if you have any drivers or protocols that are running but not being used. They use space in all memory pools even if they are idle.
- Check to see if you have additional space on your disk drive that you could use to expand the size of your page file. Normally, the bigger the initial size of your page file, the better, in performance terms.

Free Physical

The Free Physical statistic is the amount of physical memory that is uncommitted.

Metrics

None.

Free Paged

The Free Paged statistic is the amount of uncommitted virtual memory.

Metrics

None.

Total Physical

The Total Physical statistic is the total physical memory available.

Metrics

None.

Total Paged

The Total Paged statistic is the amount of total virtual memory, in bytes. Used Memory is the physical memory that has space reserved on the disk paging file(s). There can be one or more paging files on each physical drive.

Metrics

None.

Page Faults/Sec

The Page Faults/Sec statistic is the overall rate faulted pages are handled by the processor. It is measured in numbers of pages faulted per second. A page fault occurs when a process requires code or data that is not in its working set. This counter includes both hard faults and soft faults.

Metrics

This counter displays the difference between the values observed in the last two samples, divided by the duration of the sample interval.

Troubleshooting

If the number of page faults remains consistently high, you can check with your Windows System Administrator for further investigation. Often, large numbers of page faults are not a problem so long as they are soft faults. However, hard faults, that require disk access, can cause delays.

Cache Efficiency

The Cache Efficiency section of the Memory tab succinctly communicates the general overall performance levels of the server's memory. The following statistics are available in this section:

- [Copy Read Hits%](#)
- [Data Map Hits%](#)
- [MDL Read Hits%](#)
- [Pin Read Hits%](#)

Copy Read Hits %

The Copy Read Hits % statistic is the percentage of cache copy read requests that hit the cache and does not require a disk read to provide access to the page in the cache.

Metrics

When the page is pinned in the memory, the page's physical address in the file system cache will not be altered. A copy read is a file read operation where a page in the cache is copied to the application's buffer. Because this value reflects hits, it ideally should be close to 100%. An amount below 100% indicates misses.

Troubleshooting

Adding physical memory to a server results in a larger file system cache, which is generally more efficient. Defragmenting disks also helps, putting related pages in the cache together and thereby improving the cache hit rate.

Data Map Hits %

The Data Map Hits % statistic is the percentage of data maps in the file system cache that could be resolved without having to retrieve a page from the disk.

Metrics

Because this value reflects hits, it ideally should be close to 100%. An amount below 100% indicates misses.

Troubleshooting

Adding physical memory to a server results in a larger file system cache, which is generally more efficient. Defragmenting disks also helps, putting related pages in the cache together and thereby improving the cache hit rate.

MDL Read Hits %

The MDL Read Hits % statistic is the percentage of Memory Descriptor List Read requests to the file system cache that hit the cache and does not require disk access to provide memory access to the pages in the cache.

Metrics

Because this value reflects hits, it ideally should be close to 100%. An amount below 100% indicates misses.

Troubleshooting

Adding physical memory to a server results in a larger file system cache, which is generally more efficient. Defragmenting disks also helps, putting related pages in the cache together and thereby improving the cache hit rate.

Pin Read Hits %

The Pin Read Hits % statistic is the percentage of pin read requests that hit the file system cache and does not require a disk read in order to provide access to the page in the file system cache.

Metrics

Because this value reflects hits, it ideally should be close to 100%. An amount below 100% indicates misses.

Troubleshooting

Adding physical memory to a server results in a larger file system cache, which is generally more efficient. Defragmenting disks also helps, putting related pages in the cache together and thereby improving the cache hit rate.

Space Tab

The Space tab of the OS Detail page includes the following sections:

- [Disk Space Free](#)
- [Disk Space Detail](#)

Disk Space Free

The Disk Space Free metric displays the amount of free disk space in megabytes.

Metric

None.

Disk Space Detail

The Disk Space Detail section of the Space tab succinctly communicates the general overall performance levels of the server's disks and space allotment. The table below describes the statistics in this section:

Statistic	Description
Partition	The drive letter of the disk.
Total Space	Total size of the disk/device's capacity expressed in MBs.
Used Space	Amount of MBs currently allocated on the particular disk/device.
Free Space	Amount of MBs currently unallocated and free on the particular disk/device.

Network Tab

The Network tab of the OS Detail page succinctly communicates the general overall performance levels of the server's networking. The statistics available in this section depend on the platform of operating system. The table below describes the information available in this section:

Column	Description
Network Interface	The name of network interface.
INET Address/Address	The IP address assigned to the network interface.
Pkts Sent/Sec	The number of packets sent per second.
Pkts Received/Sec	The number of packets received per second.
Sent (KB/Sec)	The number of bytes sent per second.
Received (KB/Sec)	The number of bytes received per second.
Out Pkts Discarded	The number of outbound packets discarded.
In Pkts Discarded	The number of inbound packets discarded.
Out Pkt Errors	The number of outbound packet errors.
In Pkt Errors	The number of inbound packet errors.
Queue Length	The queue length.
Collisions	The number of collisions.
Packets Discarded	The number of packets discarded.

Session Detail View

The Session Detail view is available for the following database platforms:

- [Oracle Session Detail View](#)
- [SQL Server Session Detail View](#)
- [Sybase Session Detail View](#)
- [DB2 Session Detail View](#)

Oracle Session Detail View

The following tabbed pages are available on the Session Detail view for Oracle:

- [Session Contention](#)
- [Session I/O](#)
- [Session Memory](#)
- [Session Network](#)
- [Session Objects](#)
- [Session SQL](#)
- [Session Statistics](#)

Session Memory Tab for Oracle

- [Metrics](#)

The Session Memory tab of the Session Detail view presents the statistics surrounding a session's memory usage. The table below describes the information available on the Session Memory tab of the Session Detail view for Oracle:

Column	Description
Statistic	The name of the memory related statistic.
Value	The cumulative value for the memory statistic.
Cache Hit Ratio	The percentage of data obtained from memory access vs. physical I/O.

Metrics

Sessions with abnormally high memory usage can affect overall performance at the server level, as this memory (PGA and UGA) is allocated outside of the Oracle SGA (unless the multi-threaded server option is being used). If cache hit ratios at the session level are lower than 85 percent, data access can be inefficient.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session I/O Tab for Oracle

- [Metrics](#)

The Session I/O tab of the Session Detail view presents the statistics surrounding a session's I/O activity. The table below describes the information available on the Session I/O tab of the Session Detail view for Oracle:

Column	Description
Statistic	The name of the I/O related statistic.
Value	The cumulative value for the I/O statistic.

Metrics

Seeing high values for physical reads and writes can indicate an inefficient session. Large numbers of physical reads can imply a session with too many large table scans or inefficient SQL operations. Large numbers of physical writes can be okay for sessions inputting large volumes of data into the database. Or, they could also indicate a session involved in heavy disk sort activity.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session Contention Tab for Oracle

- [Metrics](#)

The Session Contention tab of the Session Detail view presents information relating to resources on which the current session is waiting. The [first grid](#) displays user waits. The [second grid](#) displays user locks. The table below describes the information available in the User Waits grid on the Session Contention tab of the Session Detail view for Oracle:

Column	Description
Wait Cause	The wait event being experienced by the session.
Program	The program the session is executing against Oracle.
Seconds	The number of seconds the session has spent in the wait.

Column	Description
State	The status of the wait event (WAITING, etc.)

The table below describes the information available in the User Locks grid on the Session I/O tab of the Session Detail view for Oracle:

Column	Description
User	The user account being used by the session.
Terminal	The client machine name used by the session.
SID	The unique Oracle identifier for the session.
Serial #	The serial number for the session.
Table	The object locked by the session.
Lock Mode	The lock mode used by the session.
Title	The lock request issued by the session.

Metrics

You can ignore some waits, like the SQL*Net more data from client and SQL*Net message from client. Others, like enqueue waits, can be indicative of a lock contention problem. Waits, like db file scattered reads, can indicate sessions involved in long table scan operations.

Locks that are held for unusually long periods require further investigation. The application logic can be inefficient or the program is not issuing COMMITs frequently enough. The culprit of blocking-lock scenarios is usually the application design, or the SQL used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the correct SQL to get the job done is an art. Most DBAs who have had to face Oracle Forms applications have suffered through the dreaded SELECT...FOR UPDATE statements. These place unnecessary restrictive locks on nearly every read operation. The key to avoiding lock contention is to process user transactions as quickly and efficiently as possible.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session Objects Tab for Oracle

- [Metrics](#)

The Session Objects tab of the Session Detail view presents information regarding the objects in use by a session. The table below describes the information available in the Objects Accessed grid on the Session Objects tab of the Session Detail view for Oracle:

Column	Description
Owner	The owner of the object.
Type	The type of object (TABLE, VIEW, etc.).
Object	The name of the object.

The Rollback Segments Accessed grid displays the names of rollback segments currently being used by the session.

Metrics

Once you have an idea of which objects your users access most often, you can refine some processes to facilitate access to them. You can use the Oracle 8 concept of the KEEP buffer cache to force Oracle to hold often-referenced data for data objects. The KEEP buffer cache is ideal for holding small look-up tables. If you have an earlier version of Oracle or do not want to split up your current buffer cache, you can use the CACHE table attribute to encourage Oracle to keep data blocks of CACHE'd tables at the most recently used end of the LRU buffer cache chain.

If you consistently see a session with active rollbacks, it can indicate locks are being held for long durations. It can also indicate that a session is using code without frequent enough COMMIT points.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session Network Tab for Oracle

- [Metrics](#)

The Session Network tab of the Session Detail view presents information about requests being sent to and from the database with respect to the current session. The table below describes the information available on the Session Network tab of the Session Detail view for Oracle:

Column	Description
Statistic	The name of the SQL*Net related statistic.
Value	The cumulative value of the SQL*Net related statistic.

Metrics

None.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session SQL Tab for Oracle

- [Metrics](#)

The Session SQL tab of the Session Detail view presents information relating to any current SQL issued by the session as well as any SQL previously issued by the session.

Metrics

To determine access paths, you should export and run through an EXPLAIN PLAN session any SQL that you suspect of inefficient access.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session Statistics Tab for Oracle

- [Metrics](#)

The Session Statistics tab of the Session Detail view presents information relating to all recorded performance and miscellaneous statistics for the current session. The table below describes the information available on the Session Statistics tab of the Session Detail view for Oracle:

Column	Description
Statistic	The name of the session related statistic.

Column	Description
Value	The cumulative value of the session related statistic.

Metrics

None.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

SQL Server Session Detail View

The Session Detail view down provides a granular look at the details when a process is acting in a way that merits further investigation. It also presents data about a particular process in a way that makes it easier to understand and view apart from all other processes that SQL Server is running.

The following tabbed pages are available on the Session Detail view for SQL Server:

- [All Locks](#)
- [Blocked By](#)
- [Blocking](#)
- [Overview](#)
- [SQL](#)

Overview Tab for SQL Server

- [Metrics](#)

The Overview tab of the Session Detail view displays information to analyze the details of a particular process. The tables below describe the statistics for each category on the Overview tab of the Session Detail view for SQL Server. The available categories are:

- [Contention](#)
- [General](#)
- [I/O](#)
- [Memory](#)
- [Network](#)
- [Users](#)

General Statistics

The table below describes the statistics in the General category on the Overview tab of the Session Detail view:

Statistic	Description
SPID	The SQL Server process ID. Unique value across all processes.
Login Name	The SQL Server login name of the process.
NT User	If using Windows Authentication, the name of the Windows NT user for this process. If using a trusted connection, the Windows NT user name.

Statistic	Description
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Database	The database in which the process is running.
Program	The executable the process is using against the server.
Host	The machine name that originated the process.

Memory Statistics

The table below describes the statistics in the Memory category on the Overview tab of the Session Detail view:

Statistic	Description
Memory Usage	The number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.
Buffer Cache Hit Ratio	The percentage of data page requests by this process that is available in memory as opposed to performing a physical I/O to disk.

Contention Statistics

The table below describes the statistics in the Contention category on the Overview tab of the Session Detail view:

Statistic	Description
Blocked By	If the process is being blocked, the SPID of the blocking process. A value of zero means that the process is not blocked.
Wait Time	The number of milliseconds that the process has been waiting to be serviced. A value of zero indicates that the process is not waiting.
Last Wait Type	The last or current SQL Server wait type.
Wait Resource	The SQL Server's textual representation of a lock resource.

I/O Statistics

The table below describes the statistics in the I/O category on the Overview tab of the Session Detail view:

Statistic	Description
Physical I/O	The number of physical and logical reads performed by this session.
Physical Reads	The number of physical reads from disk performed by this session.
Logical Reads	The number of reads from memory performed by this process.
Logical Writes	The number of writes to memory performed by this process.

Users Statistics

The table below describes the statistics in the Users category on the Overview tab of the Session Detail view:

Statistic	Description
CPU Usage	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Open Trans	The current number of open transactions owned by the process.
Login Time	For client process, the last time a client logged into the SQL Server instance. For system processes, the time that SQL Server was started.

Statistic	Description
Last Batch	For client process, the last time a remote stored procedure call or an EXECUTE statement was executed. For system processes, the time that SQL Server was started.

Network Statistics

The table below describes the statistics in the Network category on the Overview tab of the Session Detail view:

Statistic	Description
Net Address	The unique identifier of the network card in the client machine that owns the process.
Net Library	When a process is initiated from a client, the controlling mechanism is the network connection. Each network connection has a library associated with it. This value is the name library associated with the network connection responsible for this process.

Metrics

High memory usage and a low cache hit ratio for a given process over a sustained period of time could indicate that the process is using poorly written code. Check the SQL tab to investigate further.

Also, watch for an unusually high percentage of CPU use over a long period of time. This could indicate a rogue process that must be terminated by the DBA using a KILL command for the session.

SQL Tab for SQL Server

- [Metrics](#)

The SQL tab of the Session Detail view presents information relating to any current SQL issued by the session as well as any SQL previously issued by the session.

Metrics

To determine access paths, you should export and run through a QUERY PLAN session, any SQL suspect of inefficient access.

Blocked By Tab for SQL Server

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems. Although SQL Server supports row-level locking, blocking lock situations do crop up - sometimes frequently.

Metrics

The Blocked By tab contains information relating to processes that are currently blocking the process featured in the Session Detail view. The table below describes the information available on the Blocked By tab of the Session Detail view for SQL Server:

Column	Description
SPID	The SQL Server process ID. It is a unique value across all processes.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Login	The SQL Server login name of the process.
NT User	If using Windows Authentication, the name of the Windows NT user for this process. If using a trusted connection, the Windows NT user name.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Memory	The number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.
CPU	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Physical I/O	The current cumulative number of physical disk reads and writes issued by the process.
Blocked	If the process is being blocked, the SPID of the blocking process.
Database	The database in which the process is running.
Command	The current command being executed by the process.
Last Batch	For a client process, the last time a remote stored procedure call or an EXECUTE statement was executed. For system processes, the time that SQL Server was started.
Login Time	For a client process, the last time a client logged into the SQL Server instance. For system processes, the time that SQL Server was started.
Wait Time	The time that the process has been waiting to be serviced, in milliseconds. A value of zero indicates that the process is not waiting.
Wait Type	The last or current SQL Server wait type.
Open Xacts	The current number of open transactions owned by the process.
NT Domain	If using Windows Authentication or a trusted connection, the name of the Windows domain of the user who owns the process.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects the user was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in SQL Server. You can change this behavior by using the SET LOCK_TIMEOUT command, which limits the number of seconds that a process waits for a lock before timing out.

Blocking Tab for SQL Server

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems. Although SQL Server supports row-level locking, blocking lock situations do crop up - sometimes frequently.

Metrics

The Blocking tab contains information on blocks issued by the featured process that are blocking other processes. The table below describes the information available on the Blocking tab of the Session Detail view for SQL Server:

Column	Description
SPID	The SQL Server process ID. It is a unique value across all processes.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Login	The SQL Server login name of the process.
NT User	If using Windows Authentication, the name of the Windows NT user for this process. If using a trusted connection, the Windows NT user name.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Memory	The number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.
CPU	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Physical I/O	The current cumulative number of physical disk reads and writes issued by the process.
Database	The database in which the process is running.
Command	The current command being executed by the process.
Last Batch	For client process, this value represents the last time a remote stored procedure call or an EXECUTE statement was executed. For system processes, it represents the time at which SQL Server was started.
Login Time	For client process, the last time a client logged into the SQL Server instance. For system processes, the time that SQL Server was started.
Wait Time	The time that the process has been waiting to be serviced, in milliseconds. A value of zero indicates that the process is not waiting.
Wait Type	The last or current SQL Server wait type.
Open Xacts	The current number of open transactions owned by the process.
NT Domain	If using Windows Authentication or a trusted connection, the name of the Windows Domain of the user who owns the process.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects the user was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in SQL Server. You can change this behavior by using the SET LOCK_TIMEOUT command, which limits the number of seconds that a process waits for a lock before timing out.

All Locks Tab for SQL Server

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches even on large systems. Although SQL Server supports row-level locking, blocking lock situations do crop up - sometimes frequently.

Metrics

The All Locks tab contains information on all locks associated with the featured SPID, including locks that are held by the process and locks that are blocking the process. The table below describes the information available on the All Locks tab of the Session Detail view for SQL Server:

Column	Description
Database	The database where the locks are occurring.
Table Name	The name of the table involved in a lock. NULL for non-table locks or table locks that take place in the tempdb database.
Ndx ID	The index ID involved in the lock.
Lock Type	The type of lock (database, table, row ID, etc.).
Lock Mode	The mode of the lock (shared, exclusive, etc.).
Lock Status	The status of the lock (waiting or granted).
Owner Type	Whether the lock came from a regular session or a transaction.
Program	The executable the process is using against the server.
BLK SPID	If nonzero, the process ID of the process blocking the requested lock. A value of zero indicates that the process is not blocked.
Wait Time	The time the process has waited for the lock, in milliseconds.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Command	The command the process is currently issuing.
NT Domain	The name of the Windows 2000/NT domain.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects the user was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in SQL Server. You can change this behavior by using the SET LOCK_TIMEOUT command, which limits the number of seconds that a process waits for a lock before timing out.

Sybase Session Detail View

The Session Detail view down provides a granular look at the details when a process is acting in a way that merits further investigation. It also presents data about a particular process in a way that makes it easier to understand and view apart from all other processes that Sybase is running.

The following tabbed pages are available on the Session Detail view for Sybase:

- [Overview](#)
- [SQL](#)
- [Blocked By](#)
- [Blocking](#)
- [All Locks](#)

Overview Tab for Sybase

The Overview tab of the Session Detail view displays information to analyze the details of a particular process. The tables below describe the statistics for each category on the Overview tab of the Session Detail view for Sybase. The available categories are:

- [Contention](#)
- [Execution](#)
- [General](#)
- [I/O](#)
- [Memory](#)
- [Users](#)

General Statistics

The table below describes the statistics in the General category on the Overview tab of the Session Detail view:

Statistic	Description
SPID	The Sybase process ID. Unique value across all processes.
Login Name	The Sybase login name of the process.
Family ID	The ID of the coordinating process and all of its worker processes.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Database	The database in which the process is running.
Program	The executable the process is using against the server.

Statistic	Description
Host	The machine name that originated the process.

Memory Statistics

The Memory Usage statistic in the Memory category on the Overview tab of the Session Detail view is the number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.

Contention Statistics

The table below describes the statistics in the Contention category on the Overview tab of the Session Detail view:

Statistic	Description
Blocked By	If the process is being blocked, the SPID of the blocking process. A value of zero indicates that the process is not blocked.
Time Blocked	The SQL Server's wait time.

I/O Statistics

The Physical I/O statistic in the I/O category on the Overview tab of the Session Detail view is the number of physical and logical reads performed by this session.

Users Statistics

The table below describes the statistics in the Users category on the Overview tab of the Session Detail view:

Statistic	Description
CPU Usage	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Active Trans	The current number of open transactions owned by the process.

Execution Statistics

The table below describes the statistics in the Execution category on the Overview tab of the Session Detail view:

Statistic	Description
Exec Class	The execution class for the current process.
Priority	The priority of the current process.
Affinity	The affinity level for the current process.

SQL Tab for Sybase

- [Metrics](#)

The SQL tab of the Session Detail view presents information relating to any current SQL issued by the session as well as any SQL previously issued by the session.

Metrics

To determine access paths, you should export and run through a QUERY PLAN session, any SQL suspect of inefficient access.

Blocked By Tab for Sybase

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches even on large systems.

Metrics

The Blocked By tab contains information relating to processes that are currently blocking the process featured in the Session Detail view. The table below describes the information available on the Blocked By tab of the Session Detail view for Sybase:

Column	Description
SPID	The Sybase process ID. This is a unique value across all processes.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Login	The Sybase login name of the process.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Memory	The number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.
CPU	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Physical I/O	The current cumulative number of physical disk reads and writes issued by the process.
Database	The database in which the process is running.
Command	The current command being executed by the process.
Time Blocked	The time that the process has been blocked, in seconds.
Transaction	The name of any transaction.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects the user was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

Blocking Tab for Sybase

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems.

Metrics

The Blocking tab contains information on blocks issued by the featured process that are blocking other processes. The table below describes the information available on the Blocking tab of the Session Detail view for Sybase:

Column	Description
SPID	The Sybase process ID. This is a unique value across all processes.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Login	The Sybase login name of the process.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Memory	The number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.
CPU	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Physical I/O	The current cumulative number of physical disk reads and writes issued by the process.
Database	The database in which the process is running.
Command	The current command being executed by the process.
Time Blocked	The time that the process has been blocked, in seconds.
Transaction	The name of any transaction.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects they were accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

All Locks Tab for Sybase

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems.

Metrics The All Locks tab contains information on all locks associated with the featured SPID, including locks that are held by the process and locks that are blocking the process. The table below describes the information available on the All Locks tab of the Session Detail view for Sybase:

Column	Description
Database	The database where the locks are occurring.
Lock Type	The type of lock (database, table, row ID, etc.)
Object Name	The name of the object being blocked.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Lock Page	The page number where the lock is currently applied.
Lock Class	The name of the cursor the lock is associated with (if any).
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Command	The command the process is currently issuing.
Transaction	The name of any transaction.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied—the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects the user was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

DB2 Session Detail View

The following tabbed pages are available on the Session Detail view for DB2:

- [Application Tab for DB2](#)
- [Unit of Work Tab for DB2](#)
- [Locking Tab for DB2](#)
- [Memory Tab for DB2](#)
- [I/O Tab for DB2](#)
- [SQL Statistics Tab for DB2](#)

The following information about the selected application is available on each page:

Field	Description
Agent ID	This is a system-wide unique identifier for the application.
Auth ID	This is the authorization ID of the user who invoked the application being monitored.

Field	Description
OS User ID	This is the authorization ID used to access the operating system.
Application	This is the name of the application executable.

Application Tab for DB2

The Application tab contains application and client detail information from the application snapshot record for the selected application.

Application Details

Statistic	Description
Application Agent ID	This is a system-wide unique identifier for the application.
Application Agent PID	The process ID (UNIX) or thread ID (Windows) of a DB2 agent.
Application Agent System CPU (sec)	This is the total system CPU time (in seconds) used by the database manager agent process.
Application Agent User CPU (sec)	This is the total CPU time (in seconds) used by database manager agent process.
Application Agents	This is the number of agents currently executing statements or subsections.
Application Agents Stolen	This is the number of times agents are stolen from the application. Agents are stolen when an idle agent is reassigned from one application to another.
Application Assoc Agents HWM	This is the maximum number of subagents associated with the application.
Application Assoc Sub-Agents	This is the number of subagents associated with the application.
Application Authorization ID	This is the authorization ID of the user who invoked the application being monitored.
Application Codepage	This is the code page identifier.
Application Connect Complete Time	This is the date and time a connection request was granted.
Application Connect Start Time	This is the date and time an application started a connection request.
Application Coord Agent PID	This is the process ID (UNIX) or thread ID (Windows) of the coordinator agent for the selected application.
Application Coord Node	In a multi-node system, this is the node number of the node where the selected application connected or attached to the instance.
Application Coord Token	This is the DRDA AS correlation token.
Application ID	This is generated when the application connects to the database at the database manager or when DDCS receives a request to connect to a DRDA database.
Application Idle Time	This is the number of seconds since the selected application last issued any requests to the server. This includes applications that have not terminated a transaction, for example not issued a commit or rollback.
Application Name	Name of the application executable.
OS User ID	The authorization ID used to access the operating system.
Application Priority	This is the priority of the agents working for this application.
Application Priority Type	This is the operating system priority type for the agent working on behalf of the application.
Application Sequence Number	This identifier is incremented when a unit of work ends (when a COMMIT or ROLLBACK terminates a unit of work). Together, the application ID and application sequence number uniquely identify a transaction.

Statistic	Description
Application Session Auth ID	This is the current authorization ID for the session being used by this application.
Application Status	This is the current status of the application.
Application Status Change Time	This is the date and time the application entered its current status.
Application Territory Code	This is the territory code (formerly country code) of the database for which the monitor data is being collected.

Application Authorities

Column	Description
Authority	This is the highest authority level granted to the application.
Explicit	Authorizations granted explicitly to a user.
Indirect	Indirect authorizations inherited from group or public.

Client Details

Statistic	Description
Client Database Alias	This is the alias of the database provided by the application to connect to the database.
Client Inbound Comm Address	This is the communication address of the client.
Client Node Name	This is the node name (nname) in the database manager configuration file at the client database partition.
Client PID	This is the process ID of the client application that made the connection to the database.
Client Platform	This is the operating system on which the client application is running.
Client Product and Version	This is the product and version that is running on the client.
Client Protocol	This is the communication protocol that the client application is using to communicate with the server.
TP Client Accounting String	This is the data passed to the target database for logging and diagnostic purposes (if the sqleseti API was issued in this connection).
TP Client Application Name	This name identifies the server transaction program performing the transaction (if the sqleseti API was issued in this connection).
TP Client User ID	This is the client user ID generated by a transaction manager and provided to the server (if the sqleseti API is used).
TP Client Workstation Name	This name identifies the client's system or workstation, for example CICS EITERMID, if the sqleseti API was issued in this connection.

Unit of Work Tab for DB2

The Unit of Work tab contains the SQL statement for the selected application, as well as statistics related to that statement.

SQL Statement

The SQL Statement field displays the SQL statement for the application. You can click **Explain SQL** to view an explain plan for the statement.

Statement Detail

Statistic	Description
SQL Statement	This is the text of the dynamic SQL statement.
Node	This is the node where the statement was executed.
Type	This is the type of statement processed.
Creator	This is the authorization ID of the user that pre-compiled the application.
Operation	This is the statement operation currently being processed or that was most recently processed (if none are currently running).
Agents Created	This is the maximum number of agents that were used when executing the statement.
Agents Working	This is the number of concurrent agents currently executing a statement or subsection.
Cursor Name	This is the name of the cursor corresponding to this SQL statement.
Blocking Cursor	This indicates if the statement being executed is using a blocking cursor.
Package Name	This is the name of the package that contains the SQL statement that is currently executing.
Package Version	This identifies the version identifier of the package that contains the currently executing SQL statement.
Section Number	This is the internal section number in the package for the SQL statement currently processing or most recently processed.
Parallelism Degree	This is the degree of parallelism requested when the query was bound.
Query Cost Estimate	This is the estimated cost for a query (in timerons) as determined by the SQL compiler.
Query Card Estimate	This is an estimate of the number of rows that will be returned by a query.

Statement Statistics

Statistic	Description
Statement Start Time	This is the date and time when the statement operation (stmt_operation) monitor element started executing.
Statement Stop Time	This is the date and time when the statement operation (stmt_operation) monitor element stopped executing.
Statement Sort Time (sec)	This is the total elapsed time (in seconds) for all sorts that have been executed.
Statement User CPU (sec)	This is the total user CPU time (in seconds) used by the currently executing statement.
Statement System CPU (sec)	This is the total system CPU time (in seconds) used by the currently executing statement.
Statement Elapsed Time (sec)	This is the elapsed execution time (in seconds) of the most recently completed statement.
UOW Start Time	This is the date and time that the unit of work first required database resources.
UOW Stop Time	This is the date and time that the most recent unit of work completed. This occurs when database changes are committed or rolled back.
UOW Prev Stop Time	This is the time the previous unit of work completed.
UOW Elapsed Time (sec)	This is the elapsed execution time (in seconds) of the most recently completed unit of work.
UOW Lock Wait Time (sec)	This is the total amount of elapsed time (in seconds) this unit of work has spent waiting for locks.
UOW Log Space Used (KB)	This is the amount of log space (in kilobytes) used in the current unit of work of the monitored application.
UOW Completion Status	This is the status of the unit of work and how it stopped.

Statement Activity

Statistic	Description
Sorts	This is the total number of times a set of data was sorted in order to process the statement operation (stmt_operation).
Sort Overflows	This is the total number of sorts that ran out of sort heap and may have used disk space for temporary storage.
Fetches	This is the number of successful fetches that were performed on a specific cursor.
Rows Read	This is the number of rows read from the table.
Rows Written	This is the number of rows changed (inserted, deleted, or updated) in the table.
Internal Rows Deleted	This is the number of rows deleted from the database as a result of internal activity.
Internal Rows Updated	This is the number of rows updated from the database as a result of internal activity.
Internal Rows Inserted	This is the number of rows inserted into the database as a result of internal activity that was caused by triggers.
Temporary Data Logical Reads	This indicates the number of data pages that have been requested from the buffer pool (logical) for temporary table spaces. NOTE: The functionality to record buffer pool information at the statement level is supported for API and CLP snapshot requests.
Temporary Data Physical Reads	Indicates the number of data pages that have been read in from the table space containers (physical) for temporary table spaces. NOTE: The functionality to record buffer pool information at the statement level is supported for API and CLP snapshot requests.
Temporary Index Logical Reads	Indicates the number of index pages that have been requested from the buffer pool (logical) for temporary table spaces. NOTE: The functionality to record buffer pool information at the statement level is supported for API and CLP snapshot requests.
Temporary Index Physical Reads	Indicates the number of index pages that have been read in from the table space containers (physical) for temporary table spaces. NOTE: The functionality to record buffer pool information at the statement level is supported for API and CLP snapshot requests.

Locking Tab for DB2

The Locking tab is a single application view of the [Lock View](#). Information that is found in the Locks Held and Locks Waiting tabs of the Lock View will be available here for the selected application.

Locks Held

Column	Description
Lock Mode	This is the type of lock being held.
Object Type	This is the type of object against which the application holds a lock (for object-lock-level information), or the type of object for which the application is waiting to obtain a lock (for application-level and deadlock-level information).
Table Schema	This is the schema of the table that the lock is on.
Table Name	This is the name of the table that the lock is on. This element is only set if Object Type indicates Table.
Tablespace	This is the name of the table space against which the lock is held.
Lock Status	This is the lock's status (waiting or granted).

Column	Description
Escalation	This indicates whether a lock request was made as part of a lock escalation.

Locks Waiting

Column	Description
Agent ID	This is the application handle of the agent holding a lock for which this application is waiting.
Application ID	This is the application ID of the application that is holding a lock on the object that this application is waiting to obtain.
Lock Mode	This is the type of lock being held.
Mode Requested	This is the lock mode being requested by the application.
Object Type	This is the type of object against which the application holds a lock.
Table Schema	This is the schema of the table that the lock is on.
Tablespace	This is the name of the table that the lock is on. This element is only set if Object Type indicates Table.
Wait Start Time	This is the date and time that this application started waiting to obtain a lock on the object that is currently locked by another application.
Escalation	This indicates whether a lock request was made as part of a lock escalation.

Memory Tab for DB2

The Memory tab displays all the memory pools for the application and key cache statistics specific to the application.

Memory Pools

Column	Description
Node	This is the number assigned to the node in the db2nodes.cfg file.
Memory Pool	This is the type of memory pool.
Utilization	This is the percentage of memory pool used.
High Watermark (MB)	This is the largest size of a memory pool (in megabytes) since its creation.
Current Size (MB)	This is the current size of a memory pool (in megabytes).
Max Size (MB)	This is the internally configured size of a memory pool (in megabytes) in DB2.

Memory Statistics

Statistic	Description
Application Section Inserts	This is the number of inserts of SQL sections by an application from its SQL work area.
Application Section Lookups	This is the number of lookups of SQL sections by an application from its SQL work area.
Catalog Cache Inserts	This is the number of times that the system tried to insert table descriptor or authorization information into the catalog cache.
Catalog Cache Lookups	This is the number of times that the catalog cache was referenced to obtain table descriptor information or authorization information.
Catalog Cache Overflows	This is the number of times that the catalog cache overflowed the bounds of its allocated memory.

Statistic	Description
Package Cache Inserts	This is the total number of times that a requested section was not available for use and had to be loaded into the package cache. This includes any implicit prepares performed by the system.
Package Cache Lookups	This is the number of times an application looked for a section or package in the package cache.
Private Workspace Inserts	This is the number of inserts of SQL sections by an application into the private workspace.
Private Workspace Lookups	This is the number of lookups of SQL sections by an application in its agents' private workspace.
Private Workspace Overflows	This is the number of times that the private workspaces overflowed the bounds of its allocated memory.
Private Workspace HWM (KB)	This is the largest size (in kilobytes) reached by the private workspace.
Shared Workspace Inserts	This is the number of inserts of SQL sections by applications into shared workspaces.
Shared Workspace Lookups	This is the number of lookups of SQL sections by applications in shared workspaces.
Shared Workspace Overflows	This is the number of times that shared workspaces overflowed the bounds of their allocated memory.
Shared Workspace HWM (KB)	This is the largest size (in kilobytes) reached by shared workspaces.

Cache Hit Ratios

Ratio	Description
Catalog Cache	The catalog cache hit ratio indicates how well the catalog cache is helping to avoid actual accesses to the catalog on disk. A high ratio indicates successful avoidance of actual disk I/O accesses.
Package Cache	The package cache hit ratio indicates how well the package cache is helping to avoid reloading packages and sections for static SQL from the system catalogs as well as helping to avoid recompiling dynamic SQL statements. A high ratio indicates successful avoidance of these activities.
Shared Workspace	The shared workspace hit ratio indicates how well the shared SQL workspace is helping to avoid having to initialize sections for SQL statements that are about to be executed. A high ratio indicate successful avoidance of this action.
Private Workspace	The private workspace hit ratio indicates how well the private SQL workspace is helping to avoid having to initialize sections for SQL statements that are about to be executed. A high ratio indicate successful avoidance of this action.
Application Workspace	The application workspace hit ratio indicates how well the application SQL workspace is helping to avoid having to initialize sections for SQL statements that are about to be executed. A high ratio indicate successful avoidance of this action.

I/O Tab for DB2

The I/O tab displays detailed I/O information from the application snapshot record for the selected application.

I/O Statistics

Statistic	Description
Buffered Data Logical Reads	This indicates the number of data pages that have been requested from the buffer pool (logical) for regular and large table spaces.

Statistic	Description
Buffered Data Physical Reads	This indicates the number of data pages that have been read from the table space containers (physical) for regular and large table spaces.
Buffered Data Writes	This indicates the number of times a buffer pool data page was physically written to disk.
Buffered Index Logical Reads	This indicates the number of index pages that have been requested from the buffer pool (logical) for regular and large table spaces.
Buffered Index Physical Reads	This indicates the number of index pages that have been read from the table space containers (physical) for regular and large table spaces.
Buffered Index Writes	This indicates the number of times a buffer pool index page was physically written to disk.
Buffered Read Time (sec)	This indicates the total amount of time (in seconds) spent reading data and index pages from the table space containers (physical) for all types of table spaces.
Buffered Write Time (sec)	This indicates the total amount of time (in seconds) spent physically writing data or index pages from the buffer pool to disk.
Direct Reads	This is the number of read operations that do not use the buffer pool.
Direct Read Requests	This is the number of requests to perform a direct read of one or more sectors of data.
Direct Writes	This is the number of write operations that do not use the buffer pool.
Direct Write Requests	This is the number of requests to perform a direct write of one or more sectors of data.
Direct Read Time (sec)	This is the elapsed time (in seconds) required to perform the direct reads.
Direct Write Time (sec)	This is the elapsed time (in seconds) required to perform the direct writes.
Extended Storage – Data Pages From	This is the number of buffer pool data pages copied from extended storage.
Extended Storage – Data Pages To	This is the number of buffer pool data pages copied to extended storage.
Extended Storage – Index Pages From	This is the number of buffer pool index pages copied from extended storage.
Extended Storage – Index Pages To	This is the number of buffer pool index pages copied to extended storage.
Prefetch Pages Unread	This indicates the number of pages that the prefetcher read in that were never used.
Prefetch Wait Time (sec)	This is the time an application spent waiting for an I/O server (prefetcher) to finish loading pages into the buffer pool.
Temporary Data Logical Reads	This indicates the number of data pages which have been requested from the buffer pool (logical) for temporary table spaces.
Temporary Data Physical Reads	This indicates the number of data pages read in from the table space containers (physical) for temporary table spaces.
Temporary Index Logical Reads	This indicates the number of index pages which have been requested from the buffer pool (logical) for temporary table spaces.
Temporary Index Physical Reads	This indicates the number of index pages read in from the table space containers (physical) for temporary table spaces.

I/O Distribution Ratios

Ratio	Description
Direct Read Ratio	Direct Reads are read operations that do not use the buffer pool. Direct Read Ratio is the percentage of all reads that were direct reads.

Ratio	Description
Logical Read Ratio	Logical Reads is the sum of all Buffer Pool Data Logical Reads and Buffer Pool Index Logical Reads. Logical Read Ratio is the percentage of all reads that were logical reads.
Physical Read Ratio	Physical Reads is the sum of all Buffer Pool Data Physical Reads and Buffer Pool Index Physical Reads. Physical Read Ratio is the percentage of all reads that were physical reads.
Direct Write Ratio	Direct Writes are write operations that do not use the buffer pool. Direct Write Ratio is the percentage of all writes that were direct writes.
Buffered Write Ratio	Buffered Writes is the sum of all Buffer Pool Data Writes and Buffer Pool Index Writes. Buffered Write Ratio is the percentage of all writes that were buffered writes.

SQL Statistics Tab for DB2

The SQL Statistics tab contains statistics about the SQL statement for the selected application.

SQL Statistics

Statistic	Description
Binds and Pre-Compiles	This is the number of binds and pre-compiles attempted.
Cursor Block Requests Accepted	This is the number of times a request for an I/O block was accepted.
Cursor Block Requests Rejected	This is the number of times a request for an I/O block at the server was rejected and the request was converted to non-blocked I/O.
Cursors Open Local	This is the number of local cursors currently open for this application, including those cursors counted by Cursors Open Local with Blocking.
Cursors Open Local with Blocking	This is the number of local blocking cursors currently open for this application.
Cursors Open Remote	This is the number of remote cursors currently open for this application, including those cursors counted by Cursors Open Remote with Blocking.
Cursors Open Remote with Blocking	This is the number of remote blocking cursors currently open for this application.
Internal Automatic Rebinds	This is the number of automatic rebinds (or recompiles) that have been attempted.
Internal Commits	This is the total number of commits initiated internally by the database manager.
Internal Rollbacks	This is the total number of rollbacks initiated internally by the database manager.
Internal Deadlock Rollbacks	This is the total number of forced rollbacks initiated by the database manager due to a deadlock. A rollback is performed on the current unit of work in an application selected by the database manager to resolve the deadlock.
Internal Rows Deleted	This is the number of rows deleted from the database as a result of internal activity.
Internal Rows Inserted	This is the number of rows inserted into the database as a result of internal activity caused by triggers.
Internal Rows Updated	This is the number of rows updated from the database as a result of internal activity.
Rows Deleted	This is the number of row deletions attempted.
Rows Inserted	This is the number of row insertions attempted.
Rows Read	This is the number of rows read from the table.
Rows Selected	This is the number of rows that have been selected and returned to the application.
Rows Updated	This is the number of row updates attempted.
Rows Written	This is the number of rows changed (inserted, deleted, or updated) in the table.

Statistic	Description
SQL DDL Statements	This indicates the number of SQL Data Definition Language (DDL) statements that were executed.
SQL Commit Statements	This indicates the total number of SQL COMMIT statements that have been attempted.
SQL Dynamic Statements	This indicates the number of dynamic SQL statements that were attempted.
SQL Failed Statements	This indicates the number of SQL statements that were attempted and failed.
SQL Requests Since Last Commit	This indicates the number of SQL requests submitted since the last commit.
SQL Rollback Statements	This indicates the total number of SQL ROLLBACK statements that have been attempted.
SQL Select Statements	This indicates the number of SQL SELECT statements that were executed.
SQL Static Statements	This indicates the number of static SQL statements that were attempted.
SQL UID Statements	This indicates the number of SQL UPDATE, INSERT, and DELETE statements that were executed.

SQL Distribution Ratios

Column	Description
DDL Statements	This is the percentage of all executed statements that were SQL DDL Statements.
UID Statements	This is the percentage of all executed statements that were SQL UID Statements.
Failed Statements	This is the percentage of all executed statements that were SQL Failed Statements.
Select Statements	This is the percentage of all executed statements that were SQL Select Statements.

Top Sessions View

The following tabbed pages are available on the Top Sessions view:

- [Memory Tab](#)
- [I/O Tab](#)
- [CPU Tab](#)

Memory Tab

The information on the Memory tab of the Top Sessions view depends on the target DBMS:

- [Memory Tab for Oracle](#)
- [Memory Tab for SQL Server](#)
- [Memory Tab for Sybase](#)
- [Memory Tab for DB2](#)

Memory Tab for Oracle

- [Metrics](#)

It is frequently the case that one or two users cause the majority of run-time problems. The problem could originate with a runaway process, an untuned batch procedure, or other user-initiated operation. User connections can get out of hand with memory consumption, and extreme cases have caused difficulties at both the database and operating system levels (ORA-4030 errors).

The table below describes the information available on the Leading Sessions tab of the Memory Detail view and the Memory tab of the Top Sessions view for Oracle:

Column	Description
User Name	The logon name the session is using.
SID	The unique Oracle identifier for the session.
Serial #	The serial number assigned to the session.
Status	The status of the session, ACTIVE or INACTIVE.
Machine	The name of the client machine name that the session is using.
PGA Memory (KB)	The Program Global Area (PGA) is a private memory area devoted to housing the global variables and data structures for a single Oracle process, in KB.
UGA Memory (KB)	The User Global Area (UGA) contains session specific information regarding open cursors, state information for packages, database link information, and more. When using Oracle's Multi-threaded Server (MTS), the UGA can be moved up into the SGA, in KB.
Memory Sorts (KB)	The total number of memory sorts a session has performed.
Total Memory (KB)	The memory (PGA + UGA) that the session is consuming, in KB.

NOTE: This information is available on both the [Leading Sessions tab](#) of the Memory Detail view and the Memory tab of the Top Sessions view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

If your database server does not have an overabundance of memory, you should check periodically to see who your heavy memory users are and the total percentage of memory each takes up. If you see that one or two users use more than 5-15 percent of the total memory, you should investigate the sessions further to see what activities they are performing.

Memory Tab for SQL Server

- [Metrics](#)

It is not uncommon for one or two users to cause the majority of runtime problems that plague a database. The problem could be a runaway process, an untuned batch procedure, or other user-initiated operation. User connections can get out of hand with memory consumption, and extreme cases have caused headaches at both the database and operating system levels.

Performance Center displays information to find processes that are using the most memory on the server on the Leading Sessions tab of the Memory Detail view and the Memory tab of the Top Sessions view.

The table below describes the information available on these tabs:

Column	Description
PID	The process ID of the connected session.
User Name	The user name assigned to the process.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The program the process has invoked against SQL Server.
Memory Usage	The total number of memory pages allocated to the process.
Pct Mem Used	The percentage of overall memory among all processes that can be attributed to the process.
Database	The database in which the process is currently running.
Command	The command the process is currently issuing.
Open Trans	The number of open transactions for the process.
Blocked	The PID of any process blocking the current process.
Wait Time	The current wait time for the process, in milliseconds.

NOTE: This information is available on both the [Leading Sessions tab](#) of the Memory Detail view and the Memory tab of the Top Sessions view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

If your database server does not have an overabundance of memory, you should periodically check to see who your heavy memory users are along with the total percentage of memory each takes up. If you see one or two users who have more than 5-15 percent of the total memory usage, you should investigate the sessions further to see what activities they are performing.

Memory Tab for Sybase

- [Metrics](#)

It is not uncommon for one or two users to cause the majority of runtime problems that plague a database. The problem could be a runaway process, an untuned batch procedure, or other user-initiated operation. Often, user connections can get out of hand with memory consumption, and extreme cases have caused headaches at both the database and operating system levels.

This tab displays information to find processes that are using the most memory on the server. The table below describes the information available on the Leading Sessions tab of the Memory Detail view and the Memory tab of the Top Sessions view for Sybase:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
FID	The process ID of the worker process' parent.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Memory Usage	The memory currently used by the process.
Pct Mem Used	The percentage of memory currently used by the process.
Database	The database in which the process is running.
Command	The command the process is currently issuing.
Transaction	The name of any transaction.
Blocked	The PID of any process blocking the current process.
Time Blocked	The time that the process has been blocked, in seconds.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

If your database server does not have an overabundance of memory, you should periodically check to see who your heavy memory users are along with the total percentage of memory each takes up. If you see one or two users who have more than 5-15 percent of the total memory usage, you should investigate the sessions further to see what activities they are performing.

Memory Tab for DB2

- [Metrics](#)

It is not uncommon for one or two users to cause the majority of runtime problems that plague a database. The problem could be a runaway process, an untuned batch procedure, or other user-initiated operation. Often, user connections can get out of hand with memory consumption, and extreme cases have caused headaches at both the database and operating system levels.

This tab displays information to find processes that are using the most memory on the server. The table below describes the information DB2 on the Leading Sessions tab of the Memory Detail view and the Memory tab of the Top Sessions view for DB2:

Column	Description
Agent ID	The application handle of the agent holding a lock for which this application is waiting.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
OS User ID	The operating system ID of the process.
Client PID	The process ID of the client application that made the connection to the database.
Application	The name of the application executable.
Status	The current status of the application.
UOW Elapsed Time (sec)	The elapsed execution time of the most recently completed unit of work.
Memory Overflows	Total number of memory overflows.
Memory Used (KB)	Total memory pool usage for the application.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

If your database server does not have an overabundance of memory, you should periodically check to see who your heavy memory users are along with the total percentage of memory each takes up. If you see one or two users who have more than 5-15 percent of the total memory usage, you should investigate the sessions further to see what activities they are performing.

I/O Tab

The information on the I/O tab of the Top Sessions view depends on the target DBMS:

- [I/O Tab for DB2](#)
- [I/O Tab for SQL Server](#)
- [I/O Tab for Sybase](#)
- [I/O Tab for DB2](#)

I/O Tab for Oracle

- [Metrics](#)

When a system undergoes heavy I/O activity, all the user connections can contribute somewhat equally to the overall load. Frequently, however, one or two user connections are responsible for 75 percent or more of the I/O activity. It may be that a large batch load or other typical process is running, and that is perfectly okay for your system. Or, it may be a runaway process or rogue connection that you should track down and eliminate.

It is a good idea to periodically check the leading sessions in your system with respect to I/O and make sure all is well. You can use Performance Center to perform this function with the information available on this tab. The table below describes the information available on the Leading Sessions tab of the I/O Detail view and the I/O tab of the Top Sessions view for Oracle:

Column	Description
User Name	The logon name the session is using.
SID	The unique Oracle identifier for the session.
Serial #	The serial number assigned to the session.
Status	The status of the session, ACTIVE or INACTIVE.
Machine	The name of the client machine name that the session is using.
Reads	The number of physical reads.
Writes	The number of physical writes.
Total I/O	The total of all physical I/O operations for the session.

NOTE: This information is available on both the [Leading Sessions tab](#) of the I/O Detail view and the I/O tab of the Top Sessions view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Pinpointing sessions with abnormally high I/O activity relative to other sessions in the system can aid in ferreting out accounts that are dragging down overall system performance. You should examine the activity of each session to determine the system workload and to see if you can reduce the workload or tune the system for better performance.

I/O Tab for SQL Server

- [Metrics](#)

When a system undergoes heavy I/O activity, sometimes you find that all the user connections are contributing somewhat equally to the overall load. Frequently, however, one or two user connections are responsible for 75 percent or more of the I/O activity. It can be that a large batch load or other typical process is running that is perfectly okay for your system. Alternatively, it can be a runaway process or other rogue connection that you should track down and possibly eliminate.

Performance Center displays information to find processes that are using the most memory on the server on the Leading Sessions tab of the I/O Detail view and the I/O tab of the Top Sessions view.

The table below describes the information available on these tabs:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Physical I/O	The current cumulative number of reads and writes issued by the process.
Pct I/O Used	The percentage of overall I/O that can be attributed to the process.
Database	The database in which the process is running.
Command	The command the process is currently issuing.
Open Trans	The number of open transactions for the process.
Blocked	The PID of any process blocking the current process.
Wait Time	The current wait time for the process, in milliseconds.

NOTE: This information is available on both the [Leading Sessions tab](#) of the I/O Detail view and the I/O tab of the Top Sessions view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Finding one more two users that are consuming more than 75 percent of the total I/O load can indicate a runaway or improper process. By drilling down into the I/O activity of all users, you can quickly see if this is the case.

I/O Tab for Sybase

- [Metrics](#)

When a system undergoes heavy I/O activity, sometimes you find that all the user connections are contributing somewhat equally to the overall load. More often than not, however, one or two user connections are responsible for 75 percent or more of the I/O activity. It can be that a large batch load or other typical process is running that is perfectly okay for your system. Or it can be a runaway process or other rogue connection that needs to be tracked down and possibly eliminated.

It is a good idea to periodically check who the leading sessions are in your system with respect to I/O and make sure all is well. You can use Performance Center to easily perform this function with the leading sessions tab of the I/O Detail view. The table below describes the information available on the I/O tab of the Top Sessions view for Sybase:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
FID	The process ID of the worker process' parent.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Physical I/O	The current cumulative number of reads and writes issued by the process.
Pct I/O Used	The percentage of overall I/O that can be attributed to the process.
Database	The database in which the process is running.
Command	The command the process is currently issuing.
Transaction	The name of any transaction.
Blocked	The PID of any process blocking the current process.
Time Blocked	The time that the process has been blocked, in seconds.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Pinpointing sessions with abnormally high I/O activity relative to other sessions in the system help you ferret out accounts dragging down overall system performance. You should examine the activity of each session to determine the workload being placed on the system and if you can reduce or tune that workload for better performance.

I/O Tab for DB2

- [Metrics](#)

When a system undergoes heavy I/O activity, sometimes you find that all the user connections are contributing somewhat equally to the overall load. More often than not, however, one or two user connections are responsible for 75 percent or more of the I/O activity. It can be that a large batch load or other typical process is running that is perfectly okay for your system. Or it can be a runaway process or other rogue connection that needs to be tracked down and possibly eliminated.

It is a good idea to periodically check who the leading sessions are in your system with respect to I/O and make sure all is well. You can use Performance Center to easily perform this function with the leading sessions tab of the I/O Detail view. The table below describes the information available on the I/O tab of the Top Sessions view for DB2:

Column	Description
Agent ID	The application handle of the agent holding a lock for which this application is waiting.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
OS User ID	The operating system ID of the process.
Client PID	The process ID of the client application that made the connection to the database.
Application	The name of the application executable.
Status	The current status of the application.
UOW Elapsed Time (sec)	The elapsed execution time of the most recently completed unit of work.
Buffered I/O Time (ms)	The total time spent by application in performing buffered reads and writes.
Direct I/O Time (ms)	The total time spent by application in performing non-buffered reads and writes.
Total I/O Time (ms)	The total time spent by application in performing buffered and non-buffered reads and writes.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Pinpointing sessions with abnormally high I/O activity relative to other sessions in the system help you ferret out accounts dragging down overall system performance. You should examine the activity of each session to determine the workload being placed on the system and if you can reduce or tune that workload for better performance.

CPU Tab

The information on the CPU tab of the Top Sessions view depends on the target DBMS:

- [CPU Tab for Oracle](#)
- [CPU Tab for SQL Server](#)
- [CPU Tab for Sybase](#)
- [CPU Tab for DB2](#)

CPU Tab for Oracle

The table below describes the information available on the CPU tab of the Top Sessions view for Oracle:

Column	Description
User Name	The logon name the session is using.
SID	The unique Oracle identifier for the session.
Serial #	The serial number assigned to the session.
Status	The status of the session, ACTIVE or INACTIVE.
Machine	The name of the client machine name that the session is using.
Program	The executable the process is using against the server.
CPU	The CPU used by the process when the call started.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

CPU Tab for SQL Server

The table below describes the information available on the CPU tab of the Top Sessions view for SQL Server:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
CPU	The cumulative CPU time for the process.
Pct CPU Used	The percentage of the CPU dedicated to this process.
Database	The database in which the process is running.
Command	The command the process is currently issuing.
Open Trans	The number of open transactions for the process.
Blocked	The PID of any process blocking the current process.
Wait Time	The current wait time for the process, in milliseconds.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

CPU Tab for Sybase

The table below describes the information available on the CPU tab of the Top Sessions view for Sybase:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
FID	The process ID of the worker process' parent.

Column	Description
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
CPU	The cumulative CPU time for the process in ticks.
Pct CPU Used	The percentage of the CPU dedicated to this process.
Database	The database in which the process is running.
Command	The command the process is currently issuing.
Transaction	The name of any transaction.
Blocked	The PID of any process blocking the current process.
Time Blocked	The time that the process has been blocked, in seconds.

To configure the grid to show/hide row numbers, use the [Options Editor](#).

CPU Tab for DB2

The table below describes the information available on the CPU tab of the Top Sessions view for DB2:

Column	Description
Agent ID	The application handle of the agent holding a lock for which this application is waiting.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
OS User ID	The operating system ID of the process.
Client PID	The process ID of the client application that made the connection to the database.
Application	The name of the application executable.
Status	The current status of the application.
UOW Elapsed Time (sec)	The elapsed execution time of the most recently completed unit of work.
Agent ID	The application handle of the agent holding a lock for which this application is waiting.
User CPU Time (sec)	The total user CPU time used by the application agents.
System CPU Time (sec)	The total system CPU time used by the application agents.
Total CPU Time (sec)	The total user + system CPU time used by the application agents.

To configure the grid to show/hide row numbers, use the [Options Editor](#).

Top SQL View

- [Metrics](#)

One or two bad queries can cause a lot of trouble for the remaining sessions in a database. It is important to find them before they get into a production system, but sometimes a few sneak through.

By applying custom filters and performance-related thresholds, the Top SQL view locates inefficient SQL. By applying filters to certain I/O and statistical counters, you hope to isolate queries that far exceed their nearest competitors in the same area (like disk reads). When you find them, you should reduce the number of sorts a query performs. Or, for a query that returns only a few records, you should try to minimize the number of rows a query processes.

The Top SQL view displays requested SQL for SQL Server, Oracle, DB2, and Sybase datasources.

Metrics

When you begin to look for inefficient SQL in a database, there are two primary questions you need to answer:

- 1 What has been the worst SQL that has historically been run in my database?
- 2 What is the worst SQL that's running right now in my database?

When troubleshooting a slow system, you should be on the lookout for any query that shows an execution count that is significantly larger than any other query on the system. It may be that the query is in an inefficient Transact SQL loop, or other problematic programming construct. Only by bringing the query to the attention of the application developers will you know if the query is being mishandled from a programming standpoint.

>

Symbols

% Privileged Time 79
% User Time 79

A

AIX 71
All Locks Tab
 Oracle 62
 SQL Server 62
 Sybase 63
All User Locks Tab 64
Archive View 59
Available Paged Memory 76
Available Physical Memory 75
Available Swap Memory 76
Average Disk Queue 82
Average Disk Queue Length 74

B

Blocking Locks Tab
 Oracle 65
 SQL Server 66
 Sybase 67
Blocks Input/Sec 82
Blocks Output/Sec 82
Bottleneck Analysis
 OS 72
Buffer Size 84
Bytes per I/O Operation 82

C

Cache Efficiency 84
Cache Size 84
Clock Algorithm Scans 84
Contention Health Index 60
Contention Page Statistics DB2
 Applications Waiting on Locks 36
 Average Lock Wait Time 37
 Deadlocks 34
 Lock Escalations 35
 Lock List Utilization 36
 Lock Overview 36
 Lock Timeouts 35
 Lock Wait Time 37
 Lock Waits 35
Context Switches/Sec 80
Copy Read Hits % 84
CPU Events 79
CPU Tab 78
CPU Utilization 79

D

Data Map Hits % 84
Datasource Health Index 60
DB2 Expert Guide 10
Device Detail 86
Device Summary 86
Disk Analysis
 OS 72
Disk I/O Time 82
Disk Time 73
Disk Transfers/Sec 82

>

F

Free Disk Space 77

H

Health Index View 60

HIDD_OS_PC_TOPMEMPROC_ORA 77

Home View Statistics

DB2

Hash Join Overflow Percentage 14

Sort Overflow Percentage 14

Hot Objects View 60

Hot Code Tab 61

Hot Tables Tab 60

HP-UX 71

I

I/O Details 81

I/O Page Statistics

Asynchronous Read Rate 21

Asynchronous Write Rate 22

Asynchronous Write Ratio 20

Buffer Pool Hit Ratio 23

Buffer Pool Index Hit Ratio 24

Direct Read Rate 21

Direct Write Rate 21

Direct Write Ratio 20

Dirty Page Cleans 23

Log Read Rate 21

Log Space Cleans 22

Log Space Cleans Ratio 24

Log Write Rate 21

Page Cleaners 22

Prefetch Wait Time 23

Prefetchers 22

Session Leaders – I/O 25

Synchronous Read Rate 21

Synchronous Write Rate 22

Synchronous Write Ratio 20

Threshold Cleans Ratio 24

Victim Cleans Hit Ratio 24

I/O Performance Category View
Statistics 18

I/O Tab 113

Inbound Packet Errors 86

Inbound Packets Discarded 86

INET Address 86

>

- Instance Page Statistics DB2
 - Agent Utilization 58
 - Assigned from Pool 55
 - Buffer Utilization 52
 - Connection Entry Utilization 52
 - Created Empty Pool 55
 - Database Configuration 56
 - FCM Resource Utilization 58
 - FCM Throughput 57
 - Idle 54
 - Instance Identification 53
 - Instance Utilities 57
 - Memory Pool Size 57
 - Memory Pool Utilization 56
 - Memory Pools 56
 - Message Anchor Utilization 52
 - Monitor Heap Utilization 49
 - Monitor Switches 53
 - Percent of Agents Stolen 58
 - Piped Sorts Rejected 50
 - Piped Sorts Requested 50
 - Post Threshold Hash Joins 51
 - Post Threshold Sorts 51
 - Private Memory (MB) 50
 - Registered 54
 - Request Block Utilization 52
 - Request Overflows 55
 - Requests 54
 - Sort Heap (MB) 49
 - Sort Heap Utilization 49
 - Stolen 54
 - Waiting for Tokens 55
- Interrupts/Sec 79
- K
- Key Resource Usage
 - OS 72
- L
- Linux 71
- Load Average 73
- Load Averages 80
- Locks View 61
 - All Locks Tab 62
 - All User Locks Tab 64
 - Blocking Locks Tab 65
- Locks View for DB2 68
- M
- MDL Read Hits % 84
- Memory Analysis
 - OS 72
- Memory Available 84
- Memory Freed 84
- Memory Health Index 60
- Memory Page Statistics
 - Shared Workspace Hit Ratio 18

>

Memory Page Statistics DB2
 Catalog Cache Overflows 15
 Lock List Utilization 16
 Package Cache Hit Ratio 17
 Package Cache Overflows 15
 Private Workspace Overflows 15
 Session Leaders – Memory 17
 Shared Workspace Overflows 16
 Sort Heap Utilization 17
Memory Tab 82, 110

N

Network Details 86
Network Queue Length 75
Number of Logins 78
Number of Processes 78

O

Object Page Statistics DB2
 Buffer Pools Tab – I/O Analysis 30
 Buffer Pools Tab – Overview 30
 Containers Tab 33
 Tables Tab 33
 Tablespaces Tab – I/O Analysis 32
 Tablespaces Tab – Overview 31
Objects Accessed 88
Objects Health Index 60
Operating System Statistics 71
Operating System View 70
OS Detail 78
OS Drill Down 78
OS Statistics 71
OS View
 Processor 73
 Processor Speed 73
Outbound Packet Errors 86
Outbound Packets Discarded 86

P

Packet Collisions 86
Packet Discard 86
Packet Discards 86
Packet Errors 86
Packets Received/Sec 86
Packets Sent/Sec 86
Page Faults/Sec 74
Page Replacements 84
Paged In 82
Paged Memory Used 73
Paged Out 82
Pages Input/Sec 82
Pages Output/Sec 82
Paging Activity 82
Partition 85

Performance Analyst for Oracle Statistics

OS Page 71

- Available Paged Memory 76
- Available Physical Memory 75
- Available Swap Memory 76
- Average Disk Queue Length 74
- Disk Time 73
- Free Disk Space 77
- Load Average 73
- Network Output Queue Length 75
- Network Queue Length 75
- Number of Logins 78
- Number of Processes 78
- OS Detail

CPU Tab 78

- CPU Events Context Switches/Sec 80
- CPU Events Interrupts/Sec 79
- CPU Utilization 79
- CPU Utilization % Privileged Time 79
- CPU Utilization % User Time 79
- Processor Queue Length 80

I/O Tab 81

Memory Tab 82

- Cache Efficiency 84
- Cache Efficiency Copy Read Hits % 84
- Cache Efficiency Data Map Hits % 84
- Cache Efficiency MDL Read Hits % 84
- Cache Efficiency Pin Read Hits % 85
- Paging Activity 82
- Paging Activity Pages Input/Sec 82
- Paging Activity Pages Output/Sec 82

Network Tab 86

Processes Tab 80

Space Tab 85

- Page Faults/Sec 74
- Paged Memory Used 73
- Processor Queue Length 75
- Processor Time 72
- Swap Memory Used 74
- Top CPU Process 78
- Top I/O Process 78
- Top Memory Process 77
- Total Disk Space 77
- Total Paged Memory 76
- Total Physical Memory 76
- Total Swap Memory 76
- Used Disk Space 77

Pin Read Hits % 85

Processes Tab 80

Processor Queue Length 80

Processor Time 72

R

Received (KB/Sec) 86

Rollback Segments Accessed 88

>

S

- Sent (KB/Sec) 86
- Session Contention Tab 87
- Session Detail View
 - Oracle 86
 - SQL Server 90
 - Sybase 96
- Session I/O Tab 87
- Session Memory Tab 87
- Session Network Tab 89
- Session Objects Tab
 - Oracle 88
- Session SQL Tab 89
- Session Statistics Tab 89
- Solaris 71
- Space Health Index 60
- Space Page Statistics DB2
 - Abnormal State Tablespaces 29
 - Active Log Free 27
 - Active Log Size 27
 - Active Log Used 27
 - Active Log Utilization 27
 - DMS Free 26
 - DMS Used 26
 - DMS Utilization 26
 - Inaccessible Containers 28
 - Secondary Log Used HWM 28
 - Secondary Logs Allocated 27
 - SMS Free 26
 - SMS Used 26
 - SMS Utilization 27
 - Tablespace Low on Space 28
 - Tablespace Overview 29
- Space Performance Category View
 - Statistics 25
- Space Tab 85
- Swap Memory Used 74
- System Calls/Sec 80

T

- Top CPU Process 78
- Top I/O Process 78
- Top Memory Process 77
- Top Sessions View 109
 - DB2
 - CPU Tab 119
 - I/O Tab 116
 - Memory Tab 112
 - Oracle
 - CPU Tab 118
 - I/O Tab 113
 - Memory Tab 110
 - SQL Server
 - CPU Tab 118
 - I/O Tab 114
 - Memory Tab 110
 - Sybase
 - CPU Tab 118
 - I/O Tab 115
 - Memory Tab 111
- Total Disk Queue 82

>

- Total Disk Space 77
- Total Paged Memory 76
- Total Physical Memory 76
- Total Swap Memory 76
- Transfer Rate 82
- Transmission Queue Length 86
- Transmission Rate
 - Bytes 86
 - Packets 86

U

- Unix 71
- Used Disk Space 77
- Users Health Index 60
- Users Page Statistics DB2
 - Connections 38
 - Connections Active 39
 - Connections Idle 39
 - Connections Waiting 39
 - Dynamic SQL Statements 39
 - Lock Waits Per Transaction 40
 - Max. Connections 42
 - Percent Executing 42
 - Percent of Maximum 42
 - Rows Selected Per Transaction 40
 - Selects Per Transaction 40
 - Session Leaders – CPU 41
 - Session Leaders – I/O 41
 - Session Leaders – Memory 40
 - Sorts Per Transaction 40
 - Static SQL Statements 39
 - Transactions 40
 - Transactions Per Second 40
- Users Performance Category View
 - Statistics 38

W

- Windows 71