



Embarcadero Performance Center 2.7 Expert Guide: Sybase

Copyright © 1994-2009 Embarcadero Technologies, Inc.

Embarcadero Technologies, Inc.
100 California Street, 12th Floor
San Francisco, CA 94111 U.S.A.
All rights reserved.

All brands and product names are trademarks or registered trademarks of their respective owners. This software/documentation contains proprietary information of Embarcadero Technologies, Inc.; it is provided under a license agreement containing restrictions on use and disclosure and is also protected by copyright law. Reverse engineering of the software is prohibited.

If this software/documentation is delivered to a U.S. Government Agency of the Department of Defense, then it is delivered with Restricted Rights and the following legend is applicable:

Restricted Rights Legend Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of DFARS 252.227-7013, Rights in Technical Data and Computer Software (October 1988).

If this software/documentation is delivered to a U.S. Government Agency not within the Department of Defense, then it is delivered with Restricted Rights, as defined in FAR 552.227-14, Rights in Data-General, including Alternate III (June 1987).

Information in this document is subject to change without notice. Revisions may be issued to advise of such changes and additions. Embarcadero Technologies, Inc. does not warrant that this documentation is error-free.

Contents

- Sybase Expert Guide 10
 - Enabling MDA Tables 10
- Home View Statistics - Sybase 11
 - Memory Vital Signs 12
 - Data Cache Hit Rate 12
 - Procedure Cache Hit Rate 13
 - Large I/O Hit Rate 13
 - Clean Buffer Grab Rate 14
 - Contention Vital Signs 14
 - Blocking Lock Rate 14
 - Deadlock Rate 15
 - Device I/O Contention 16
 - Network Contention Rate 16
 - I/O Vital Signs 16
 - Total Server Reads 17
 - Total Server Writes 17
 - Txn Log Writes 17
 - I/O Errors 17
 - Users Vital Signs 17
 - Total Connections 18
 - Active Connections 18
 - Committed Transactions 18
 - Current Locks 19
 - Space Vital Signs 19
 - Databases Low on Space 19
 - Logs Low on Space 20
 - Network Vital Signs 20
 - Network Requests 20
 - Network Delays 20
 - Bytes Received 21
 - Bytes Sent 21
- Memory Statistics - Sybase 21
 - Data Cache Activity 22
 - New Pages Allocated 23
 - Dirty Buffers Grabbed 23
 - Dirty Read Requests 23
 - Dirty Read Restarts 23

Procedure Cache Activity	24
Procedure Requests	25
Procedure Reads from Disk	25
Procedure Writes to Disk	25
Procedure Removals	26
Large I/O Hit Rate	26
Session Leaders - Memory	27
Cache Allocations	27
Memory Detail View	28
Leading Sessions Tab	28
Cache Activity Tab	29
Page Activity Tab	29
I/O Statistics - Sybase	30
Requested Disk I/Os	30
Completed Disk I/Os	30
Outstanding Disk I/Os	31
Delayed Disk I/Os	31
Transaction Log Writes	32
Transaction Log Allocations	32
Session Leaders - I/O	32
I/O Error Rate	32
I/O Detail View	33
Leading Sessions Tab	33
Devices Tab	34
Engines Tab	34
Index Scans Tab	35
Space Statistics - Sybase	36
Database Overview	36
Log Overview	36
Device Overview	37
Space Detail View	38
Device Detail Tab	38
Cache Detail Tab	38
Segment Detail Tab	39
Object Detail Tab	41
Databases Statistics - Sybase	41
Database Summary	41
Database Detail View	42
Suspect Objects Tab	42
Table Statistics Tab	43

Index Statistics Tab	44
Storage Tab	45
Options Tab	46
Contention Statistics - Sybase	46
Logical Lock Contention	47
Address Lock Contention	48
Group Commit Sleeps	48
Modify Conflicts	48
Device I/O Contention	48
Disk I/O Structures	49
Server Configuration Limit	49
Engine Configuration Limit	50
Operating System Limit	50
Deadlock Rate	50
Deadlocks	51
Current Locks	51
Lock Contention	52
Blocked	52
Network Contention Rate	53
Network Delays	54
Network Requests	54
Contention Detail View	54
All Locks Tab	54
Blocking Locks Tab	55
Users Statistics - Sybase	57
Active Connections	57
Inactive Connections	57
Current Locks	58
Users Blocked	58
Committed Transactions	59
ULC Flushes	59
Rows Inserted	59
Rows Updated	60
Rows Updated (Data Only Locks)	60
Rows Deleted	60
Total Rows Affected	61
Session Leaders - Memory	61
Session Leaders - I/O	61
Session Leaders - CPU	62
Users Detail View	62

Applications Tab	63
Processes Tab	63
Locks Tab	64
Blocking Locks Tab	65
DML Detail Tab	67
Transactions Tab	67
Network Statistics - Sybase	68
Total Packets Received	69
Total Packets Sent	69
Total Bytes Received	69
Total Bytes Sent	69
Network Errors	69
Network Contention Rate	70
Network Delays	70
Network Requests	70
Other Views and Statistics	72
Archive View	72
Health Index View	73
Hot Objects	73
Hot Tables	73
Hot Code	74
Lock View	74
All Locks Tab	75
All Locks Tab for Oracle	75
All Locks Tab for SQL Server	75
All Locks Tab for Sybase	76
All User Locks Tab	77
Blocking Locks Tab	78
Blocking Locks Tab for Oracle	78
Blocking Locks Tab for SQL Server	79
Blocking Locks Tab for Sybase	80
Locks View for DB2	81
Applications	82
Locks Held Tab	82
Locks Waiting Tab	82
Unit of Work Tab	83
Operating System View	83
OS Page Statistics	84
Summary Tab	85

Processor Time	85
Processor Speed.	86
Processor	86
Disk Time	86
Load Average	86
Paged Memory Used	86
Number of Processors	87
Swap Memory Used	87
Average Disk Queue	87
Page Faults/Sec	87
Processor Queue	88
Network Output Queue/Network Queue	88
Available Physical Memory	88
Available Paged Memory	89
Available Swap Memory	89
Total Physical Memory	89
Total Paged Memory/Total Swap Memory	89
Used Disk Space.	90
Total Disk Space.	90
Free Disk Space	90
Top Memory Process	90
Processes Overview	91
Top CPU Process	91
Top I/O Process	91
Number of Logins	91
Number of Processes	91
CPU Tab	91
CPU Utilization	92
Processor Queue Length.	93
Processes Tab	93
I/O Tab	94
Memory Tab	95
Paging Activity	95
Cache Efficiency	97
Space Tab	98
Disk Space Free	98
Disk Space Detail	98
Network Tab	99
Session Detail View	99
Oracle Session Detail View.	99

Session Memory Tab for Oracle	100
Session I/O Tab for Oracle	100
Session Contention Tab for Oracle	100
Session Objects Tab for Oracle	101
Session Network Tab for Oracle	102
Session SQL Tab for Oracle	102
Session Statistics Tab for Oracle	102
SQL Server Session Detail View	103
Overview Tab for SQL Server	103
SQL Tab for SQL Server	105
Blocked By Tab for SQL Server	105
Blocking Tab for SQL Server	107
All Locks Tab for SQL Server	108
Sybase Session Detail View	109
Overview Tab for Sybase	109
SQL Tab for Sybase	110
Blocked By Tab for Sybase	111
Blocking Tab for Sybase	111
All Locks Tab for Sybase	112
DB2 Session Detail View	113
Application Tab for DB2	114
Unit of Work Tab for DB2	115
Locking Tab for DB2	117
Memory Tab for DB2	118
I/O Tab for DB2	119
SQL Statistics Tab for DB2	121
Top Sessions View	122
Memory Tab	122
Memory Tab for Oracle	123
Memory Tab for SQL Server	123
Memory Tab for Sybase	124
Memory Tab for DB2	125
I/O Tab	126
I/O Tab for Oracle	126
I/O Tab for SQL Server	127
I/O Tab for Sybase	128
I/O Tab for DB2	129
CPU Tab	130
CPU Tab for Oracle	131
CPU Tab for SQL Server	131

CPU Tab for Sybase	131
CPU Tab for DB2	132
Top SQL View	132

Sybase Expert Guide

This section includes expert help for all Sybase ASE categories and statistics in the Embarcadero Performance Center views. For detailed information on using the application, see [Using Embarcadero Performance Center](#). The Embarcadero Performance Center Sybase Expert Guide is divided into the following sections:

[Home View](#)

[Memory Statistics](#)

[I/O Statistics](#)

[Space Statistics](#)

[Databases Statistics](#)

[Contention Statistics](#)

[Users Statistics](#)

[Network Statistics](#)

[Other Views and Statistics](#)

NOTE: **Sybase 12.5.0.3 users** should make sure their MDA tables are properly configured so they can see all available statistics. Please refer to the instructions for [enabling MDA tables](#).

Enabling MDA Tables

In ASE 12.5.0.3, a new feature called "MDA tables" was introduced. These proxy tables are mapped to RPCs which provide access to low-level monitoring information about the server.

For more information see: <http://www.sybase.com/detail?id=1010039> "The MDA tables – New Monitoring Capabilities in ASE 12.5.0.3"

DBArtisan's Performance Analyst for Sybase requires these tables be installed to enable several statistics, for example the Top SQL view.

Please follow the instructions below to install and configure these tables.

- 1 Ensure the 'enable cis' configuration parameter is set to 1.

```
sp_configure 'enable cis'
```

```
go
```

- 2 Add the 'loopback' server name alias.

```
if not exists (select 1 from master..sys.servers where srvname = "loopback")
```

```
BEGIN
```

```
exec sp_addserver "loopback", null, <enter your server name>
```

```
END
```

- 3 **Install the MDA tables.**

The script can be found in the following location:

```
$$SYBASE/$SYBASE_ASE/scripts/installmontables.
```

4 Assign the 'mon_role' to logins allowed MDA access.

NOTE: The 'sa' login requires this grant as well.

```
use master
go
grant role mon_role to sa
go
```

5 Enable the following configuration parameters.

```
exec sp_configure "enable monitoring", 1
exec sp_configure "sql text pipe active", 1
exec sp_configure "sql text pipe max messages", 2000
exec sp_configure "plan text pipe active", 1
exec sp_configure "plan text pipe max messages", 2000
exec sp_configure "statement pipe active", 1
exec sp_configure "statement pipe max messages", 2000
exec sp_configure "errorlog pipe active", 1
exec sp_configure "errorlog pipe max messages", 2000
exec sp_configure "deadlock pipe active", 1
exec sp_configure "deadlock pipe max messages", 2000
exec sp_configure "wait event timing", 1
exec sp_configure "process wait events", 1
exec sp_configure "object lockwait timing", 1
exec sp_configure "SQL batch capture", 1
exec sp_configure "statement statistics active", 1
exec sp_configure "per object statistics active", 1
exec sp_configure "max SQL text monitored", 2000
```

Home View Statistics - Sybase

The Embarcadero Performance Center Home view lets you review availability and overall performance of all monitored databases from a single window. Statistics on the Home view are organized into the following categories:

- [Contention Vital Signs](#)
- [I/O Vital Signs](#)
- [Memory Vital Signs](#)
- [Network Vital Signs](#)
- [Space Vital Signs](#)
- [Users Vital Signs](#)

Memory Vital Signs

The following memory statistics are on the Sybase Home view:

- [Data Cache Hit Rate](#)
- [Procedure Cache Hit Rate](#)
- [Large I/O Hit Rate](#)
- [Clean Buffer Grab Rate](#)

Data Cache Hit Rate

- [Metrics](#)
- [Troubleshooting](#)

Data read from memory produces end-user response times many times faster than when that same data is read from disk. The Sybase data cache assists with keeping physical I/Os to an absolute minimum.

The data cache hit rate is an excellent indicator of how often user requests for data are satisfied through memory vs. being physically read from disk. The table below describes the three key counters in Sybase used to arrive at this statistic:

Counter	Description
LOGICAL READS	Data read from memory for user requests.
PAGES PER I/O	The number of pages retrieved in a single I/O operation.
PHYSICAL READS	Data read physically from disk.

TIP: Click this statistic to drill down to the [Cache Activity tab](#) of the Memory Detail view.

Metrics

To help ensure excellent performance, keep your cache hit rate in the neighborhood of 90% or greater. Lower amounts can be okay for user ad hoc databases where sporadic, large table scan operations occur. However, anything below this general threshold for normal databases can require tuning attention, and the adjustment of the Sybase memory tuning parameters.

If you are using named caches, you can drill down into the cache hit rates for each named cache. This helps you understand which objects/operations are depressing the overall cache hit rate for the server.

Troubleshooting

If a problem is found in Sybase servers, versions 11-12, you can increase the amount of the total memory configuration parameter or reduce the percentage of memory allocated to the procedure cache (by default, the data cache assumes any free memory left over after Sybase has met its kernel and procedure cache needs). Take care when reducing the procedure cache, as this could reduce performance in the server as it relates to reading procedures in from disk.

For Sybase 12.5, the total memory configuration parameter can again be increased to provide more memory for the data cache (and any named caches), but in 12.5, if you wish to reduce the size of the procedure cache, note that it is now configured in terms of literal size instead of a percentage of the overall configured memory.

Once the data cache has been adjusted, monitor Sybase to see if the cache hit rate improves. If it does not, another increase may be necessary and examination of unnecessary large table scan operations. Also, keep a careful eye on the actual machine's memory limits and swap activity. Increased swap activity can be indicative of too little memory left for the server machine.

Procedure Cache Hit Rate

- [Metrics](#)
- [Troubleshooting](#)

The Sybase procedure cache is used to hold the definitions and query plans of stored procedures and triggers. It is used for short-term memory needs like statistics and query plans for parallel queries. When a user executes a stored procedure, Sybase looks in the procedure cache for a query plan to use. If a query plan is available, Sybase places it on the most recently used (MRU) end of the memory chain and the procedure begins to execute. If no execution plan is in memory, or if all copies of the plan are currently being used, the query tree for the procedure is read in again from the data dictionary, optimized, put on the MRU end of the chain, and executed. Note that other operations, like CREATE INDEX, can also use the procedure cache even when no procedure is referenced.

The more often that a procedure's plan and definition can be referenced in memory, the better the procedure execution time.

Metrics

A high procedure cache hit rate is a desirable thing. You should strive for a hit ratio between 95-100%, with 95% being a good performance benchmark for procedure code reference. Note that when a database is first started, the procedure cache hit rate is not at an optimal level because all code being used is relatively new, and as such, must be read in from disk and placed into the cache. If, however, after a solid hour or two of steady database time, the procedure cache hit rate has not increased to desirable levels, you should look into the possibility of increasing the amount of memory allocated to the cache.

Note that you can drill down into the procedure cache to view the procedures currently in memory along with how much memory they are consuming.

If there is not enough memory to load a requested procedure, or the maximum number of compiled objects is already in use, Sybase returns an error (normally a 701).

Troubleshooting

If a problem is found in Sybase servers, versions 11-12, you can increase the amount of the total memory configuration parameter or increase the percentage of memory allocated to the procedure cache (by default, the data cache assumes any free memory left over after Sybase has met its kernel and procedure cache needs). Take care when increasing the procedure cache alone, as this could increase query response times due to more physical I/O being performed.

For Sybase 12.5, the total memory configuration parameter can again be increased to provide more memory for the Sybase server, but in 12.5, if you wish to increase the size of the procedure cache, note that it is now configured in terms of literal size instead of a percentage of the overall configured memory.

Once the procedure cache has been adjusted, monitor Sybase to see if the cache hit rate improves. If it does not, another increase may be necessary. Also, keep a careful eye on the actual machine's memory limits and swap activity. Increased swap activity can be indicative of too little memory left for the server machine.

Large I/O Hit Rate

- [Metrics](#)
- [Troubleshooting](#)

Large I/O can be enabled by splitting the default or any named cache into pools. By default, Sybase performs I/O operations based on a 2-KB page size. For queries where pages are stored and accessed in a sequential manner, it is possible to read many more data pages in a single I/O operation. Large I/O can greatly reduce disk access time when the right situations exist. Operations that routinely perform large table scans, access image or text data, do bulk copies, scan the leaf level of nonclustered indexes, or initiate DBCC tasks can benefit from large I/O.

If large I/O has been configured and is being used, you should observe a high percentage of hits (the number of times large I/O could be performed vs. the number of times large I/O requests were denied by the server). If large I/O is not configured, no large I/O activity should be present.

Metrics

As you might expect, if large I/O is in use, a high hit rate is desirable. You should strive for a hit ratio between 90-100%, with 90% being a good performance benchmark.

Troubleshooting

If large I/O is configured, but a low hit rate is being observed, you should configure more caches for large I/O use.

Clean Buffer Grab Rate

- [Metrics](#)
- [Troubleshooting](#)

As information is requested from users, buffers are moved into and out of the Sybase data cache. Pages are also modified in the cache (termed dirty buffers) and need to be written out to disk. If Sybase has to wait for a dirty buffer to be written out to disk before a requested buffer is placed into the cache, performance can suffer.

The clean buffer grab rate represents the percentage of time clean buffers were found and referenced in the cache as opposed to Sybase finding dirty buffers.

Metrics

Ideally, the clean buffer grab rate should stay at or near 100%.

Troubleshooting

Seeing a poor clean buffer grab rate for either the default or named caches could indicate that the cache size is too small. You can look into adjusting the total memory configuration parameter higher. Keep a careful eye on the actual machine's memory limits and swap activity. Increased swap activity can be indicative of too little memory left for the server machine.

Contention Vital Signs

The following contention statistics are on the Sybase Home view:

- Blocking Lock Rate
- [Deadlock Rate](#)
- [Device I/O Contention](#)
- [Network Contention Rate](#)

Blocking Lock Rate

- [Metrics](#)
- [Troubleshooting](#)

A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems. Although Sybase supports flexible locking mechanisms, blocking lock situations do crop up. Blocks are most often caused by user processes holding exclusive locks and not releasing them via a proper COMMIT frequency.

The blocking lock rate displays the percentage of times blocks occurred vs. the percentage of locks requested and immediately granted.

TIP: Click this statistic to drill down to the [Blocking Lock Rate tab](#) of the Locks view.

Metrics

Immediately investigate a percentage much above zero so the situation does not mushroom.

You can easily drill down with Embarcadero Performance Center and discover the exact process(es) holding locks that are blocking out other user activity.

Troubleshooting

Once you discover a blocking lock situation, you can normally remedy it by issuing a KILL against the offending process. This eliminates the user's stranglehold on the objects the user was accessing, and usually results in other user processes completing in an instant. Embarcadero Performance Center makes discovering the blocked lock situation easier; preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in Sybase. You can change this behavior by modifying the Lock Wait Period configuration parameter, which limits the number of seconds that a process waits for a lock before timing out.

Deadlock Rate

- [Metrics](#)
- [Troubleshooting](#)

A deadlock occurs when two processes have a lock on a separate page or object and each wants to acquire a lock on the other process' page or object. Each waits for the other to release the necessary lock. Sybase constantly checks for deadlocks and, when found, chooses the transaction that has accumulated the least amount of CPU time and terminates the transaction. The server then rolls back that transaction and issues a notification of the event. The other process gets to move forward.

The deadlock rate displays the percentage of times deadlocks occurred vs. the percentage of locks requested and immediately granted.

Metrics

You should immediately investigate a percentage much above zero to prevent the situation from mushrooming. You can easily drill down and discover the exact process(es) holding locks and deadlocks that are blocking out other user activity.

Troubleshooting

Well-designed applications can minimize deadlocks by always acquiring locks in the same order. You should always do updates to multiple tables in the same order.

Once Sybase discovers a deadlock, it takes action and remedies the situation. Embarcadero Performance Center makes it easier to discover how prevalent deadlock activity is on a system; preventing deadlocks from occurring in the first place is more difficult.

Those responsible for writing systems can minimize deadlocks by ensuring that applications acquire locks in the same order. Likewise, you should always do updates and other DML that act on multiple tables in the same order.

You can also shrink the amount of time that Sybase waits to check for deadlocks by modifying the deadlock checking period configuration parameter.

Device I/O Contention

- [Metrics](#)
- [Troubleshooting](#)

When a request for data involves physical I/O, Sybase first fills out the block I/O structure and links it to a per engine I/O queue. If two or more Sybase engines request an I/O structure from the same device at the exact same time, the server puts one of them to sleep where it waits for the semaphore it needs.

Metrics

An I/O contention percentage consistently greater than 10% should be cause for concern.

Troubleshooting

Distributing the accessed objects across multiple devices can lessen contention for I/O device semaphores. You can also place devices on different physical drives to lessen contention at the operating system level as well.

Network Contention Rate

- [Metrics](#)
- [Troubleshooting](#)

The Sybase server normally sends and receives network packets at a regular rate. If the network begins to become saturated, Sybase could experience delays in network I/O. The network contention rate indicates the percentage of times network I/O activity was delayed.

Metrics

Seeing a network contention rate greater than 1% could indicate a challenged network structure.

Troubleshooting

Outside of ensuring that the existing network is sufficient for handling the current load (database and non-database), other items to look at from a Sybase specific standpoint include validating that only the necessary amount of data is being sent and returned to requesting users. You can also examine the default packet size and see if it is too small for the average packet size being sent/received by the Sybase server.

I/O Vital Signs

The following I/O statistics are on the Sybase Home view:

- [Total Server Reads](#)
- [Total Server Writes](#)

- [Txn Log Writes](#)
- [I/O Errors](#)

Total Server Reads

- [Metrics](#)

Total Server Reads reflect the total number of physical reads performed by the database server since the last refresh inside Embarcadero Performance Center.

Metrics

Large numbers of physical reads could reflect a too small data or procedure cache. You should examine the data and procedure cache hit rates to determine the overall effectiveness of logical vs. physical I/O.

Total Server Writes

The Total Server Writes value reflects total number of physical writes performed by the database server since the last refresh inside Embarcadero Performance Center.

Metrics

None.

Txn Log Writes

Transaction Log Writes refers to the number of times Sybase wrote a transaction log page to disk since the last refresh inside Embarcadero Performance Center. When the current log page becomes full, Sybase writes it out to disk. Sybase also writes transaction log pages to disk after a transaction commits.

Metrics

None.

I/O Errors

- [Metrics](#)

The I/O Errors value reflects total number of I/O errors (errors during read and write operations) encountered by the database server since the last refresh inside Embarcadero Performance Center.

Metrics

You should investigate large numbers of I/O errors by examining the database error log.

Users Vital Signs

The following user statistics are on the Sybase Home view:

- [Total Connections](#)
- [Active Connections](#)

- [Committed Transactions](#)
- [Current Locks](#)

Total Connections

- [Metrics](#)
- [Troubleshooting](#)

The Total Connections statistic represents the total number of open threads, or connections, currently reported in the Sybase server. This number includes both active and inactive processes.

TIP: Click this statistic to drill down to the [Processes tab](#) of the Users Detail view.

Metrics

You should view the total number of connections in light of the maximum number of processes allowed to connect to Sybase. The Number of User Connections parameter specifies the maximum number of user processes that can simultaneously connect to a Sybase server.

Troubleshooting

If the total number of connections approaches the number of user connections limit, you should:

- 1 Edit the configuration file for Sybase.
- 2 Increase the amount of number of user connections to a higher value.
- 3 Cycle the Sybase server when possible to allow the new value to take effect.

Active Connections

The Active Connections statistic represents the total number of active and open threads reported in the Sybase server. This number displays the number of processes actively performing work.

TIP: Click this statistic to drill down to the [Processes tab](#) of the Users Detail view.

Metrics

None.

Committed Transactions

- [Metrics](#)

Committed Transactions reflects the number of transactions committed since the last refresh inside Embarcadero Performance Center. This includes transactions that meet explicit, implicit, and ANSI definitions for committed transactions. Note also that Sybase counts multidatabase transactions.

TIP: Click this statistic to drill down to the [Transactions tab](#) of the Users Detail view.

Metrics

Multidatabase transactions generally incur more overhead than single database transactions (for example, a transaction that modifies two databases is counted as two transactions). They usually involve more log activity, cause more ULC flushes, and involve two-phase commits between the different databases. You can improve performance by reducing the number of multidatabase transactions.

Current Locks

- [Metrics](#)
- [Troubleshooting](#)

The Current Locks statistic displays the total number of locks obtained/requested by processes in the database.

TIP: Click this statistic to drill down to the [All Locks tab](#) of the Locks view.

Metrics

The main thing to watch with respect to current locks is that no DML locks currently held on the system approach the number of locks limit specified in the Sybase server's configuration. The parameter number of locks limits how many locks can exist on the system at one time.

Troubleshooting

If the total number of locks approaches the number of locks limit, you should:

- 1 Ensure that user processes are efficiently using locks and are committing frequently to avoid excessive lock hold times before editing the current Sybase configuration.
- 2 Edit the configuration file for the Sybase server.
- 3 Increase the amount of number of locks to a higher value.
- 4 Cycle the Sybase server when possible to allow the new value to take effect.

Space Vital Signs

The following space statistics are on the Sybase Home view:

- [Databases Low on Space](#)
- [Logs Low on Space](#)

Databases Low on Space

- [Metrics](#)
- [Troubleshooting](#)

The Databases Low on Space statistic indicates if any databases in the server are approaching low levels of available free space. Although good to know, you need a more detailed listing by database to determine where any actual space shortages exist in the server. You can view this information in the Embarcadero Performance Center Space performance category view.

Metrics

If any one database begins to approach 90% used space, and is continuing to dynamically grow, you should take action to prevent any future space allocation errors.

Troubleshooting

If a database is approaching its limit on space, a DBA can either extend the database onto a new device, or if space exists on the device where the database currently resides, the DBA can allocate more space for the database on the current device.

Logs Low on Space

- [Metrics](#)
- [Troubleshooting](#)

This statistic indicates if any log for a database in the Sybase server is approaching low levels of available free space. Although good to know, a more detailed listing by database is needed to determine where any actual space shortages exist in the server. This information can be viewed in the Embarcadero Performance Center Space performance category view.

Metrics

If a database log's used space begins to approach 90%, you should take action to prevent any future space allocation errors. If the transaction log runs out of space, no transactions can take place in the database until you free up space in the log.

Troubleshooting

If a database log consistently approaches its limit on used space, there are a few actions a DBA can take to prevent a database from freezing.

A backup (dump) of the log can be taken:

- If log backups are not required for disaster recovery, the truncate log on checkpoint option can be set for the database. Setting this option deletes any space devoted to transactions in the log that have already completed when a database checkpoint occurs.
- You can extend the log onto a new device. Or, if space exists on the device on which the database log currently resides, you can allocate more space for the log on the current device.

Network Vital Signs

The following network statistics are on the Sybase Home view:

- [Network Requests](#)
- [Network Delays](#)
- [Bytes Received](#)
- [Bytes Sent](#)

Network Requests

The Network Requests statistic represents the total TDS packets received and sent since Embarcadero Performance Center was last refreshed.

Metrics

None.

Network Delays

- [Metrics](#)
- [Troubleshooting](#)

Network Delays represents the number of times I/O was delayed since Embarcadero Performance Center was last refreshed.

Metrics

Seeing a value much above zero could indicate a challenged network structure.

Troubleshooting

Outside of ensuring that the existing network is sufficient for handling the current load (database and non-database), other items to look at from a Sybase specific standpoint include validating that only the necessary amount of data is being sent and returned to requesting users. You can also examine the default packet size and see if it is too small for the average packet size being sent/received by the Sybase server.

Bytes Received

This statistic represents the number of bytes received by Sybase since Embarcadero Performance Center was last refreshed.

Metrics

None.

Bytes Sent

Bytes Sent represents the number of bytes sent by Sybase to client applications since Embarcadero Performance Center was last refreshed.

Metrics

None.

Memory Statistics - Sybase

The Memory performance category view displays the following vital Sybase memory statistics:

- [Cache Allocations](#)
- [Dirty Buffers Grabbed](#)
- [Data Cache Activity](#)
- [Dirty Read Requests](#)
- [Dirty Read Restarts](#)
- [Large I/O Hit Rate](#)
- [Large I/O Acquired](#)
- [Large I/O Denied](#)
- [New Pages Allocated](#)
- [Procedure Cache Activity](#)
- [Procedure Reads from Disk](#)

- [Procedure Requests](#)
- [Procedure Removals](#)
- [Procedure Writes from Disk](#)
- [Session Leaders - Memory](#)

Data Cache Activity

- [Metrics](#)
- [Troubleshooting](#)

Data read from memory produces end-user response times many times faster than when that same data is read from disk. Keeping physical I/Os to an absolute minimum is something that the Sybase data cache tries to assist with.

The data cache hit activity rate is an excellent indicator of how often user requests for data are satisfied through memory vs. being physically read from disk. The table below lists three key counters in Sybase used to arrive at this statistic:

Counter	Description
LOGICAL READS	Data read from memory for user requests.
PAGES PER I/O	The number of pages retrieved in a single I/O operation.
PHYSICAL READS	Data read physically from disk.

TIP: Click this category heading to drill down to the [Cache Activity tab](#) of the Memory Detail view.

Metrics

To help ensure excellent performance, you want to keep your cache hit rate in the neighborhood of 90% or greater. Lower amounts can be okay for user ad hoc databases where sporadic, large table scan operations occur. However, anything below this general threshold for normal databases can require tuning attention, and the adjustment of the Sybase memory tuning parameters.

If you are using named caches, you can drill down into the cache hit rates for each named cache. This helps you understand which objects/operations are depressing the overall cache hit rate for the server.

Troubleshooting

If a problem is found in Sybase servers, versions 11-12, you can increase the amount of the total memory configuration parameter and/or reduce the percentage of memory allocated to the procedure cache (by default, the data cache assumes any free memory left over after Sybase has met its kernel and procedure cache needs). Take care when reducing the procedure cache, as this could reduce performance in the server as it relates to reading procedures in from disk.

For Sybase 12.5, the total memory configuration parameter can again be increased to provide more memory for the data cache (and any named caches), but in 12.5, if you wish to reduce the size of the procedure cache, note that it is now configured in terms of literal size instead of a percentage of the overall configured memory.

Once the data cache has been adjusted, monitor Sybase to see if the cache hit rate improves. If it does not, another increase may be necessary as will an examination of unnecessary large table scan operations.

New Pages Allocated

The statistic reports the number of times that a new page was allocated in memory for Sybase since the last refresh in Embarcadero Performance Center.

Metrics

None.

Dirty Buffers Grabbed

- [Metrics](#)
- [Troubleshooting](#)

As information is requested from users, buffers are moved into and out of the Sybase data cache. Pages are also modified in the cache (termed dirty buffers) and need to be written out to disk. If Sybase has to wait for a dirty buffer to be written out to disk before a requested buffer is placed into the cache, performance can suffer.

This statistic represents the number of times Sybase found dirty buffers since the last refresh in Embarcadero Performance Center.

Metrics

Ideally, the dirty buffer grab statistic should stay close to zero.

Troubleshooting

Seeing high numbers for this statistic could indicate that the cache size is too small. You can want to look into carefully adjusting the total memory configuration parameter higher. However, keep a careful eye on the actual machine's memory limits and swap activity. Increased swap activity can be indicative of too little memory left for the server machine.

Dirty Read Requests

- [Metrics](#)

Sybase allows dirty reads, which are reads of uncommitted data. To accomplish a dirty read, Sybase uses a special lightweight protection mechanism to gain access to an object without using actual page locks. This statistic displays the number of dirty reads that occurred since the last refresh in Embarcadero Performance Center.

Metrics

Dirty read page requests can incur significant overhead if they are observed with many dirty read restarts.

Dirty Read Restarts

- [Metrics](#)
- [Troubleshooting](#)

Sybase allows dirty reads, which are reads of uncommitted data. To accomplish a dirty read, Sybase uses a special lightweight protection mechanism to gain access to an object without using actual page locks. A dirty read restart occurs when a dirty read is active on an object page, and another process makes changes to the page that cause the page to be deallocated in memory. The scan for the dirty read must be restarted. The amount shown for dirty read restarts are the number of restarts that occurred since the last Embarcadero Performance Center refresh.

Metrics

Values observed much above zero should serve as a signal that application modifications can be in order. Most applications should do everything possible to avoid restarts because of the large overhead they incur.

Troubleshooting

If the numbers observed for dirty read restarts are significant, you can want to look into modifying applications that use dirty reads to accomplish data acquisition.

Procedure Cache Activity

- [Metrics](#)
- [Troubleshooting](#)

The Sybase procedure cache is used to hold the definitions and query plans of stored procedures and triggers and is used for short-term memory needs like statistics and query plans needed for parallel queries. When a user executes a stored procedure, Sybase looks in the procedure cache for a query plan to use. If a query plan is available, Sybase places it on the most recently used (MRU) end of the memory chain and execution of the procedure begins. If no execution plan is in memory, or if all copies of the plan are currently being used, the query tree for the procedure is read in again from the data dictionary, optimized, put on the MRU end of the chain, and executed. Note that other operations, like CREATE INDEX, can also use the procedure cache even when no procedure is referenced.

The percentage of times that a procedure's plan and definition can be referenced in memory, the better the procedure execution time.

Metrics

A high procedure cache hit rate is a desirable thing. You should strive for a hit ratio between 95-100%, with 95% being a good performance benchmark for procedure code reference. Note that when a database is first started, the procedure cache hit rate is not at an optimal level because all code being used is relatively new, and as such, must be read in from disk and placed into the cache. If, however, after a solid hour or two of steady database time, the procedure cache hit rate has not increased to desirable levels, you should look into the possibility of increasing the amount of memory allocated to the cache.

If there is not enough memory to load a requested procedure, or the maximum number of compiled objects is already in use, Sybase returns an error (normally a 701).

Troubleshooting

If a problem is found in Sybase servers, versions 11-12, you can increase the amount of the total memory configuration parameter and/or increase the percentage of memory allocated to the procedure cache (by default, the data cache assumes any free memory left over after Sybase has met its kernel and procedure cache needs). Take care when increasing the procedure cache alone, as this could increase query response times due to more physical I/O being performed.

For Sybase 12.5, the total memory configuration parameter can again be increased to provide more memory for the Sybase server, but in 12.5, if you wish to increase the size of the procedure cache, note that it is now configured in terms of literal size instead of a percentage of the overall configured memory.

Once the procedure cache has been adjusted, monitor Sybase to see if the cache hit rate improves. If it does not, another increase may be necessary. Also, keep a careful eye on the actual machine's memory limits and swap activity. Increased swap activity can be indicative of too little memory left for the server machine.

Procedure Requests

This statistic reports the number of times that stored procedures were executed since Embarcadero Performance Center was last refreshed. Such a request could use either an unused copy of the procedure's query plan in memory or if no such copy exists, the procedure must be read in from disk.

Metrics

None.

Procedure Reads from Disk

- [Metrics](#)
- [Troubleshooting](#)

This statistic reports the number of times since Embarcadero Performance Center was last refreshed that stored procedures were read from disk rather than copied in the procedure cache.

Metrics

You should examine this number in conjunction with the overall procedure cache hit rate. Observing large numbers in this statistic indicates a lower than ideal procedure cache hit rate. Note that when a database is first started, this statistic is likely larger than desired because all code being used is relatively new and as such, must be read in from disk and placed into the cache. If, however, after a solid hour or two of steady database time, the procedure cache hit rate has not increased to desirable levels and this statistic continues to sport high numbers, you should look into the possibility of increasing the amount of memory allocated to the cache.

Troubleshooting

If a problem is found in Sybase servers, versions 11-12, you can increase the amount of the total memory configuration parameter and/or increase the percentage of memory allocated to the procedure cache (by default, the data cache assumes any free memory left over after Sybase has met its kernel and procedure cache needs). Take care when increasing the procedure cache alone, as this could increase query response times due to more physical I/O being performed.

For Sybase 12.5, the total memory configuration parameter can again be increased to provide more memory for the Sybase server, but in 12.5, if you wish to increase the size of the procedure cache, note that it is now configured in terms of literal size instead of a percentage of the overall configured memory.

Once the procedure cache has been adjusted, monitor Sybase to see if the cache hit rate improves. If it does not, another increase may be necessary. Also, keep a careful eye on the actual machine's memory limits and swap activity. Increased swap activity can be indicative of too little memory left for the server machine.

Procedure Writes to Disk

This statistic reports the number of times since Embarcadero Performance Center was last refreshed that stored procedures were created.

Metrics

None.

Procedure Removals

- [Metrics](#)
- [Troubleshooting](#)

This statistic reports the number of times since Embarcadero Performance Center was last refreshed that stored procedures were aged out of the procedure cache.

Metrics

High numbers, along with a lower than desired procedure cache hit rate, could indicate too small a procedure cache.

Troubleshooting

If a problem is found in Sybase servers, versions 11-12, you can increase the amount of the total memory configuration parameter and/or increase the percentage of memory allocated to the procedure cache (by default, the data cache assumes any free memory left over after Sybase has met its kernel and procedure cache needs). Take care when increasing the procedure cache alone, as this could increase query response times due to more physical I/O being performed.

For Sybase 12.5, the total memory configuration parameter can again be increased to provide more memory for the Sybase server, but in 12.5, if you wish to increase the size of the procedure cache, note that it is now configured in terms of literal size instead of a percentage of the overall configured memory.

Once the procedure cache has been adjusted, monitor Sybase to see if the cache hit rate improves. If it does not, another increase may be necessary. Also, keep a careful eye on the actual machine's memory limits and swap activity. Increased swap activity can be indicative of too little memory left for the server machine.

Large I/O Hit Rate

- [Metrics](#)
- [Troubleshooting](#)

Large I/O can be enabled by splitting the default or any named cache into pools. By default, Sybase performs I/O operations based on a 2-KB page size. For queries where pages are stored and accessed in a sequential manner, it is possible to read many more data pages in a single I/O operation. Large I/O can greatly reduce disk access time when the right situations exist. Operations that routinely perform large table scans, access image or text data, do bulk copying, scan the leaf level of nonclustered indexes, or initiate DBCC tasks can benefit from large I/O.

If large I/O has been configured and is being used, you should observe a high percentage of hits (the number of times large I/O could be performed vs. the number of times large I/O requests were denied by the server). If large I/O is not configured, no large I/O activity should be present.

The table below describes the other large I/O statistics available on the Memory Detail view:

Statistic	Description
Large I/O Acquired	This statistic measures the number of times that a requested large I/O operation was performed since the last Embarcadero Performance Center refresh.
Large I/O Denied	This statistic measures the number of times since the last Embarcadero Performance Center refresh that large I/O could not be performed since the last Embarcadero Performance Center refresh. You should examine nonzero numbers in light of the overall large I/O hit rate. If large I/O is configured, but you observe nonzero values for Large I/O Denied and a low Large I/O hit rate is also present, you should configure more caches for large I/O use.

Metrics

As you might expect, if large I/O is in use, a high hit rate is desirable. You should strive for a hit ratio between 90-100%, with 90% being a good performance benchmark.

Troubleshooting

If large I/O is configured, but a low hit rate is being observed, you should configure more caches for large I/O use.

Session Leaders - Memory

- [Metrics](#)
- [Troubleshooting](#)

It is common for one or two users to cause the majority of runtime problems that plague a database. The problem could be a runaway process, an untuned batch procedure, or other user-initiated operation. Frequently, user connections can get out of hand with memory consumption, and extreme cases have caused headaches at both the database and operating system levels.

The leading memory session's display identifies the top users in the server with respect to memory consumption.

TIP: Click this category heading to drill down to the [Leading Sessions tab](#) of the I/O Detail view.

Metrics

If your server does not have an overabundance of memory, you should periodically check to see who your heavy memory users are along with the total percentage of memory each takes up. If you see one or two users who have more than 5-15% of the total memory usage, you should investigate the sessions further to see what activities they are performing.

Troubleshooting

You can use the Session Leaders - Memory statistic to find the users with the greatest current allocations of overall memory. Runaway processes can be immediately terminated from within the Embarcadero Performance Center Client.

Cache Allocations

The Sybase cache areas are devoted to facilitating the transfer of data and information between clients and the Sybase database. The table below describes their main tunable components:

Component	Description
Procedure Cache	Is used to hold the definitions and query plans of stored procedures and triggers and is used for short-term memory needs like statistics and query plans needed for parallel queries.
Data Cache	Maintains data blocks that are read from the database. Properly sizing the data cache (both default and named caches) goes a long way to improving response time performance.

Metrics

None.

Memory Detail View

The following tabbed pages are available on the Memory Detail view:

- [Cache Activity](#)
- [Leading Sessions](#)
- [Page Activity](#)

Leading Sessions Tab

- [Metrics](#)

It is not uncommon for one or two users to cause the majority of runtime problems that plague a database. The problem could be a runaway process, an untuned batch procedure, or other user-initiated operation. User connections can get out of hand with memory consumption, and extreme cases have caused headaches at both the database and operating system levels.

Embarcadero Performance Center displays information to help you find processes that are using the most memory on the server on the Leading Sessions tab of the Memory Detail view and the Memory tab of the Top Sessions view.

The table below describes the information available on these tabs:

Column	Description
PID	The process ID.
User Name	The logon name the session is using.
FID	The process ID of the worker process' parent.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The client machine name the session is using.
Program	The executable the process is using against the Sybase server.
Memory	The amount of memory currently allocated to the process.
Pct Mem Used	The percentage of memory currently used by the process.
Database	The database the process is attached to.
Command	The command the process is currently issuing.
Trans	The name of any active transaction.

NOTE: This information is available on both the Leading Sessions tab of the Memory Detail view and the [Memory tab](#) of the Top Sessions view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

If your database server does not have an overabundance of memory, you should periodically check to see who your heavy memory users are along with the total percentage of memory each takes up. If you see one or two users who have more than 5-15% of the total memory usage, you should investigate the sessions further to see what activities they are performing.

Cache Activity Tab

- [Metrics](#)

Database administrators can configure multiple caches for the Sybase server. These can be used judiciously by a DBA to hold objects being requested for data and speed end use response times. The Cache Activity tab of the Memory Detail view contains information that you can use to see if configured caches are being used the way they were intended. The table below describes the information available on the Cache Activity tab of the Memory Detail view:

Column	Description
Cache Name	The name of the configured cache.
Hit Rate	The percentage of times that a data page was found in the particular cache vs. having to be read in from disk. Higher percentages are desirable because data read from memory can be accomplished in much less time than data read from disk.
Pct Used	The percentage of the cache currently being used.
Spinlocks	How many spinlocks the cache has experienced.
LRU Buffers	Indicates the number of buffers acting in accordance with the normal cache strategy of moving to the most recently used (MRU) end of the cache.
MRU Buffers	The number of buffers following a fetch-and-discard cache strategy.
Large I/O	The number of times large I/O requests were performed.
Dirty Reads	The number of dirty reads (reads of uncommitted data) performed.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Seeing low hit rates for any configured dynamic caches indicates that they are not large enough and that users experience slower than desirable response times. On the other hand, caches with zero hit rates can indicate that they are not being used and that their memory could be released to another cache or the operating system itself. Another indicator that this can be the case is a very low percent used reading.

Page Activity Tab

- [Metrics](#)

Pages are read into and deallocated from memory constantly in a dynamic Sybase environment. The Page Activity tab of the Memory Detail view displays how many pages were moved into and out of memory during a particular monitoring interval. The table below describes the information available on the Page Activity tab of the Memory Detail view:

Column	Description
Page Action	The type of paging action that occurred, either Pages Allocated or Pages Released. Allocated pages are ones that were moved into memory during the monitoring interval. Released pages are ones that were deallocated from memory during the monitoring interval.
Count	The number of pages moved.

Metrics

Seeing allocation and deallocation numbers that are close can indicate objects that have a fetch-and-discard cache strategy. If large table scans are continuously needed on a system, this can be a valid strategy (because large amounts of unnecessary data kept in a cache can crowd out needed data pages). If this is not the case, investigate further to ensure that objects have a valid cache strategy (most recently used or MRU) in place.

I/O Statistics - Sybase

The I/O performance category view displays the following vital Sybase I/O statistics:

- [Completed Disk I/Os](#)
- [Delayed Disk I/Os](#)
- [I/O Error Rate](#)
- [Outstanding Disk I/Os](#)
- [Requested Disk I/Os](#)
- [Server I/O Busy Rate](#)
- [Session Leaders - I/O](#)
- [Transaction Log Allocations](#)
- [Transaction Log Writes](#)

Requested Disk I/Os

- [Metrics](#)

This statistic reports the number of times that Sybase requested disk I/Os since Performance Center was last refreshed .

TIP: Click this statistic to drill down to the [Devices tab](#) of the I/O Detail view.

Metrics

The numbers for requested disk I/Os and completed I/Os should be very close. If there are large differences in these two values, it is likely that network contention or saturation is occurring.

Note that the value for requested I/Os includes every request that was initiated during the sample period. It is possible, however, that some of them completed after the sample period ended. These I/Os would then be excluded from the total number of completed I/Os, and can give the appearance that network problems exist when that is not the case. The number for completed I/Os can also be larger than the value for requested I/Os if I/O requests were made before Performance Center polled the server but were completed during the polling interval.

Completed Disk I/Os

- [Metrics](#)

The Completed Disk I/Os statistic reports the number of times that Sybase completed disk I/Os operations since Performance Center was last refreshed.

TIP: Click this statistic to drill down to the [Engines tab](#) of the I/O Detail view.

Metrics

The numbers for requested disk I/Os and completed I/Os should be very close. If there are large differences in these two values, it is likely that network contention or saturation is occurring.

Note that the value for requested I/Os includes every request that was initiated during the sample period. It is possible, however, that some of them completed after the sample period ended. These I/Os would then be excluded from the total number of completed I/Os, and can give the appearance that network problems exist when that is not the case. The number for completed I/Os can also be larger than the value for requested I/Os if I/O requests were made before Performance Center polled the server but completed during the polling interval.

Outstanding Disk I/Os

- [Metrics](#)

The Outstanding Disk I/Os statistic reflects the maximum number of I/Os pending for Sybase since the last refresh in Embarcadero Performance Center.

TIP: Click this statistic to drill down to the [Engines tab](#) of the I/O Detail view.

Metrics

If nonzero numbers are observed for both outstanding and delayed disk I/Os, there could be a problem in many areas. The table below describes these areas:

Area	Description
Delayed Disk I/O	This statistic indicates the number of I/Os delayed for Sybase since the last refresh in Embarcadero Performance Center.
Transaction Log Writes	This statistic indicates the number of times Sybase wrote a transaction log page to disk since the last refresh in Performance Center. When the current log page becomes full, it is written to disk. Transaction log pages are also written to disk after a transaction commits.
Transaction Log Allocations	This statistic indicates the number of times since Performance Center was last refreshed that additional pages were allocated to the transaction log. You can use this statistic for getting a feel for the rate of transaction log growth.
Server I/O Busy Rate	This statistic indicates number of seconds in CPU time that Sybase has spent doing input and output operations. Seeing a consistent rate of 90-100% could indicate a CPU bound server.

Delayed Disk I/Os

- [Metrics](#)
- [Troubleshooting](#)

The number of I/Os delayed by reaching the limit on disk I/O structures.

Metrics

When Adaptive Server exceeds the number of available disk I/O control blocks, I/O is delayed because Adaptive Server requires that tasks get a disk I/O control block before initiating an I/O request.

Troubleshooting

If the result is a nonzero value, try increasing the number of available disk I/O control blocks by increasing the configuration parameter.

Transaction Log Writes

Transaction Log Writes refers to the number of times Sybase wrote a transaction log page to disk since the last refresh inside Embarcadero Performance Center. When the current log page becomes full, Sybase writes it out to disk. Sybase also writes transaction log pages to disk after a transaction commits.

Metrics

None.

Transaction Log Allocations

Transaction Log Allocations refers to the number of times since Performance Center was last refreshed that additional pages were allocated to the transaction log. This statistic gives you a feel for the rate of transaction log growth.

Metrics

None.

Session Leaders - I/O

- [Metrics](#)

Heavy I/O activity in a system can indicate that the user connections are contributing somewhat equally to the overall load. More often than not, however, one or two user connections are responsible for 75% or more of the I/O activity. It may be that your system is running a large batch load or other typical processes, which are perfectly okay. On the other hand, it may be a runaway process or other rogue connection, which you need to track down and possibly eliminate.

The leading I/O session's display lets you see who the leading sessions are in your system with respect to I/O.

NOTE: This statistic displays on both the [Users performance category view](#) and the I/O performance category view.

TIP: Click this statistic to drill down to the [Leading Sessions tab](#) of the I/O Detail view.

Metrics

One or two users consuming more than 75% of the total I/O load can indicate a runaway or improper process. You can drill into the I/O activity of all users and quickly see if this is the case.

I/O Error Rate

- [Metrics](#)

The I/O Error Rate statistic represent the percentage of times I/O errors occurred in the server. I/O Error Rate is a percentage based on Total I/O (the sum the physical reads and writes.)

Metrics

You should investigate large numbers of I/O errors by examining the error log.

I/O Detail View

The following tabbed pages are available on the I/O Detail view:

- [Devices](#)
- [Engines](#)
- [Index Scans](#)
- [Leading Sessions](#)

Leading Sessions Tab

- [Metrics](#)

When a system undergoes heavy I/O activity, sometimes you find that all the user connections are contributing somewhat equally to the overall load. Frequently, however, one or two user connections are responsible for 75% or more of the I/O activity. It may be that a large batch load or other typical process is running that is perfectly okay for your system. Alternatively, it may be a runaway process or other rogue connection that you should track down and eliminate.

Embarcadero Performance Center displays information to help you find processes that are using the most memory on the server on the Leading Sessions tab of the I/O Detail view and the I/O tab of the Top Sessions view.

The table below describes the information available on these tabs:

Column	Description
PID	The process ID.
User Name	The logon name the session is using.
FID	The process ID of the worker process' parent.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The client machine name the session is using.
Program	The executable the process is using against the Sybase server.
Physical I/O	The amount of I/O the process has currently accumulated.
Pct I/O Used	The percentage of overall I/O that can be attributed to the process.
Database	The database to which the process is attached.
Command	The command the process is currently issuing.
Transaction	The name of any transaction.
Blocked	Indicates if the process is currently blocked by another process.
Time Blocked	The amount of time that the process has been blocked, in seconds.

NOTE: This information is available on both the Leading Sessions tab of the I/O Detail view and the [I/O tab](#) of the Top Sessions view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Pinpointing sessions with abnormally high I/O activity relative to other sessions in the system helps you identify accounts dragging down overall system performance. You should examine the activity of each session to determine the system workload and to determine if you can reduce the workload or tune the system for better performance.

Devices Tab

- [Metrics](#)
- [Troubleshooting](#)

Devices are accessed repeatedly in a dynamic Sybase environment to satisfy end user requests for data, to handle write activity that records transactions in a database's transaction log, and to manage other I/O operations. Viewing the I/O activity for each device is a good way to see what the "hot" devices are in a Sybase server with respect to I/O usage. The same information can be used to spot heavy database usage in systems where the device-to-database mappings are one-to-one.

The Devices tab of the I/O Detail view displays information that is useful in determining device I/O patterns. The table below describes the information available on the Devices tab of the I/O Detail view:

Column	Description
Device Name	The name of the device.
Physical Name	The name used by the operating system to identify the device.
Hit Rate	The rate at which accesses to a device were granted immediately compared to the total number of requests.
Reads	The total number of read operations for the device.
Writes	The total number of write operations for the device.
Total I/O	The combined total of read and write operations.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

If devices have one-to-one relationships with user databases, you can quickly tell which databases are experiencing the most demand on a server. If the device-to-physical drive/file system is a one-to-one relationship, you can also spot which physical drives on a server are getting the heaviest workouts. For servers that have many drives, it is normally desirable to spread devices across different physical drives and controllers so contention does not occur at the disk level. In addition, separating databases and their corresponding logs is normally recommended so that each is located on a distinct physical drive. If possible, write-intensive devices, like log devices, are best suited for non-RAID5 scenarios.

Troubleshooting

If device hit rates are low, you can add more devices or redistribute objects among different devices. Typically, segments can be used to redistribute objects among different devices or physical hard disks. Common techniques include placing tables and indexes on different segments and partitioning large tables.

If device loads appear skewed (one device has much more activity than others), you should focus attention on that device. Again, redistributing objects can lessen the device's workload.

Engines Tab

- [Metrics](#)

- [Troubleshooting](#)

In symmetric multiprocessing (SMP) environments, a DBA can configure the Sybase server to use more than one "engine," which represents a certain amount of CPU power. By default, Sybase configures one engine for use. If you have a server machine with multiple CPUs, you can enable more engines to take advantage of the machine's additional processing ability.

The Engines tab of the I/O Detail view displays information with respect to how each engine is handling I/O. The table below describes the information available on the Engines tab of the I/O Detail view:

Column	Description
Engine	The name of the configured engine.
Completed I/Os	The number of I/Os completed during the sample interval.
Outstanding I/Os	The number of I/Os left outstanding during the sample interval.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

If the number of outstanding I/Os remains high or increases during periods of heavy activity, there may not be enough engines configured for the system.

Troubleshooting

If the server machine has multiple CPUs, you can configure more engines for Sybase to use by following this process:

- 1 Use the sp_configure procedure to change the current engine configuration. For example, to change the number of engines from one to two, you would run: 'sp_configure "max online engines",2'
- 2 Stop and restart the Sybase server.

Index Scans Tab

- [Metrics](#)

Indexes are accessed frequently in dynamic Sybase server environments. The type of index access often determines the response time an end user experiences. Single row index accesses are the quickest, and complete index scans are the most time consuming (for large indexes at least).

The Index Scans tab of the I/O Detail view presents information with respect to index scans. The table below describes the information available on the Index Scans tab of the I/O Detail view:

Column	Description
Scan Type	The type of index scan.
Count	The number of scans per type for the sample interval.

Metrics

There are two basic scan types - ascending and descending. For ascending scans, Sybase moves up the index page chain from beginning to end. Sybase follows the page chain in reverse order for descending scans. Descending scans are normally the result of requests made for data by descending column order.

Within ascending and descending scans, a data-only lock, or DOL, styled access can also occur.

Space Statistics - Sybase

The Space performance category view displays the following vital Sybase space statistics:

- [Database Overview](#)
- [Log Overview](#)
- [Device Overview](#)

Database Overview

- [Metrics](#)
- [Troubleshooting](#)

A Sybase server contains many databases, some of which are devoted to system-level activities (the master and tempdb databases, for example) and others that hold user data. The database overview displays details about the space situation for each database in a Sybase server, including the total, used, and free space. The percentage used amount for each database is also shown.

TIP: Click this statistic to drill down to the [Object Detail tab](#) of the Space Detail view.

Metrics

If a database's used space percent amount goes above 90%, and the database is dynamic in nature (meaning that users are constantly adding and modifying data), then you should take action to ensure that the database does not run out of available free space.

Troubleshooting

If the percent used amount of a database is approaching problematic levels, there are two ways you can rectify the situation:

- 1 If the database device that the database currently resides on contains additional free space, you can ALTER the database to consume more available space on that device.
- 2 If the database device that the database currently resides on does not contain additional free space, you can do one of the following:
 - Create a new device and issue an ALTER for the database to use that device for space in addition to those currently used.
 - Choose another existing device that has free space and ALTER the database to use that device in addition to those currently in use.

Log Overview

- [Metrics](#)
- [Troubleshooting](#)

Each database in Sybase has a transaction log, which can be placed on the same device as its database or assigned to a separate device for backup and performance purposes. The log overview displays details concerning each transaction log in the Sybase server and includes the total, used, and free space amounts. The percent used amount for each log is also shown.

Metrics

If any log's used space exceeds 90%, you should take action to ensure that the log does not run out of available free space.

Troubleshooting

There are many things a DBA can do to ensure that a database's log does not run out of available free space:

- 1 First, most transactional-oriented databases should have their logs assigned to a device separate from the database. Reasons for doing so include:
 - It lets you have more granular and point-in-time backups because a log separate from its database's device can make use of the dump transaction command.
 - It prevents competition for space between the log and the database itself.
 - It allows the log to be monitored for space more effectively.
 - It improves performance.
 - It enables better recovery from hard disk crashes because you can dump your transaction log, even when your data device is on a server's damaged hard disk.
- 2 If the database is not critical in nature, you can set the truncate log on checkpoint option (trunc log on chkpt), which eliminates any inactive space in the log when a database checkpoint occurs.
- 3 Critical databases needing higher levels of recovery should have schedules established that regularly perform transaction log dumps. Doing so ensures better recovery scenarios as well as a reduced risk of the transaction log running out of space.
- 4 If a critical transaction log becomes full, it can be impossible to use standard procedures to dump transactions and reclaim space. The dump operation incorporates the no log or truncate only options.
- 5 If a transaction log continuously approaches dangerously low levels of free space, you should expand the database (if the transaction log is on the same device as the database) or expand the log onto its current device (if room exists) or a new device.

You should also be on the lookout for large load or data modification operations that do not make use of prudently timed commit points. A single, large transaction has the ability to overwhelm any transaction log because only inactive space in the transaction log is removed from log dumps or truncation operations.

Device Overview

- [Metrics](#)
- [Troubleshooting](#)

Database devices are the logical containers for databases and transaction logs. Each device is mapped to a physical file that is located on a database server's hard drive. The device overview displays details about every defined device on a Sybase server, including the total, used, and free space amounts. The percent of used space is also displayed.

TIP: Click this statistic to drill down to the [Device Detail tab](#) of the Space Detail view.

Metrics

The environment of the particular Sybase server as well as your work style dictate the metrics to use in evaluating a device that is running into trouble with space. Many DBAs create devices that parallel a single, corresponding database in size, and therefore, such devices show 100% utilization. Other DBAs create large devices that are not completely utilized.

Troubleshooting

If a device has become too full, a DBA can begin the process of manually relocating databases from it onto other devices. The process of moving logs is somewhat easier and can be accomplished via singular commands (sp_logdevice).

Space Detail View

The following tabbed pages are available on the Space Detail view:

- [Cache Detail](#)
- [Device Detail](#)
- [Object Detail](#)
- [Segment Detail](#)

Device Detail Tab

- [Metrics](#)
- [Troubleshooting](#)

The Device Detail tab of the Space Detail view presents details about a selected device located on the monitored Sybase server. The table below describes the information available on the Device Detail tab of the Space Detail view:

Column	Description
Database Name	The name of a database that uses all or part of the device for its database space, transaction log space, or both.
Space	The amount of space used by the database on the device.
Space Type	The type of space allocated (database, log, or both).

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

The environment of the particular Sybase server as well as the DBA's work style dictate the metrics to use in evaluating a device that is running into trouble with space. Many DBAs create devices that parallels a single, corresponding database in size, and therefore, such devices always show 100% utilization. Other DBAs create large devices that are not completely utilized.

Troubleshooting

If a device has become too full, a DBA can begin the process of manually relocating databases from it onto other devices. The process of moving logs is somewhat easier and can be accomplished via singular commands (sp_logdevice).

Cache Detail Tab

- [Metrics](#)
- [Troubleshooting](#)

Caches retain frequently requested data and object information in memory. They can potentially boost performance by allowing users to read or write data in memory instead of to and from physical disk. Information requests satisfied in memory equate to much better response times than if that same data requires physical I/O access.

Named data caches can help achieve substantially greater concurrency and increase the likelihood that Sybase reads data from memory and not disk by letting you bind particularly active database objects to dedicated data caches. In addition, you can boost performance by creating memory pools, each configured for different I/O throughput (2 KB-16 KB), within every named data cache.

The table below describes the information available on the Cache Detail tab of the Space Detail view:

Column	Description
Cache Name	The name of the data cache.
Status	The status of the cache (Active, Activation Pending, Deletion Pending).
Mode	Mixed or log only.
Configured Size	The defined size of the cache.
Running Size	The actual running size of the cache.
Overhead	The amount of overhead required to manage the cache.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

The data cache hit rate is an excellent indicator of how often user requests for data are satisfied through memory vs. being physically read from disk. To help ensure maximum performance, you want to keep your cache hit rate in the neighborhood of 90% or greater. Lower amounts can be okay for user ad hoc databases where sporadic, large table scan operations occur. But anything below this general threshold for normal databases can require tuning attention and the adjusting the Sybase memory tuning parameters.

If you are using named caches, you can drill down into the cache hit rates for each named cache (from the Memory performance category view). This helps you understand which objects/operations are depressing the overall cache hit rate for the server.

Troubleshooting

If a problem is found in Sybase servers, versions 11-12, you can increase the amount of the total memory configuration parameter or reduce the percentage of memory allocated to the procedure cache (by default, the data cache assumes any free memory left over after Sybase has met its kernel and procedure cache needs). Take care when reducing the procedure cache, as this could reduce performance in the server as it relates to reading procedures in from disk.

For Sybase 12.5, the total memory configuration parameter can again be increased to provide more memory for the data cache (and any named caches), but in 12.5, if you wish to reduce the size of the procedure cache, note that it is now configured in terms of literal size instead of a percentage of the overall configured memory.

Once the data cache has been adjusted, monitor Sybase to see if the cache hit rate improves. If it does not, then another increase may be necessary as will an examination of unnecessary large table scan operations. Also, keep a careful eye on the actual machine's memory limits and swap activity. Increased swap activity can be indicative of too little memory left for the server machine.

Segment Detail Tab

- [Metrics](#)
- [Troubleshooting](#)

Segments are instruments used for mapping objects (tables and indexes) to specific physical locations on disk. Mapping certain objects to defined segments allows you to potentially increase I/O throughput by placing heavily used tables and indexes on different physical devices. You can place tables and indexes on segments by including placement statements in your CREATE TABLE or CREATE INDEX statements.

The Segment Detail tab of the Space Detail view lets you view information about segments for selected databases. The table below describes the information available on the Segment Detail tab of the Space Detail view:

Column	Description
Segment Name	The name of the segment.
Total (KB)	Represents the total amount of space defined for the segment, in KB. Typically this equates to the amount of space on the device where the segment resides.
Used (KB)	Represents the amount of space used by the segment alone, in KB. Segments containing no objects will show zero space used.

NOTE: This information is available on both the Segment Detail tab of the Space Detail view and the Segment Detail grid on the [Storage tab](#) of the Database Detail view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

It is often good practice to separate tables and their corresponding indexes onto different physical devices to minimize I/O contention at the server level. Segments can be used to accomplish this within Sybase. If you have hot tables and indexes within your system, investigate the use of segments to place such objects on separate, faster physical devices.

Troubleshooting

Hot objects can be relocated onto different devices through the use of the sp_placeobject procedure.

Object Detail Tab

Tables and indexes comprise every Sybase database. The Object Detail tab of the Space Detail view presents space-related information about tables and indexes for a selected database. The table below describes the information available on the Object Detail tab of the Space Detail view:

Column	Description
Owner	The owner of the object.
Object Name	The name of the table or index.
Type	The type of object (table or index).
Rows	The number of rows currently in the table.
Reserved (KB)	The amount of space reserved for the object, in KB.
Data (KB)	The amount of space consumed by data, in KB.
Indexes (KB)	The amount of space used by an index, in KB.
Unused (KB)	The amount of unused space (free space) that the object contains, in KB.
Segment Name	The segment name that the object is assigned to.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Databases Statistics - Sybase

The Databases performance category view displays Sybase [Database Summary](#) statistics.

Database Summary

- [Metrics](#)
- [Troubleshooting](#)

The Database Summary display lists every database in a Sybase server and includes an overview of the activity currently being experienced in each database. It also shows demographic information about each database, which includes the database owner, the last transaction dump date, and if the database itself or any object contained within it is suspect.

TIP: Click this statistic to drill down to the [Suspect Objects tab](#) of the Database Detail view.

Metrics

Databases with high numbers of blocked users could signal a contention problem. You should immediately investigate suspect databases or database objects.

Troubleshooting

The action you need to take depends on the situation you are watching. The table below describes four situations that you can recognize and fix:

Situation	Description
Blocked Users	You should investigate lock contention problems in detail. If the blocking lock situation has been long in duration, or involves many users, you should consider terminating the process holding the offending locks.
Suspect Objects	If Embarcadero Performance Center has indicated that a database contains suspect objects, the first thing to do is drill down to find exactly which objects are suspect. You can also do this manually by running a DBCC against the database. If the object is an index, you could try dropping and recreating it, or use the DBCC REINDEX command.
Suspect Database	A suspect database can be a difficult thing from which to quickly recover. There are times when the actual cache of the database is suspect and not the actual database itself. Stopping and starting the Sybase server can verify if this is the case. If the database itself is actually damaged, there could be a true recovery situation. The suspect database can be dropped using the DBCC DBREPAIR DROPDB command. You would then need to recreate the database and perform a recovery operation using the most recent database dump.
Suspect Pages	If you have to drop a table or index containing suspect pages, you must use a transaction in the master database. If you don't, the drop fails because it needs to delete entries for the suspect pages from the master database.

Database Detail View

The following tabbed pages are available on the Database Detail view:

- [Index Statistics](#)
- [Options](#)
- [Storage](#)
- [Suspect Objects](#)
- [Table Statistics](#)

Suspect Objects Tab

- [Metrics](#)
- [Troubleshooting](#)

Suspect objects normally indicate an internal problem in a server or that physical damage has occurred to part of a database. The Suspect Objects tab of the Database Detail view presents objects in a Sybase server that have been marked suspect for a selected database. The table below describes the information available on the Suspect Objects tab of the Database Detail view:

Column	Description
Owner	The owner of the suspect object.
Table Name	The name of the table.
Index Name	The name of any suspect index.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Suspect objects have no place in a production database. If any suspect objects are identified, you should immediately take action.

Troubleshooting

If the suspect object is an index, you could try dropping and recreating it, or use the DBCC REINDEX command. Other damaged objects can complete rebuilding the database. A suspect database can be a difficult thing to recover from quickly. There are times when the cache of the database is suspect and not the database itself. Stopping and starting the Sybase server can verify if this is the case. If the database itself is actually damaged, there could be a true recovery situation. The suspect database can be dropped using the DBCC DBREPAIR DROPDB command. You would then need to re-create the database and perform a recovery operation using the most recent database dump.

Table Statistics Tab

- [Metrics](#)
- [Troubleshooting](#)

Understanding the placement, shape, and organization of your tables enhances your ability to make correct decisions regarding their use and maintenance. The Table Statistics tab of the Database Detail view communicates useful measures to gauge the overall condition of the tables in a selected database. The [first grid](#) displays table demographic information. The [second grid](#) displays cache binding information. The table below describes the information available in the Table Demographics grid on the Table Statistics tab of the Database Detail view:

Column	Description
Owner	The owner of the table.
Table Name	The name of the table.
Segment Name	The segment that holds the table.
Last Statistic Date	The date and time when statistics were last gathered for the table.
Row Count	The reported number of rows in the table.
Reserved	The amount of space reserved (in KB) of the table.
Avg Row Size	The average size of a row in the table.

The table below describes the information available in the Cache Bindings grid on the Table Statistics tab of the Database Detail view:

Column	Description
Owner	The owner of the table.
Table Name	The name of the table.
Cache Name	The cache to which the table has been bound.

TIP: To configure a grid to display row numbers, use the [Options Editor](#).

Metrics

There are a few data points worth noting with regard to the information presented in the Table Statistics tab of the Database Detail view:

- Heavily used tables and indexes can benefit from being separated onto different segments that correspond to different physical hard drives.
- The Sybase cost-based optimizer may not be choosing the proper access path for tables with out-of-date, or without any, statistics. Keeping dynamic objects current with respect to their internal statistics helps ensure that the Sybase kernel makes the proper decisions on how to satisfy user requests for data.
- Frequently accessed small - or look up - tables can benefit from being bound to a special cache that is used to retain their often-accessed data in memory.

Troubleshooting

To change the segment a table or index belongs to, you can use the `sp_placeobject` procedure. Keeping table statistics current can be handled by judicious use of the `UPDATE STATISTICS` command. Binding frequently accessed tables can be accomplished via the `sp_bindcache` procedure.

Index Statistics Tab

- [Metrics](#)
- [Troubleshooting](#)

Understanding the placement, shape, and organization of your table's indexes enhances your ability to make the right decisions about using and maintaining them. The Index Statistics tab of the Database Detail view communicates a number of useful measures to gauge the overall condition of the indexes in a selected database. The [first grid](#) displays index demographics. The [second grid](#) displays cache bindings. The table below describes the information available in the Index Demographics grid on the Index Statistics tab of the Database Detail view:

Column	Description
Owner	The owner of the table.
Index Name	The name of the index in <table name>.<index name> fashion.
Segment Name	The segment that holds the table.
Reserved (KB)	The amount of space reserved of the table, in KB.
Tree Depth	The height of the index. Can hold bogus values for indexes where statistics have not been gathered.
Leaf Count	Number of leaf pages in the index.
Leaf Row Size	The average size of a leaf row in the index.

The table below describes the information available in the Cache Bindings grid on the Index Statistics tab of the Database Detail view:

Column	Description
Owner	The owner of the table.
Table Name	The name of the table.
Index Name	The name of the index.
Cache Name	The cache to which the table has been bound.

TIP: To configure a grid to display row numbers, use the [Options Editor](#).

Metrics

There are a few points worth noting with regard to the information presented in the Index Statistics view:

- Heavily used tables and indexes can benefit from being separated onto different segments that correspond to different physical hard drives.
- The Sybase cost-based optimizer could not be choosing the proper access path for tables that have indexes with out-of-date, or without any, statistics. Keeping dynamic objects current with respect to their internal statistics helps ensure that the Sybase kernel makes the proper decisions on how to satisfy user requests for data.
- Indexes that are frequently scanned can benefit from being bound to a special cache that can be used to retain their often-accessed data in memory.

Troubleshooting

To change the segment a table or index belongs to, you can use the `sp_placeobject` procedure. Keeping index statistics current can be handled by judicious use of the `UPDATE STATISTICS` command. Binding frequently scanned indexes can be accomplished via the `sp_bindcache` procedure.

Storage Tab

A database can contain a number of segments you can use to physically separate tables and indexes onto different physical devices. A database can also be bound to a specific data cache in hopes of improving performance through more frequent memory access. The [first grid](#) displays segment use by a database. The [second grid](#) displays cache use by a database.

The table below describes the information available in the Segment Detail grid on the Storage tab of the Database Detail view:

Column	Description
Segment Name	The name of the database segment.
Total (KB)	The total amount of space allocated to the segment, in KB. Note that this normally corresponds to the device allocations for a database.
Used (KB)	The amount of space used by the segment to hold tables and indexes, in KB. Note that space used by other segments that make use of the same device are not included in the total.

NOTE: The information in the Segment Detail grid is also available on the [Segment Detail tab](#) of the Space Detail view.

The table below describes the information available in the Cache Bindings grid on the Storage tab of the Database Detail view:

Column	Description
Cache Name	The name of the data cache.
Status	The status of the cache (Active, Activation Pending, Deletion Pending).
Configured Size (MB)	The defined size of the cache, in MB.
Running Size (MB)	The actual running size of the cache, in MB.
Overhead (MB)	The amount of overhead required to manage the cache, in MB.

TIP: To configure a grid to display row numbers, use the [Options Editor](#).

Metrics

None.

Options Tab

- [Metrics](#)

A database can have a number of options set to determine behavior like transaction log usage, database access, etc. The Options tab of the Database Detail view presents all available database options for a selected database along with which options are in use. The table below describes the information available on the Options tab of the Database Detail view:

Column	Description
Option	The name of the database option.
Setting	Indicates whether the option is in use.

Metrics

Depending on how it is used, a database can have many or few options set. For example, a production database that needs near point-in-time recovery abilities would not have the truncate log on checkpoint option set, because doing so would negate the use of transaction log dumps. However a development database that is loaded/reloaded many times a day with test data would likely make use of the option to prevent the transaction log from filling up. You should examine the specific needs of each database under your care to determine which options are right for it.

Contention Statistics - Sybase

The Contention performance category view displays the following vital Sybase contention statistics:

- [Logical Lock Contention](#)
- [Address Lock Contention](#)
- [Group Commit Sleeps](#)
- [Modify Conflicts](#)
- [Device I/O Contention](#)

- [Disk I/O Structures](#)
- [Server Configuration Limit](#)
- [Engine Configuration Limit](#)
- [Operating System Limit](#)
- [Lock Contention](#)
- [Blocked](#)
- [Current Locks](#)
- [Deadlock Rate](#)
- [Deadlocks](#)
- [Network Contention Rate](#)
- [Network Delays](#)
- [Network Requests](#)

Logical Lock Contention

- [Metrics](#)
- [Troubleshooting](#)

A single blocking user has the potential to stop work for nearly all processes on a small system, and can cause major headaches on large systems. Although Sybase supports flexible locking mechanisms, blocking lock situations do crop up. Blocks are most often caused by user processes holding exclusive locks and not releasing them via a proper COMMIT frequency.

The Logical Lock Contention statistic reflects the number of times a task/process was switched out because of contention over table/page locks.

Metrics

Seeing consistent high numbers for this statistic should result in you investigating the lock details of your server before the situation has a chance to mushroom.

You can easily drill down and discover the exact process(es) holding locks that are blocking out other user activity.

Troubleshooting

Once you discover a blocking lock situation, you can normally remedy it by issuing a KILL against the offending process. This eliminates the user's stranglehold on the objects the user was accessing, and usually results in other user processes completing in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is where it gets tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do. You can also check to see if your queries are doing deferred and direct expensive updates, which can cause additional index locks.

By default, all processes wait indefinitely for locks in Sybase. You can change this behavior by modifying the lock wait period configuration parameter, which limits the number of seconds that a process waits for a lock before timing out.

Address Lock Contention

This statistic reflects the number of times a task/process was switched out because of memory address lock problems. Sybase acquires address locks during update operations, and for index pages, OAM pages, allocation pages, and occasionally on data pages when page splits are performed.

Metrics

None.

Group Commit Sleeps

- [Metrics](#)
- [Troubleshooting](#)

For databases needing high throughput, a large log I/O size is very important to prevent disk queuing problems on the transaction log. Group commit sleeps reflect the number of times a task performed a transactional commit operation and was put to sleep by the server until data in the log was written to disk.

Metrics

You should examine group commit sleeps in conjunction with the number of committed transactions (found on the Users performance category view).

Troubleshooting

A high count for group commit sleeps is not necessarily a problem if the server's transaction rate is low. If there are a significant number of transactions that result in group commit sleeps, and the log I/O size is greater than 2 KB, a smaller log I/O size can help to reduce commit time by causing more frequent page flushes.

Other factors that can effect group commit sleeps are the size of the server run queue and the speed of the hard disk where the log is located.

Modify Conflicts

For some database operations, Sybase uses a specialized protection mechanism to gain exclusive access to a page without using actual restrictive page locks. Examples include accessing certain system tables and dirty reads on data pages. These actions need exclusive access to the page in question, even though they do not actually modify it. Modify conflicts record how many times these actions conflicted with other processes needing true database locks.

Metrics

None.

Device I/O Contention

- [Metrics](#)
- [Troubleshooting](#)

In Sybase, when a task or process needs to perform physical I/O, the server fills out the actual block I/O structure and links it to a per-engine I/O queue. If two Sybase engines request the same I/O structure from the exact same device at the identical time, one of them is put to sleep by the server and it waits for the semaphore it needs.

Device I/O Contention reflects the number of times a task or process was put to sleep while waiting for a semaphore for a particular database device.

Metrics

None.

Troubleshooting

If consistent high numbers are viewed for Device I/O Contention, you can try redistributing the tables across devices (that are located on separate hard disks) or by adding devices (again, that are located on separate hard disks) and moving tables and indexes to them.

Disk I/O Structures

- [Metrics](#)
- [Troubleshooting](#)

When a Sybase server begins to experience I/O delays, the result can be a very dissatisfied user community. When such problems begin to occur, things to investigate include the various Sybase or operating system limits. It could be that I/O operations are being blocked by one or both.

The Disk I/O Structures statistic represents the number of I/O delays caused by Sybase reaching the limit on disk I/O structures. When Sybase exceeds the number of available disk I/O control blocks, I/O is deferred because Sybase requires that any task get a disk I/O control block before beginning an I/O request.

Metrics

Consistent numbers above zero should be a cause for concern.

Troubleshooting

If you continue to see nonzero numbers for this statistic, you can try increasing the number of available disk I/O control blocks by increasing the configuration parameter disk I/O structures.

Server Configuration Limit

- [Metrics](#)
- [Troubleshooting](#)

When a Sybase server begins to experience I/O delays, the result can be a very dissatisfied user community. When such problems begin to occur, things to investigate include the various Sybase or operating system limits. It could be that I/O operations are being blocked by one or both.

The Server Configuration Limit statistic shows nonzero numbers if Sybase has exceeded its limit for the number of asynchronous disk I/O requests that can be outstanding for the entire server at one time.

Metrics

Consistent numbers above zero should be a cause for concern.

Troubleshooting

If you continue to see nonzero numbers for this statistic, you can raise this limit using sp_configure with the max async I/Os per server parameter.

Engine Configuration Limit

- [Metrics](#)
- [Troubleshooting](#)

When a Sybase server begins to experience I/O delays, the result can be a very dissatisfied user community. When such problems begin to occur, things to investigate include the various Sybase or operating system limits. It could be that I/O operations are being blocked by one or both.

The Engine Configuration Limit statistic shows nonzero numbers if Sybase has exceeded its limit for the number of asynchronous disk I/O requests that can be outstanding for a Sybase engine at one time.

Metrics

Consistent numbers above zero should be a cause for concern.

Troubleshooting

If you continue to see nonzero numbers for this statistic, you can raise this limit using `sp_configure` with the `max async I/Os per engine` parameter.

Operating System Limit

- [Metrics](#)
- [Troubleshooting](#)

When a Sybase server begins to experience I/O delays, the result can be a very dissatisfied user community. When such problems begin to occur, things to investigate include the Sybase or operating system limits. It could be that I/O operations are being blocked by one or both.

The Operating System Limit statistic shows nonzero numbers if Sybase has detected that the limit for asynchronous I/Os has been exceeded.

Metrics

Consistent numbers above zero should be a cause for concern.

Troubleshooting

In most UNIX operating systems, there is a kernel parameter that limits the number of asynchronous I/Os that can take occur at one time. If you continue to see nonzero numbers for this statistic, you should look into raising this limit.

Deadlock Rate

- [Metrics](#)
- [Troubleshooting](#)

A deadlock occurs when two processes have a lock on a separate page or object and each wants to acquire a lock on the other process' page or object. Each waits for the other to release the necessary lock. Sybase constantly checks for deadlocks and, when found, chooses the transaction that has accumulated the least amount of CPU time and terminates the transaction. The server then rolls back that transaction and issues a notification of the event. The other process gets to move forward.

The deadlock rate displays the percentage of times deadlocks occurred vs. the percentage of locks requested and immediately granted.

Metrics

You should immediately investigate a percentage much above zero to prevent the situation from mushrooming. You can easily drill down and discover the exact process(es) holding locks and deadlocks that are blocking out other user activity.

Troubleshooting

Well-designed applications can minimize deadlocks by always acquiring locks in the same order. You should always do updates to multiple tables in the same order.

Once Sybase discovers a deadlock, it takes action and remedies the situation. Embarcadero Performance Center makes it easier to discover how prevalent deadlock activity is on a system; preventing deadlocks from occurring in the first place is more difficult.

Those responsible for writing systems can minimize deadlocks by ensuring that applications acquire locks in the same order. Likewise, you should always do updates and other DML that act on multiple tables in the same order.

You can also shrink the amount of time that Sybase waits to check for deadlocks by modifying the deadlock checking period configuration parameter.

Deadlocks

- [Metrics](#)
- [Troubleshooting](#)

A deadlock occurs when two processes have a lock on a separate page or object and each wants to acquire a lock on the other process' page or object. Each waits for the other to release the necessary lock. Sybase constantly checks for deadlocks and, when found, chooses the transaction that has accumulated the least amount of CPU time and terminates it (the transaction). The server then rolls back that transaction and issues a notification of the event. The other process gets to move forward.

The deadlock statistic displays the number of current deadlocks in a Sybase server.

Metrics

A nonzero number should clue you into the fact that application conflicts are likely being experienced by your user community.

Troubleshooting

Well-designed applications can minimize deadlocks by always acquiring locks in the same order. Updates to multiple tables should always be performed in the same order.

Once Sybase discovers a deadlock, it takes action and remedies the situation. Discovering how prevalent deadlock activity is on a system is made easier by using tools like Performance Center, but preventing deadlocks from occurring in the first place is more difficult.

Those responsible for writing systems can minimize deadlocks by ensuring that applications acquire locks in the same order. Likewise, updates and other DML that act on multiple tables should always be performed in the same order.

You can also shrink the amount of time that Sybase waits before performing a deadlock check by reducing the deadlock checking period parameter.

Current Locks

- [Metrics](#)

- [Troubleshooting](#)

There are varieties of operations in Sybase that require the use of locks. The Current Locks statistic represents the number of total locks currently active in Sybase.

TIP: Click this statistic to drill down to the [All Locks tab](#) of the Locks view.

NOTE: This statistic is also available on the [Users performance category view](#).

Metrics

The only thing to watch with respect to locks is if the number approaches the Sybase limit for available locks.

Troubleshooting

If the number of current locks in a Sybase server approaches the Sybase limit for available locks, you can look into increasing the Number of Locks configuration parameter.

Lock Contention

- [Metrics](#)
- [Troubleshooting](#)

A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems. Although Sybase supports flexible locking mechanisms, blocking lock situations do crop up. Blocks are most often caused by user processes holding exclusive locks and not releasing them via a proper COMMIT frequency.

The blocking lock rate displays the percentage of times blocks occurred vs. the percentage of locks requested and immediately granted.

Metrics

To prevent a mushrooming situation, you should immediately investigate any percentages greater than zero for this statistic.

You can easily drill down and discover the exact process(es) holding locks that are blocking out other user activity.

Troubleshooting

Once you discover a blocking lock situation, you can normally remedy it by issuing a KILL against the offending process. This eliminates the user's stranglehold on the objects the user was accessing, and usually results in other user processes completing in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in Sybase. You can change this behavior by modifying the lock wait period configuration parameter, which limits the number of seconds that a process waits for a lock before timing out.

Blocked

- [Metrics](#)

- [Troubleshooting](#)

A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches even on large systems. Although Sybase supports flexible locking mechanisms, blocking lock situations do crop up. Blocks are most often caused by user processes holding exclusive locks and not releasing them via a proper COMMIT frequency.

The Blocked statistic displays the number of current processes blocked by other processes.

TIP: Click this statistic to drill down to the [Blocking Locks tab](#) of the Locks view.

NOTE: This statistic is also available on the [Users performance category view](#).

Metrics

While the Lock Contention rate is a better measure of the overall lock contention situation, consistently seeing positive numbers for the Blocked statistic should also clue you into the fact that a bottleneck exists for some processes. You can easily drill down and discover the exact process(es) holding locks that are blocking other user activity.

Troubleshooting

Once you discover a blocking lock situation, you can normally remedy it by issuing a KILL against the offending process. This eliminates the user's stranglehold on the objects the user was accessing, and usually results in other user processes completing in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in Sybase. You can change this behavior by modifying the lock wait period configuration parameter, which limits the number of seconds that a process waits for a lock before timing out.

Network Contention Rate

- [Metrics](#)

- [Troubleshooting](#)

The Sybase server normally sends and receives network packets at a regular rate. If the network begins to become saturated, Sybase could experience delays in network I/O. The Network Contention rate indicates the percentage of times network I/O activity was delayed. The following network contention rate statistics are available on the Contention performance category view:

- [Network Delays](#)

- [Network Requests](#)

Metrics

Seeing a network contention rate greater than 1% could indicate a challenged network structure.

Troubleshooting

Outside of ensuring that the existing network is sufficient for handling the current load (database and non-database), other items to look at from a Sybase specific standpoint include validating that only the necessary amount of data is being sent and returned to requesting users. You can also examine the default packet size and see if it is too small for the average packet size being sent/received by the Sybase server.

Network Delays

- [Metrics](#)
- [Troubleshooting](#)

The Sybase server normally sends and receives network packets at a regular rate. If the network begins to become saturated, Sybase could experience delays in network I/O. The Network Delays statistic reflects the number of times network I/O activity was delayed.

NOTE: This statistic displays on both the [Network performance category view](#) and the Contention performance category view.

Metrics

Seeing a network contention rate greater than 1% could indicate a challenged network structure.

Troubleshooting

Beyond ensuring that the existing network is sufficient for handling the current load (database and nondatabase), other items to look at from a Sybase-specific standpoint include validating that only the necessary amount of data is being sent and returned to requesting users. You can also examine the default packet size and see if it is too small for the average packet size being sent/received by the Sybase server.

Network Requests

Network Requests represents the total TDS packets received and sent by Sybase.

NOTE: This statistic displays on both the [Network performance category view](#) and the Contention performance category view.

Contention Detail View

The following tabbed pages are available on the Contention Detail view:

- [All Locks](#)
- [Blocking Locks](#)

All Locks Tab

- [Metrics](#)
- [Troubleshooting](#)

Data integrity is maintained in a database through the use of locks. There are many variations of locks that can be applied to data objects, with some being very restrictive. The All Locks tab of the Locks view presents granular information relating to locks that currently exist on the Sybase server. The table below describes the information available on the All Locks tab of the Locks view:

Column	Description
PID	The process of the view.
User Name	The login name of the user.
Database	The database that contains the locks.
Lock Type	The type of lock being applied.
Object Name	The object name being locked.
Status	The status of the transaction.
Lock Page	The page number where the lock is currently applied.
Lock Class	The name of the cursor the lock is associated with (if any).
Host	The name of the host computer.
Program	The program the process is running.
Command	The command being issued by the process.
CPU Time	The amount of CPU time accumulated for the current command.
Physical I/O	The amount of physical I/O accumulated for the current command.
Mem Usage	The amount of memory accumulated for the current command.
FID	The process ID of the worker process' parent.
Transaction	The name of the associated transaction (if any).

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

The main thing to watch for with respect to locks is that all DML locks currently held on the system do not approach the number of locks limit specified in the Sybase server's configuration. The parameter number of locks limits how many locks can exist on the system at one time.

Troubleshooting

If the total number of locks approaches the number of locks limit, you should:

- Ensure that user processes are efficiently using locks and are committing frequently to avoid excessive lock hold times before editing the current Sybase configuration.
- Edit the configuration file for the Sybase server.
- Increase the amount of number of locks to a higher value.
- Cycle the Sybase server when possible to allow the new value to take effect.

Blocking Locks Tab

- [Metrics](#)
- [Troubleshooting](#)

A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems. Although Sybase supports flexible locking mechanisms, blocking lock situations crop up. User processes that hold exclude locks without releasing them via a proper COMMIT frequency most often cause blocks.

The Blocking Locks tab of the Locks view shows granular data concerning current blocking lock scenarios. The table below describes the information available on the Blocking Locks tab of the Locks view:

Column	Description
Holding PID	The process ID of the user holding the blocking lock.
Holding User	The login name of the user holding the blocking lock.
Waiting PID	The process ID of the user waiting for a lock.
Waiting User	The login name of the user waiting for a lock.
Database	The database that contains the locks.
Status	The status of the transaction.
Lock Type	The type of lock being applied.
Time Blocked	The amount of time that a process has been waiting for the lock, in seconds.
Lock Page	The page number where the lock is currently applied.
Lock Class	The name of the cursor the lock is associated with (if any).
Object Name	The object name being locked.
Holding Host	The name of the host computer with the blocking lock.
Waiting Host	The name of the host computer waiting for the lock.
Holding Program	The program the process is running that has the lock.
Waiting Program	The program the process is running that is waiting for the lock.
Holding Command	The command being issued by the process holding the lock.
Waiting Command	The command being issued by the process waiting for the lock.
CPU Time	The amount of CPU time accumulated for the current command.
Physical I/O	The amount of physical I/O accumulated for the current command.
Mem Usage	The amount of memory accumulated for the current command.
Holding FID	The process ID of the worker process' parent that has the lock.
Waiting FID	The process ID of the worker process' parent that is waiting for the lock.
Transaction	The name of the associated transaction (if any).

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

To prevent a mushrooming situation, you should investigate blocking locks that persist for noticeable periods of time, especially if the object(s) in question are hot objects for a database.

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects he or she was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in Sybase. You can change this behavior by modifying the lock wait period configuration parameter, which limits the number of seconds that a process waits for a lock before timing out.

Users Statistics - Sybase

The Users performance category view displays the following vital Sybase user statistics:

- [Active Connections](#)
- [Current Locks](#)
- [Inactive Connections](#)
- [Rows Deleted](#)
- [Rows Inserted](#)
- [Rows Updated](#)
- [Row Updated \(Data Locks Only\)](#)
- [Session Leaders - CPU](#)
- [Session Leaders - I/O](#)
- [Session Leaders - Memory](#)
- [Total Rows Affected](#)
- [Committed Transactions](#)
- [ULC Flushes](#)
- [Users Blocked](#)

Active Connections

The Active Connections statistic represents the total number of active and open threads reported in the Sybase server. This number displays the number of processes actively performing work.

TIP: Click this statistic to drill down to the [Processes tab](#) of the Users Detail view.

Metrics

None.

Inactive Connections

- [Metrics](#)

The Inactive Connections statistic represents the total number of Sybase threads that are not actively running on one of the server engines.

TIP: Click this statistic to drill down to the [Processes tab](#) of the Users Detail view.

Metrics

Seeing a large number of inactive connections is not generally a cause for concern. If the threads are in a sleeping state (waiting for a resource or performing large volumes of disk I/O), further investigation can be warranted.

Current Locks

- [Metrics](#)
- [Troubleshooting](#)

The Current Lock statistic displays the total number of locks obtained/requested by processes in the database.

TIP: Click this statistic to drill down to the [All Locks tab](#) of the Locks view.

NOTE: This statistic is also available on the [Contention performance category view](#).

Metrics

The main thing to watch with respect to current locks is that all DML locks currently held on the system do not approach the Number of Locks limit specified in the Sybase server's configuration. The parameter for number of locks limits how many locks can exist on the system at once.

Troubleshooting

If the total number of locks approaches the number of locks limit, you should:

- 1 Ensure that user processes are efficiently using locks and are committing frequently to avoid excessive lock hold times before editing the current Sybase configuration.
- 2 Edit the configuration file for the Sybase server.
- 3 Increase the number of locks to a higher value.
- 4 Cycle the Sybase server when possible to allow the new value to take effect.

Users Blocked

- [Metrics](#)
- [Troubleshooting](#)

A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems. Although Sybase supports flexible locking mechanisms, blocking lock situations do crop up. Blocks are most often caused by user processes holding exclusive locks and not releasing them via a proper COMMIT frequency.

The blocked statistic displays the number of current processes blocked by other processes.

NOTE: Click this statistic to drill down to the [Blocking Locks](#) tab of the Locks view.

NOTE: This statistic is also available on the [Contention performance category view](#).

Metrics

While the lock contention rate is a better measure of the overall lock contention situation, consistently seeing positive numbers for the blocked statistic should clue you into the fact that there is a bottleneck for some processes. You can easily drill down and discover the exact process(es) holding locks that are blocking out other user activity.

Troubleshooting

Once you discover a blocking lock situation, you can normally remedy it by issuing a KILL against the offending process. This eliminates the user's stranglehold on the objects the user was accessing, and usually results in other user processes completing in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in Sybase. You can change this behavior by modifying the lock wait period configuration parameter, which limits the number of seconds that a process waits for a lock before timing out.

Committed Transactions

- [Metrics](#)

Committed Transactions gives the number of transactions committed since the last refresh inside Performance Center. This includes transactions that meet explicit, implicit, and ANSI definitions for committed transactions. Note that multidatabase transactions are counted.

TIP: Click this statistic to drill down to the [Transactions tab](#) of the Users Detail view.

Metrics

Multidatabase transactions generally incur more overhead than single database transactions (for example, a transaction that modifies two databases is counted as two transactions). They usually involve more log activity and two-phase commits between the different databases, as well as cause more ULC flushes. You can improve performance by reducing the number of multidatabase transactions.

ULC Flushes

- [Metrics](#)

The total number of times that user log caches (ULCs) were flushed to a transaction log during the sampling interval.

Metrics

None.

Rows Inserted

- [Metrics](#)
- [Troubleshooting](#)

The Rows Inserted statistic reflects the number of row inserts to heap and clustered tables. Note that it does not include the number of fast bulk copy inserts, because these are written directly to the data pages themselves.

TIP: Click this statistic to drill down to the [DML Detail tab](#) of the Users Detail view.

Metrics

Large numbers of inserts are no cause for concern. The only thing to keep an eye on is that heavy insert activity on heap tables can potentially cause lock contention. It is easy to investigate lock contention in the Embarcadero Performance Center's Locks view.

Troubleshooting

If insert activity seems to be causing lock contention, you can consider creating a clustered index that randomizes insert activity on the tables in question. Alternatives are establishing partitions on an unpartitioned table or increasing the number of partitions on a partitioned table.

Keep in mind that an unwanted by-product of clustered indexes is occasional page splitting.

Rows Updated

- [Metrics](#)

The Rows Updated statistic represents all deferred and direct update activity.

TIP: Click this statistic to drill down to the [DML Detail tab](#) of the Users Detail view.

Metrics

None.

Rows Updated (Data Only Locks)

- [Metrics](#)

The Rows Updated (Data Only Locks) statistic represents all deferred and direct update activity.

TIP: Click this statistic to drill down to the [DML Detail tab](#) of the Users Detail view.

Metrics

None.

Rows Deleted

- [Metrics](#)

The Rows Deleted statistic represents all deferred and direct delete activity.

TIP: Click this statistic to drill down to the [DML Detail tab](#) of the Users Detail view.

Metrics

None.

Total Rows Affected

- [Metrics](#)

The Total Rows Affected statistic represents all rows impacted by some form of DML activity (inserts, updates, deletes).

TIP: Click this statistic to drill down to the [DML Detail tab](#) of the Users Detail view.

Metrics

None.

Session Leaders - Memory

- [Metrics](#)
- [Troubleshooting](#)

It is not uncommon for one or two users to cause the majority of runtime problems that plague a database. The problems could be runaway processes, untuned batch procedures, or user-initiated operations. Often, user connections can get out of hand with memory consumption, and extreme cases have caused headaches at both the database and operating system levels.

NOTE: This statistic displays on both the [Memory performance category view](#) and the Users performance category view.

TIP: Click this statistic to drill down to the [Leading Sessions tab](#) of the Memory Detail view.

Metrics

If your Sybase server does not have an overabundance of memory, you should check periodically to see who your heavy memory users are. You should also check the total percentage of memory each takes up. If you see one or two users who have more than 5-15% of the total memory usage, you should investigate the sessions further to see what activities they are performing.

Troubleshooting

You can use the Session Leaders - Memory statistic to find the users with the greatest current allocations of overall memory. Runaway processes can be immediately terminated from within the Embarcadero Performance Center Client.

Session Leaders - I/O

- [Metrics](#)

When a system undergoes heavy I/O activity, sometimes you find that all user connections are contributing equally to the overall load. More often than not, however, one or two user connections are responsible for 75% or more of the I/O activity. It can be that a large batch load or other typical process is running that is perfectly okay for your system. Alternatively, it can be a runaway process or other rogue connection that needs to be tracked down and possibly eliminated.

The leading I/O session's display allows you to see who runs the leading sessions in your system with respect to I/O.

NOTE: This statistic displays on both the [I/O performance category view](#) and the Users performance category view.

TIP: Click this statistic to drill down to the [Leading Sessions tab](#) of the I/O Detail view.

Metrics

Finding one or two users who consume more than 75% of the total I/O load can indicate runaway or improper processes. By drilling down into the I/O activity of all users, you can quickly see if this is the case.

Session Leaders - CPU

- [Metrics](#)

It is not uncommon for one or two users to cause the majority of runtime problems that plague a database. The problem could be a runaway process, an untuned batch procedure, or other user-initiated operation. Often, user connections can get out of hand with CPU use, and extreme cases have caused headaches at both the database and operating system levels.

The leading CPU session's display allows you to see who runs the leading sessions are in your system with respect to CPU usage.

Metrics

Finding one or two users who use the majority of the CPU can indicate runaway or improper processes. By drilling down into the CPU activity of all users, you can quickly see if this is the case.

Users Detail View

The following tabbed pages are available on the Users Detail view:

- [Applications](#)
- [Blocking Locks](#)
- [DML Detail](#)
- [Locks](#)
- [Processes](#)
- [Transactions](#)

Applications Tab

Different programs/applications can access the Sybase server at the same time, with some being more resource-intensive than others. The Applications Detail tab on the Users Detail view summarizes resource consumption at the application level. The table below describes the information available on the Applications tab of the Users Detail view:

Column	Description
Application	The application name. NOTE: This can be blank if Sybase cannot determine the application accessing the server.
Application Count	The total number of like applications accessing the server.
Active	The count of active applications accessing the server.
Inactive	The count of inactive applications accessing the server.
Memory Used	The total amount of memory used by each application's current command.
CPU Used	The total amount of CPU used by each application's current command.
Physical I/O	The total amount of Physical I/O used by each application's current command.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

None.

Processes Tab

- [Metrics](#)

It is not uncommon for one or two users to cause the majority of runtime problems that plague a database. The problem could be a runaway process, an untuned batch procedure, or other user-initiated operation. Often, user connections can get out of hand with memory consumption, CPU, or physical I/O, and extreme cases have caused headaches at both the database and operating system levels.

The Processes tab of the Users Detail view displays information to help pinpoint problem processes. The table below describes the information available on the Processes tab of the Users Detail view:

Column	Description
User Name	The logon name the session is using.
PID	The process ID.
FID	The process ID of the worker process' parent.
Database	The database the process is attached to.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The client machine name the session is using.
Program	The executable the process is using against the Sybase server.
Memory	The amount of memory currently allocated to the process.
CPU	The amount of CPU currently in use by the process.
Physical I/O	The amount of physical I/O currently accumulated by the process.
Blocked	Whether the process is blocked by another process.
Command	The command the process is currently issuing.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

The key to spotting problem processes is to view their information in light of the total activity on a server. For example, if your database server does not have an overabundance of memory, you should periodically check to see who your heavy memory users are. You should also check the total percentage of memory each takes up. If you see one or two users who have more than 5-15% of the total memory usage, you should investigate the sessions further to see what activities they are performing and take action if necessary.

Locks Tab

- [Metrics](#)
- [Troubleshooting](#)

Data integrity is maintained in a database through the use of locks. There are many variations of locks that can be applied to data objects, with some being very restrictive. The Locks tab of the Users Detail view presents granular information relating to locks that currently exist on the Sybase server. The table below describes the information available on the Locks tab of the Users Detail view:

Column	Description
PID	The process of the user.
User Name	The login name of the user.
Database	The database that contains the locks.
Lock Type	The type of lock being applied.
Object Name	The object name being locked.
Status	The status of the transaction.
Lock Page	The page number where the lock is currently applied.
Lock Class	The name of the cursor the lock is associated with (if any).
Host	The name of the host computer.
Program	The program the process is running.
Command	The command being issued by the process.
CPU Time	The amount of CPU time accumulated for the current command.
Physical I/O	The amount of physical I/O accumulated for the current command.
Mem Usage	The amount of memory accumulated for the current command.
FID	The process ID of the worker process' parent.
Transaction	The name of the associated transaction (if any).

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

The main thing to watch with respect to current locks is that all DML locks currently held on the system do not approach the number of locks limit specified in the Sybase server's configuration. The parameter number of locks limits how many locks can exist on the system at once.

Troubleshooting

If the total number of locks approaches the number of locks limit, then:

- Before editing the current Sybase configuration, ensure that user processes are efficiently using locks and are committing frequently to avoid excessive lock hold times.
- Edit the configuration file for the Sybase server.
- Increase the amount of number of locks to a higher value.
- Cycle the Sybase server when possible to allow the new value to take effect.

Blocking Locks Tab

- [Metrics](#)
- [Troubleshooting](#)

A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches even on large systems. Although Sybase supports flexible locking mechanisms, blocking lock situations do crop up. User processes holding exclusive locks and not releasing them via a proper COMMIT frequency most often cause blocks.

The Blocking Locks tab of the Users Detail view shows granular data concerning current blocking lock scenarios. The table below describes the information available on the Blocking Locks tab of the Users Detail view:

Column	Description
Holding PID	The process ID of the user holding the blocking lock.
Holding User	The login name of the user holding the blocking lock.
Waiting PID	The process ID of the user waiting for a lock.
Waiting User	The login name of the user waiting for a lock.
Database	The database that contains the locks.
Object Name	The object name being locked.
Status	The status of the transaction.
Lock Type	The type of lock being applied.
Time Blocked	The amount of time that a process has been waiting for the lock, in seconds.
Lock Page	The page number where the lock is currently applied.
Lock Class	The name of the cursor the lock is associated with (if any).
Holding Host	The name of the host computer with the blocking lock.
Waiting Host	The name of the host computer waiting for the lock.
Holding Program	The program the process is running that has the lock.
Waiting Program	The program the process is running that is waiting for the lock.
Holding Command	The command being issued by the process holding the lock.
Waiting Command	The command being issued by the process waiting for the lock.
CPU Time	The amount of CPU time accumulated for the current command.
Physical I/O	The amount of physical I/O accumulated for the current command.
Mem Usage	The amount of memory accumulated for the current command.
Holding FID	The process ID of the worker process' parent that has the lock.
Waiting FID	The process ID of the worker process' parent that is waiting for the lock.
Transaction	The name of the associated transaction (if any).

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

To prevent a mushrooming situation, you should investigate blocking locks that persist for noticeable periods of time should, especially if the object(s) in question are hot objects for a database.

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects he or she was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is where it gets tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in Sybase. You can change this behavior by modifying the lock wait period configuration parameter, which limits the number of seconds that a process waits for a lock before timing out.

DML Detail Tab

- [Metrics](#)

Dynamic Sybase environments typically have large amounts of DML (data manipulation language) activity that occurs. Knowing the volume of INSERT, UPDATE, and DELETE activity can help you make correct decisions regarding sizing, object options, etc. The DML Detail tab of the Users Detail view provides a quick snapshot of the amount of object/data manipulation that is occurring. The table below describes details of the DML Detail tab of the Users Detail view:

Detail	Description
Activity Type	The type of INSERT, UPDATE, or DELETE.
Amount	The number of operations that have taken place since the last refresh.

The table below describes the statistics available on the DML Detail tab of the Users Detail view:

Statistic	Description
Heap Table Inserts	Total rows inserted into heap tables during sample interval.
Clustered Table Inserts	Total rows inserted into clustered tables during sample interval.
Deferred Updates	Total number of updates that were accomplished in two steps during sample interval.
Direct In Place Updates	Total number of in-place updates (no data rows are moved on the data page) during sample interval.
Direct Cheap Updates	Total number of on-page updates (the length of the data row changes) during sample interval.
Direct Expensive Updates	Total number of delete/insert direct updates (rows are deleted from their original location and inserted at a new location) during sample interval.
Deferred Deletes	Total rows deleted during the sample interval.
Direct Deletes	Total rows directly deleted during the sample interval.

Metrics

Response times can differ greatly for various types of DML activity. For example, deferred UPDATE and DELETE operations (which are often caused by join conditions or because referential integrity conditions exist) normally perform slower than direct UPDATE and DELETES. Deferred operations can involve rereading the transaction log to finalize the operation whereas direct operations have no such need. Another example would be that a direct expensive update involves additional index locks (and is therefore more restrictive), while direct cheap updates do not.

Transactions Tab

- [Metrics](#)

Transactions are used in Sybase to preserve data integrity and keep logical units of work together. Long-running transactions, however, run the risk of holding data and object locks longer than necessary and possibly degrading overall system response times. The Transactions tab of the Users Detail view shows all running transactions in a database and their current state. The table below describes the information available on the Transactions tab of the Users Detail view:

Column	Description
SPID	The process ID.
Login	The login name of the user initiating the transaction.
Database	The database involving the transaction.
Status	The status of the transaction.
Start Time	The time the transaction began.
Type	The type of transaction (local, remote, etc.)
State	The point where the transaction is (In Command, Committed, etc.)
Command	The current command being issued.
Connection	Whether the transaction is current attached or detached.
CPU	The amount of CPU currently being used by the transaction.
Memory	The amount of memory used by the current transaction.
Physical I/O	The current cumulative number of reads and writes issued by the process.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

You should examine transactions that have been running for excessive periods of time to see if they are being blocked by other transactions. If you find this is the case, Embarcadero Performance Center offers mechanisms that allow you to kill any process that is blocking another. If blocking lock activity is occurring, a small redesign of the application or more frequent COMMIT TRANSACTION points can prove to be useful preventive measures.

Network Statistics - Sybase

The Network performance category view displays the following vital network statistics:

- [Total Packets Received](#)
- [Total Packets Sent](#)
- [Total Bytes Received](#)
- [Total Bytes Sent](#)
- [Network Errors](#)
- [Network Contention Rate](#)
- [Network Delays](#)
- [Network Requests](#)

Total Packets Received

- [Metrics](#)

Total Packets Received reflects the number of times Sybase received a packet from a client application.

Metrics

None.

Total Packets Sent

- [Metrics](#)

Total Packets Sent reflects the number of times Sybase sent a packet to a client application.

Metrics

None.

Total Bytes Received

- [Metrics](#)

Total Bytes Received reflects the number of bytes received by Sybase since the last refresh in Embarcadero Performance Center.

Metrics

None.

Total Bytes Sent

- [Metrics](#)

Total Bytes Sent reflects the number of bytes sent to Sybase since the last refresh in Embarcadero Performance Center.

Metrics

None.

Network Errors

- [Metrics](#)
- [Troubleshooting](#)

The Network Errors statistic reflects the number of times that network errors were detected by Sybase while reading and writing packets.

Metrics

Seeing a consistent value much above zero could indicate a challenged network structure.

Troubleshooting

Beyond ensuring that the existing network is sufficient for handling the current load (database and non-database), other items to look at from a Sybase-specific standpoint include validating that only the necessary amount of data is being sent and returned to requesting users. You can also examine the default packet size and see if it is too small for the average packet size being sent/received by the Sybase server.

Network Contention Rate

- [Metrics](#)
- [Troubleshooting](#)

The Sybase server normally sends and receives network packets at a regular rate. If the network begins to become saturated, Sybase can experience delays in network I/O. The network contention rate indicates the percentage of times network I/O activity was delayed.

Metrics

Seeing a network contention rate greater than 1% could indicate a challenged network structure.

Troubleshooting

Outside of ensuring that the existing network is sufficient for handling the current load (database and non-database), other items to look at from a Sybase-specific standpoint include validating that only the necessary amount of data is being sent and returned to requesting users. You can also examine the default packet size and see if it is too small for the average packet size being sent/received by the Sybase server.

Network Delays

- [Metrics](#)
- [Troubleshooting](#)

The Sybase server normally sends and receives network packets at a regular rate. If the network begins to become saturated, Sybase can experience delays in network I/O. The Network Delays statistic reflects the number of times network I/O activity was delayed.

Metrics

Seeing a network contention rate greater than 1% could indicate a challenged network structure.

Troubleshooting

Beyond ensuring that the existing network is sufficient for handling the current load (database and non-database), other items to look at from a Sybase-specific standpoint include validating that only the necessary amount of data is being sent and returned to requesting users. You can also examine the default packet size and see if it is too small for the average packet size being sent/received by the Sybase server.

Network Requests

Network Requests represents the total TDS packets received and sent by Sybase.

Metrics

None.

Other Views and Statistics

In addition to the Home view, Enterprise view, and the performance category views, Performance Center offers many other views. The tables below lists, by database platform, the other views available in Performance Center:

View	Oracle	SQL Server	Sybase	DB2
Alert Log	x	x	x	x
Archive	x			
Configuration Parameters		x	x	x
Health Index	x	x	x	x
Hot Objects	x			
Instance Parameters	x			
Lock	x	x	x	x
Operating System	x	x	x	x
Session Detail	x	x	x	x
SQL Server Logs		x		
Top Sessions	x	x	x	x
Top SQL	x	x		x
Trends	x	x	x	x

Archive View

- [Metrics](#)

To allow for point-in-time recovery, Oracle writes copies of redo log information to disk. When a database is running in archive log mode, a DBA, with proper backup techniques in place, can recover nicely from a database error and roll forward to almost any point in time as long as the proper archive logs are in place.

The I/O needed to write these archive logs is handled by Oracle's ARCH process. The Archive view allows archive files written by the ARCH process to be viewed by user-specified time frames. The table below describes the information available on the Archive view:

Column	Description
Date/Time	The timestamp of the archive log (when the log was written).
Title	The actual archive log file name and path.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Numerous archive files can be written to disk if there is heavy redo log activity. Batch jobs have the potential to move very fast; sometimes so fast that the online redo logs wrap back around before they have a chance to be archived. Messages indicating this has happened show up in the Oracle alert log. If this happens frequently, you should think about increasing the size of the online redo log files, or increasing the number of redo logs in general.

Seeing archive files written at a rate of more than one every 30-60 minutes can indicate the redo size is too small (or there is an above-average data modification load).

If you do not want to lose an archive file that can be needed for recovery and you are using Oracle 8 or later, you can take advantage of the feature where you can write archive files to more than one destination on disk. This feature also allows multiple ARCH processes to be invoked. Investigate using the Init.ora parameters `log_archive_dest_n` and `log_archive_max_processes`.

Always remember one thing with respect to archive files and running Oracle in archive log mode: Running out of archive file space on the server can halt all activity in a database. Make sure you have ample free space available on your archive drives. And, you should also implement a purge procedure for older archives in conjunction with your backup routine.

Health Index View

- [Metrics](#)

Performance Center's global and category-specific health indexes are fast and efficient indicators you can use to determine if a database is experiencing problems. They also locate the most problematic area(s). With the Health Index view, you can scan individual category indexes simultaneously and see, over time, where the problem areas reside.

Metrics

Generically speaking, you should investigate any index that falls below 90. Temporary dips in a health index graph should not be a cause for concern unless the dips form a pattern and occur on a predictable and continuous basis.

Hot Objects

The following tabbed pages are available on the Hot Objects view:

- [Hot Tables](#)
- [Hot Code](#)

NOTE: The Hot Objects view is for Oracle datasources.

Hot Tables

- [Metrics](#)

Certain objects in an Oracle database are accessed more than others. These objects can become a source of contention given certain conditions. The Hot Tables tab of the Hot Objects view identifies tables that are being frequently accessed through various SQL statements. The table below describes the information that Performance Center displays on the Hot Tables tab of the Hot Objects view:

Column	Description
Table Owner	The owner of the table.
Table Name	The name of the table.
Command Issued	The SQL statement command issued against the table.
Executions	The number of SQL executions the object has experienced.

Column	Description
Disk Reads	The number of estimated disk reads from the object.
Buffer Gets	The number of estimated logical I/O's from the object.
Rows Processed	The number of estimated rows processed from the object.

Metrics

DML activity against tables can cause contention for space management objects like free lists. Oracle9i and above provides automatic segment management, which can remove problems with free lists and the like.

Hot Code

- [Metrics](#)

Certain objects in an Oracle database are accessed more than others. Data objects can become a source of contention given certain conditions, while code objects rarely cause contention issues. The Hot Code tab of the Hot Objects view identifies code objects (procedure, functions, etc.) that are being frequently accessed through various SQL statements. The table below describes the information that Performance Center displays on the Hot Code tab of the Hot Objects view:

Column	Description
Object Owner	The owner of the object.
Object Name	The name of the object.
Object Type	The type of object (package, etc.)
# of Executions	The number of estimated executions for the object.
Loads	The number of times the object was loaded into the shared pool.
Locks	The number of locks the object has experienced.
Pins	The number of times the object was pinned in the shared pool.

Metrics

Often referenced code objects should be pinned in the shared pool using the Oracle DBMS_SHARED_POOL package. Objects with many executions and loads should be considered candidates for pinning.

Lock View

The following tabbed pages are available on the Lock view:

- [All Locks](#)
- [All User Locks \(Oracle only\)](#)
- [Blocking Locks](#)
- [Locks View for DB2](#)

All Locks Tab

The information on the All Locks tab of the Locks view depends on the target DBMS:

- [Oracle](#)
- [SQL Server](#)
- [Sybase](#)

All Locks Tab for Oracle

- [Metrics](#)

To modify database information or structures, a user session must obtain a lock on the object to perform its task. In addition to user locks, Oracle issues lock requests to carry out its internal duties. The All Locks tab of the Locks view displays information about all locks currently on a system. The table below describes the information available on the All Locks tab of the Locks view for Oracle:

Column	Description
SID	The session identifier of the session holding the lock.
User Name	The user account of the session holding the lock. NULL if it is a background process.
Lock Mode	The lock mode (EXCLUSIVE, SHARE, etc.)
Request Type	The type of lock requested by the session.
Object Name	The name of the object being locked.
Object Type	The type of object being locked (TABLE, etc.)
Lock Type	The type of lock (TRANSACTION, DML, etc.)
Lock ID 1	The lock identifier #1 (depends on type).
Lock ID 2	The lock identifier #2 (depends on type).

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Locks held for unusually long periods are candidates for further investigation. The application logic can be inefficient or the program may not be issuing COMMIT frequently enough.

All Locks Tab for SQL Server

- [Metrics](#)

To modify database information or structures, a user session must obtain a lock on the object to perform its task. In addition to user locks, SQL Server issues lock requests to carry out its internal duties. Performance Center displays information about all locks currently on a system on the All Locks tab of the Locks view and the Lock Detail grid on the Lock tab of the Contention Detail view.

The table below describes the information available on the tab and the grid:

Column	Description
SPID	The process ID of the process holding the lock.
Login	The login name of the process.
NT User	The operating system name of the process.
Database	The database where the locks are occurring.
Table Name	The name of the table involved in a lock. This will be NULL for non-table locks or table locks that take place in the tempdb database.
Ndx ID	The index ID involved in the lock.
Lock Type	The type of lock (database, table, row ID, etc.)
Lock Mode	The mode of the lock (shared, exclusive, etc.)
Lock Status	The status of the lock (waiting or granted).
Owner Type	Whether the lock came from a regular session or a transaction.
Program	The executable the process is using against the server.
BLK SPID	If nonzero, the process ID of the process blocking the requested lock. A value of zero indicates that the process is not blocked.
Wait Time	The time the process has waited for the lock, in milliseconds.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Command	The command the process is currently issuing.
NT Domain	The name of the Windows 2000/NT domain.

NOTE: The information in the Lock Detail grid is available in the [Lock Detail grid](#) on the Locks tab of the Contention Detail view and the All Locks tab of the Locks view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Locks held for unusually long periods are candidates for further investigation. The application logic may be inefficient or the program may not be issuing COMMIT frequently enough.

All Locks Tab for Sybase

- [Metrics](#)

To modify database information or structures, a user session must obtain a lock on the object to perform its task. In addition to user locks, Sybase issues lock requests to carry out its internal duties. The All Locks tab of the Locks view displays information about all locks currently on a system. The table below describes the information available on the All Locks tab of the Locks view for Sybase:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
Database	The database in which the process is running.
Lock Type	The type of lock (database, table, row ID, etc.)
Object Name	The name of the object being locked.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Lock Page	The page number where the lock is currently applied.
Lock Class	The name of the cursor the lock is associated with (if any).
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Command	The command the process is currently issuing.
CPU Time	The CPU time accumulated for the current command.
Physical I/O	The current cumulative number of reads and writes issued by the process.
Mem Usage	The memory accumulated for the current command.
FID	The process ID of the worker process' parent.
Transaction	The name of any transaction.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Locks held for unusually long periods are candidates for further investigation. The application logic may be inefficient or the program may not be issuing COMMIT frequently enough.

All User Locks Tab

- [Metrics](#)

To modify database information or structures, a user session must obtain a lock on the object to perform its task. The All User Locks tab of the Locks view displays information about all user locks currently on a system. The table below describes the information available on the All User Locks tab of the Locks view:

Column	Description
User Name	The user account that holds the lock.
Terminal	The machine name of the client session.
SID	The unique Oracle identifier for the session.
Serial #	The serial number of the lock.
Table	The name of the object being locked.
Lock Mode	The lock mode (EXCLUSIVE, SHARE, etc.)
Request	The type of lock requested by the session.

NOTE: The All User Locks tab of the Locks view is only available for Oracle datasources.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Locks held for unusually long periods are candidates for further investigation. The application logic may be inefficient or the program may not be issuing COMMITs frequently enough.

Blocking Locks Tab

The information on the Blocking Locks tab of the Locks view depends on the target DBMS.

- [Oracle](#)
- [SQL Server](#)
- [Sybase](#)

Blocking Locks Tab for Oracle

- [Metrics](#)

Blocking-lock situations can make the database appear frozen, rivaling only a stuck archive in effect. A single blocking user has the potential to stop work for nearly all other processes on a small system, or can cause major headaches on large systems. Although Oracle supports unlimited row-level locking, blocking-lock situations do occur - sometimes frequently.

The Blocking Locks tab of the Locks view contains information relating to user accounts that are currently blocked and the sessions that are blocking them. The table below describes the information available on the Blocking Locks tab of the Locks view for Oracle:

Column	Description
Blocked SID	The session ID of the session waiting for the lock.
Blocked User	The user account of the session waiting for the lock.
Wait Time (sec)	The current wait time for the session, in seconds.
Blocking SID	The session ID of the session holding the offending lock.
Blocking User	The user account of the session holding the offending lock.
Lock Type	The type of lock (TRANSACTION, DML, etc.)
Lock Mode	The lock mode (EXCLUSIVE, SHARE, etc.)
Request Type	The type of lock being requested by the session.
Locked Object	The name of the object being locked.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

When a blocking lock is discovered, the DBA can quickly remedy the situation by issuing a KILL against the offending process. This eliminates the user's stranglehold on the objects the user was accessing. Other user processes then usually complete in an instant. Tools like Performance Center make it easier to discover the blocking-lock situation.

The culprit of blocking-lock scenarios is often the application design, or the SQL used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. Most DBAs who have had to face Oracle Forms applications have suffered through the dreaded SELECT...FOR UPDATE statements that place unnecessary restrictive locks on nearly every read operation. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

Data warehouses, whose data is mostly read, can benefit from tablespaces set in read-only mode. Read-only mode signals to the other databases that exclusive locks need not be used for the data contained within the tablespace. This is especially helpful in Oracle Parallel Server environments and drastically reduces ping activity.

Blocking Locks Tab for SQL Server

- [Metrics](#)

Performance Center displays information about all blocking locks currently on a system on the Blocking Locks tab of the Locks view and the Blocking Lock Detail grid on the Blocking Lock tab of the Contention Detail view.

The table below describes the information available on the tab and the grid:

Column	Description
SPID	The process ID of the process holding the lock.
Login	The login name of the process.
NT User	The operating system name of the process.
Database	The database where the locks are occurring.
Table Name	The name of the table involved in a lock. This will be NULL for non-table locks or table locks that take place in the tempdb database.
Ndx ID	The index ID involved in the lock.
Lock Type	The type of lock (database, table, row ID, etc.).
Lock Mode	The mode of the lock (shared, exclusive, etc.).
Lock Status	The status of the lock (waiting or granted).
Owner Type	Whether the lock came from a regular session or a transaction.
Program	The executable the process is using against the server.
BLK SPID	If nonzero, the process ID of the process blocking the requested lock. A value of zero indicates that the process is not blocked.
Wait Time	The time the process has waited for the lock, in milliseconds.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Command	The command the process is currently issuing.
NT Domain	The name of the Windows 2000/NT domain.

NOTE: The information in the Blocking Lock Detail grid is available in the [Blocking Lock Detail grid](#) on the Blocking Locks tab of the Contention view and the Blocking Locks tab of the Locks view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

When a blocking lock is discovered, the DBA can quickly remedy the situation by issuing a KILL against the offending process. This eliminates the user's stranglehold on the objects the user was accessing. Other user processes then usually complete in an instant. Tools like Performance Center make it easier to discover the blocking-lock situation.

Blocking Locks Tab for Sybase

- [Metrics](#)

The Blocking Locks tab of the Locks view contains information relating to user accounts that are currently blocked and the sessions that are blocking them. The table below describes the information available on the Blocking Locks tab of the Locks view for Sybase:

Column	Description
Holding PID	The process ID that owns the blocking lock.
Holding User	The user account of the session holding the offending lock.
Waiting PID	The session PID of the session waiting for the lock.
Waiting User	The user account of the session waiting for the lock.
Database	The database in which the process is running.
Object Name	The table on which the lock is being held.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Lock Type	The type of lock being applied.
Time Blocked	The time that a process has been waiting for the lock, in seconds.
Lock Page	The page number where the lock is currently applied.
Lock Class	The name of the cursor the lock is associated with (if any).
Holding Host	The name of the host computer with the blocking lock.
Waiting Host	The name of the host computer waiting for the lock.
Holding Program	The program the process is running that has the lock.
Waiting Program	The program the process is running that is waiting for the lock.
Holding Command	The command being issued by the process holding the lock.
Waiting Command	The command being issued by the process waiting for the lock.
CPU Time	The CPU time accumulated for the current command.
Physical I/O	The physical I/O accumulated for the current command.
Mem Usage	The memory accumulated for the current command.
Holding FID	The process ID of the worker process' parent that has the lock.
Waiting FID	The process ID of the worker process' parent that is waiting for the lock.
Transaction	The name of the associated transaction (if any).

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

When a blocking lock is discovered, the DBA can quickly remedy the situation by issuing a KILL against the offending process. This eliminates the user's stranglehold on the objects the user was accessing. Other user processes then usually complete in an instant. Tools like Performance Center make it easier to discover the blocking-lock situation.

Locks View for DB2

The Locks view displays all processes that are currently holding locks on an IBM DB2 UDB database. The following sections of this view are available to display lock information:

- [Applications](#)
- [Locks Held Tab](#)

- [Locks Waiting Tab](#)
- [Unit of Work Tab](#)

Applications

This section lists the following lock information for all applications:

Agent ID – The application handle of the agent holding a lock for which this application is waiting.

Auth ID – The authorization ID of the user who invoked the application that is being monitored.

OS User ID – The authorization ID used to access the operating system.

Client PID – The process ID of the client application that made the connection to the database.

Application – Name of the application executable.

Status – The lock's status (waiting or granted).

Locks Held – The number of locks on the lock being held.

Locks Waiting – Indicates the number of agents waiting on a lock

Lock Wait Time (ms) – The current amount of wait time for the process, in milliseconds.

Timeouts – The number of times that a request to lock an object timed out without being granted.

Deadlocks – Processes that cannot proceed because they are waiting on a set of resources held by each other or held by other processes.

Locks Held Tab

This tab displays all the locks held by the selected application in the Applications list. The following data is available:

Lock Mode – The type of lock being held.

Object Type – The type of object against which the application holds a lock (for object-lock-level information), or the type of object for which the application is waiting to obtain a lock (for application-level and deadlock-level information).

Table Schema – Schema of the table that the lock is on.

Table Name – Name of the table that the lock is on. This element is only set if Object Type indicates Table.

Tablespace – The name of the table space against which the lock is held.

Lock Status – The lock's status (waiting or granted).

Escalation – Indicates whether a lock request was made as part of a lock escalation.

Locks Waiting Tab

This tab displays all the locks waiting by the selected application in the Applications list. The following data is available:

Agent ID – The application handle of the agent holding a lock for which this application is waiting.

Application ID – The application ID of the application that is holding a lock on the object that this application is waiting to obtain.

Lock Mode – The type of lock being held.

Mode Requested – The lock mode being requested by the application.

Object Type – The type of object against which the application holds a lock.

Table Schema – Schema of the table that the lock is on.

Table Name – Name of the table that the lock is on. This element is only set if Object Type indicates Table.

Tablespace – The name of the table space against which the lock is held.

Wait Start Time – The date and time that this application started waiting to obtain a lock on the object that is currently locked by another application

Escalation – Indicates whether a lock request was made as part of a lock escalation.

Unit of Work Tab

This tab displays the SQL statement text for the selected application. The statement is available if the selected application is in lock wait status or is the thread blocking other applications. This enables you to easily identify what SQL statements are causing lock wait conditions and to help diagnose deadlock scenarios.

Click **Explain SQL** to view an explain plan for the statement.

Operating System View

The Operating System view displays vital operating system statistics on the following tabbed pages:

- [Summary](#)
- [CPU](#)
- [Processes](#)
- [I/O](#)
- [Memory](#)
- [Space](#)
- [Network](#)

To use integrated security, or gather certain operating system statistics, there are two main things to know:

- 1 You must enable the Performance Center Server for operating system monitoring. To enable it, you must select the Enable operating system monitoring option on the [Machine tab](#) of the Datasource Properties dialog.
- 2 You must supply the credentials necessary to view these statistics. To be able to view performance counters on a remote computer, Microsoft requires specific permissions on the remote computer that you want to monitor.

Because the Performance Center Server collects data using the registry, monitoring a remote computer requires the use of the Remote Registry Service. If the service stops due to failure, the system restarts it automatically only once. Therefore, if the service stops again, you must manually restart it. You can change this default behavior by modifying the properties for Remote Registry Service. To access service properties, see Services under Services and Applications in Computer Management or see Administrative Tools. You can also check the Event Viewer's Application and System Logs for events that might have stopped the service.

Remote data collection also requires access to specific registry subkeys and system files. To provide remote access to the registry to collect data on remote systems, Microsoft requires that users have a minimum of Read access to the Winreg subkey in HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\SecurePipeServers. By default, members of the Administrators group have Full Control access and members of the Backup Operators group have Read access. Microsoft also requires that users have Read access to the registry subkey that stores counter names and descriptions used by System Monitor, HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows NT\CurrentVersion\Perflib\LanguageID, where *LanguageID* is the numeric code for the spoken language for the operating system installation. (For English, the subkey is Perflib\009.) By default, Microsoft gives Full Control access to the System account and members of the Administrators and Creator Owners groups. Therefore, a local user on a server who is not logged in as an administrator cannot see performance counters.

In addition, users might also require read access to the files that supply counter names and descriptions to the registry, Perf*.dat and Perfh*.dat. (where the asterisk is a wildcard character representing the specific language code; for English, these are Perf009.dat and Perfh009.dat.) If these files reside on an NTFS volume, to have access to them, the access control lists (ACLs) on these files must specify that the user has such access. By default, members of the Administrators and Interactive groups have sufficient access.

OS Page Statistics

In many scenarios, an optimally tuned database may not perform well because there are constraints imposed by the system where the database is running. These constraints may include processes competing with the database server for resources (CPU, I/O, or Memory), a slow CPU, insufficient or slow I/O devices, and insufficient memory. In the OS Statistics page of Performance Center you can examine operating system metrics for the following platforms:

- [AIX](#)
- [HP-UX](#)

NOTE: To view processor info and swap disk info on an HP-UX box, you need to login as ROOT in the OS login.

- [Linux](#)
- [Solaris](#)
- [Unix](#)
- [Windows XP, 2000, and NT](#)

Summary Tab

The OS Summary tab displays the following statistics to communicate the general overall performance levels of the operating system:

- [Disk Time](#)
- [Load Average](#)
- [Processor Time](#)
- [Paged Memory Used \(Windows\)](#)
- [Swap Memory Used \(AIX, HP-UX, Linux, Solaris, Unix\)](#)
- [Average Disk Queue](#)
- [Network Output Queue \(Windows\)](#)
- [Network Queue \(Solaris\)](#)
- [Page Faults/Sec](#)
- [Processor Queue](#)
- [Processor Speed](#)
- [Processor](#)
- [Available Paged Memory \(Windows\)](#)
- [Available Physical Memory](#)
- [Available Swap Memory \(AIX, HP-UX, Linux, Solaris, Unix\)](#)
- [Total Paged Memory \(Windows\)](#)
- [Total Physical Memory](#)
- [Total Swap Memory \(AIX, HP-UX, Linux, Solaris, Unix\)](#)
- [Free Disk Space](#)
- [Total Disk Space](#)
- [Used Disk Space](#)
- [Number of Logins](#)
- [Number of Processes](#)
- [Number of Processors](#)
- [Top CPU Process](#)
- [Top I/O Process](#)
- [Top Memory Process](#)

Processor Time

The Processor Time statistic indicates the percentage of time the processor is working. This counter is a primary indicator of processor activity.

Metrics

If your computer seems to be running sluggishly, this statistic could be displaying a high percentage.

Troubleshooting

Upgrade to a processor with a larger L2 cache, a faster processor, or install an additional processor.

Processor Speed

The Processor Speed statistic displays the speed of the active processor in MHz. The speed is approximate.

Processor

The Processor Statistic displays the type of processor currently in use, for example, GenuineIntel.

Disk Time

The Disk Time statistic is the percentage of elapsed time that the selected disk drive/device was busy servicing read or write requests.

Metrics

You should avoid consistently seeing values for this statistic greater than 90%.

Troubleshooting

Add more disk drives and partition the files among all of the drives.

Load Average

The Load Average statistic represents the system load averages over the last 1, 5, and 15 minutes.

Metrics

High load averages usually mean that the system is being used heavily and the response time is correspondingly slow.

Paged Memory Used

The Paged Memory Used statistic is the ratio of Commit Memory Bytes to the Commit Limit. Committed memory is where memory space has been reserved in the paging file if it needs to be written to disk. The commit limit is determined by the size of the paging file. As the paging file increases, so does the commit limit.

NOTE: This statistic is available for the Windows platform.

Metrics

This value displays the current percentage value only and not an average. If the percentage of paged memory used is above 90%, you may be running out of memory.

Troubleshooting

Increase the size of page file.

Number of Processors

This statistic displays the number of processors currently in use.

Swap Memory Used

The Swap Memory Used statistic is the percentage of swap space currently in use.

Metrics

If the percentage of swap memory used is above 90%, you may be running out of memory.

Troubleshooting

Increase the size of your swap files.

Average Disk Queue

The Average Disk Queue statistic is the average number of both read and write requests that were queued for the selected disk during the sample interval.

Metrics

This metric is useful in identifying I/O related bottlenecks. If the disk queue lengths for certain disks are consistently much higher than others, you may need to redistribute the load among available disks. If the disk queues lengths for all disks are consistently large, and you see a high amount of I/O activity, your disks may be inefficient.

Troubleshooting

Some things you can do if you have problems with this statistic include:

- Redistribute the data on the disk with the large average disk queue to other disks.
- Upgrade to faster disk(s).

Page Faults/Sec

The Page Faults/Sec statistic is the overall rate faulted pages are handled by the processor. It is measured in numbers of pages faulted per second. A page fault occurs when a process requires code or data that is not in its working set. This counter includes both hard faults and soft faults.

Metrics

This counter displays the difference between the values observed in the last two samples, divided by the duration of the sample interval.

Troubleshooting

If the number of page faults remains consistently high, you can check with your Windows System Administrator for further investigation. Often, large numbers of page faults are not a problem so long as they are soft faults. However, hard faults, that require disk access, can cause delays.

Processor Queue

The Processor Queue Length statistic is the number of threads in the processor queue.

Metrics

Unlike the disk counters, this counter shows ready threads only, not threads that are running. There is a single queue for processor time even on computers with multiple processors. Therefore, if a computer has multiple processors, you need to divide this value by the number of processors servicing the workload. A sustained processor queue of less than 10 threads per processor is normally acceptable, dependent of the workload.

Troubleshooting

A sustained high value in the Processor Queue could indicate that a processor bottleneck has developed due to threads of a process requiring more process cycles than are available. If this is the case, you should look at installing a faster (or an additional) processor.

Network Output Queue/Network Queue

The Network Output Queue Length statistic is the number of threads in the processor queue.

NOTE: The name of this statistic depends on the platform of the operating system.

Metrics

Unlike the disk counters, this counter shows ready threads only, not threads that are running. There is a single queue for processor time even on computers with multiple processors. Therefore, if a computer has multiple processors, you need to divide this value by the number of processors servicing the workload. A sustained processor queue of less than 10 threads per processor is normally acceptable, dependent of the workload.

Troubleshooting

A sustained high value in the Processor Queue Length could indicate that a processor bottleneck has developed due to threads of a process requiring more process cycles than are available. If this is the case, you should look at installing a faster (or an additional) processor.

Available Physical Memory

The Available Physical Memory statistic represents the amount of RAM available to all processes.

Metrics

This counter displays the last observed value only and not an average. Use this value with the Total physical memory and paging metrics (Memory details page). If the available physical memory is very small compared to this value, and the paging activity is high, your system may be running low on memory.

Troubleshooting

Some things you can do if you have problems with this statistic include:

- Check the running processes to see if there are any memory leaks.
- Stop any services that are not required.
- Install additional RAM.

Available Paged Memory

The Available Paged Memory statistic shows the amount of virtual memory available for the processes.

NOTE: This statistic is available for the Windows platform.

Metrics

If the available virtual memory is less than 10% of the total virtual memory, your system may run out of memory.

Troubleshooting

Increase the size of page file.

Available Swap Memory

The Available Swap Memory statistic represents the amount of virtual memory available for the processes.

Metrics

If the available Available Swap Memory is less than 10% of the total Swap Memory, your system may run out of memory.

Troubleshooting

Increase the size of swap files.

Total Physical Memory

The Total Physical Memory statistic shows the amount of physical memory installed on your computer.

Metrics

This is an informational metric and displays the total amount installed on the machine. Use this value with the available physical memory and paging metrics (Memory details page). If the available physical memory is very small compared to this value, and the paging activity is high, your system may be running low on memory.

Total Paged Memory/Total Swap Memory

The Total Paged Memory statistic shows the maximum amount of virtual memory available to all processes.

NOTE: The name of this statistic depends on the platform of the operating system.

Metrics

It is recommended that this value is between 1.5 to 3 times the amount of RAM on the system.

Used Disk Space

The Used Disk Space statistic shows the amount of allocated space, in megabytes on all logical disk drives.

Troubleshooting

There are many things a DBA can do to ensure that a database does not encounter a space problem due to physical space limitations:

- If a database currently resides on a disk that has little free space, you can add more files to the database. Of course, you should add the new files to other physical hard disks that can accommodate a growing database.
- You should examine hard disks with shrinking disk space to see if you can relocate or delete files to allow more free space.

Total Disk Space

Total Disk Space displays the total allocated and unallocated space, in megabytes on all logical disk drives.

Troubleshooting

There are many things a DBA can do to ensure that a database does not encounter a space problem due to physical space limitations, here are two:

- 1 If a database currently resides on a disk that has little free space, you can add more files to the database. Of course, you should add the new files to other physical hard disks that can accommodate a growing database.
- 2 You should examine hard disks with shrinking disk space to see if you can relocate or delete files to allow more free space.

Free Disk Space

The Free Disk Space statistic shows the unallocated space, in megabytes on all logical disk drives.

Troubleshooting

There are many things a DBA can do to ensure that a database does not encounter a space problem due to physical space limitations:

- If a database currently resides on a disk that has little free space, you can add more files to the database. Of course, you should add the new files to other physical hard disks that can accommodate a growing database.
- You should examine hard disks with shrinking disk space to see if you can relocate or delete files to allow more free space.

Top Memory Process

Top Memory Process shows the current process that is consuming the most amount of memory. The information displayed is dependent on the platform of the operating system. Information displayed includes the name of the process, process ID, amount of memory consumed expressed in KB, amount of CPU expressed as a percentage, the amount of Major Page Faults, and the amount of I/O expressed in KB/sec.

Metrics

If you are running out of memory on the system, this is a quick way to identify the top memory user. If the displayed process is using a significant portion of the total memory, it could be causing the memory issues.

Processes Overview

The Processes Overview of the OS Summary includes the following sections:

- [Top CPU Process](#)
- [Top I/O Process](#)
- [Top Memory Process](#)

Top CPU Process

Top CPU Process shows the current process that is consuming the most amount of CPU. The information displayed is dependent on the platform of the operating system. Information displayed includes the name of the process, process ID, amount of memory consumed expressed in KB, amount of CPU expressed as a percentage, the amount of Major Page Faults, and the amount of I/O expressed in KB/sec.

Metrics

If the amount of CPU time used by this process is close to 100% and the CPU usage is very high, this process may be the bottleneck on the server.

Troubleshooting

Investigate the process further to see if it is in an inconsistent state. Also, look at minimum requirements for CPU speed for the process. You may need to upgrade your CPU.

Top I/O Process

The Top I/O Process statistic shows the current process that is consuming the most amount of CPU. The information displayed is dependent on the platform of the operating system. Information displayed includes the name of the process, process ID, amount of memory consumed expressed in KB, amount of CPU expressed as a percentage, the amount of Major Page Faults, and the amount of I/O expressed in KB/sec.

Number of Logins

This statistic displays the total number of logins on the server.

Number of Processes

This statistic displays the total number of processes on the server.

CPU Tab

The CPU tab of the OS Detail includes the following sections:

- [Context Switches/Sec](#)
- [CPU Utilization](#)
- [Interrupts/Sec](#)
- [Processor Queue Length](#)

CPU Utilization

The CPU Utilization section includes the following information:

- [% Privileged Time](#)
- [% User Time](#)

% Privileged Time

The % Privileged Time statistic is the percentage of elapsed time that the process threads spent executing code in privileged mode.

NOTE: For Windows systems, when a Windows system service is called, the service will often run in privileged mode to gain access to system-private data. Such data is protected from access by threads executing in user mode. Calls to the system can be explicit or implicit, such as page faults or interrupts. These kernel commands, are considered privileged to keep the low-level commands executing and prevent a system freeze. Unlike some early operating systems, Windows uses process boundaries for subsystem protection in addition to the traditional protection of user and privileged modes. Some work done by Windows on behalf of the application might appear in other subsystem processes in addition to the privileged time in the process.

Metrics

The ideal range should be 0-40% (less than 40% indicates excessive system activity).

Troubleshooting

If your CPU consistently runs at less than 40% you may need to upgrade your system to include a faster processor(s).

% User Time

The % User Time statistic is the percentage of elapsed time the processor spends in the user mode. User mode is a restricted processing mode designed for applications, environment subsystems, and integral subsystems. The alternative, privileged mode, is designed for operating system components and allows direct access to hardware and all memory. The operating system switches application threads to privileged mode to access operating system services. This counter displays the average busy time as a percentage of the sample time.

Metrics

If the Privileged Time is high in conjunction with Physical Disk Reads, consider upgrading the disk I/O subsystem.

Interrupts/Sec

The Interrupts/Sec statistic is the average rate, in incidents per second, at which the processor received and serviced hardware interrupts. It does not include deferred procedure calls (DPCs), which are counted separately. This value is an indirect indicator of the activity of devices that generate interrupts, such as the system clock, the mouse, disk drivers, data communication lines, network interface cards, and other peripheral devices. These devices normally interrupt the processor when they have completed a task or require attention. Normal thread execution is suspended. The system clock typically interrupts the processor every ten milliseconds, creating a background of interrupt activity. This counter displays the difference between the values observed in the last two samples, divided by the duration of the sample interval.

Metrics

The ideal range should be 0-5000. A number greater than 5000 indicates possible excessive hardware interrupts; justification is dependent on device activity.

Context Switches/Sec

The Context Switches/Sec section shows the combined rate at which all processors on the computer are switched from one thread to another. Context switches occur when a running thread voluntarily relinquishes the processor, is preempted by a higher priority ready thread, or switches between user-mode and privileged (kernel) mode to use an Executive or subsystem service.

Metrics

The ideal range should be between 0-10,000. GA number greater than 10,000 may indicate too many threads contending for resources.

Processor Queue Length

The Processor Queue Length statistic is the number of threads in the processor queue. There is a single queue for processor time even on computers with multiple processors.

NOTE: For Windows systems, unlike the disk counters, this counter shows ready threads only, not threads that are running.

Metrics

A sustained high value in the Processor Queue Length could indicate that a processor bottleneck has developed due to threads of a process requiring more process cycles than are available. If this is the case, you should look at installing a faster (or an additional) processor.

Processes Tab

The Processes tab of the OS Detail page succinctly communicates the general overall performance levels of processes. The columns available in this table depend on the platform of operating system. The table below describes the information available in the table on this tab:

Column	Description
Process	The name of the process.
User	The user of the process.
ID	The ID Process is the unique identifier of this process. ID Process numbers are reused, so they only identify a process for the lifetime of that process.
CPU	The CPU is the percentage of elapsed time that all of process threads used the processor to execution instructions.
User Mode	The User Mode is the percentage of elapsed time that the process threads spent executing code in user mode.
Memory WINDOWS ONLY	Memory is the current size, in bytes, of the virtual address space the process is using. Use of virtual address space does not necessarily imply corresponding use of either disk or main memory pages. Virtual space is finite, and the process can limit its ability to load libraries.
Memory (MB)	Memory is the current size, in bytes, of the virtual address space the process is using. Use of virtual address space does not necessarily imply corresponding use of either disk or main memory pages. Virtual space is finite, and the process can limit its ability to load libraries.
Memory	Memory is the percentage of the memory used of the total memory.
Active Memory	Active Memory is the amount of committed virtual memory, in bytes for this process. Active memory is the physical memory which has space reserved on the disk paging file(s). There can be one or more paging files on each physical drive. This counter displays the last observed value only; it is not an average.

Column	Description
I/O Data	The rate at which the process is reading and writing bytes in I/O operations. This counter counts all I/O activity generated by the process to include file, network and device I/Os.
Elapsed Time	The total elapsed time, in seconds, that this process has been running.
Thread Count	The number of threads currently active in this process. An instruction is the basic unit of execution in a processor, and a thread is the object that executes instructions. Every running process has at least one thread.
Handle Count	The total number of handles currently open by this process. This number is equal to the sum of the handles currently open by each thread in this process.
Priority	The current base priority of this process. Threads within a process can raise and lower their own base priority relative to the process' base priority.
Creating Proc ID	The Creating Process ID value is the Process ID of the process that created the process. The creating process may have terminated, so this value may no longer identify a running process.
Page Faults/Sec	Page Faults/Sec is the rate at which page faults by the threads executing in this process are occurring. A page fault occurs when a thread refers to a virtual memory page that is not in its working set in main memory. This may not cause the page to be fetched from disk if it is on the standby list and hence already in main memory, or if it is in use by another process with whom the page is shared.
Page File	Page File is the current number of kilobytes that this process has used in the paging file(s). Paging files are used to store pages of memory used by the process that are not contained in other files. Paging files are shared by all processes, and the lack of space in paging files can prevent other processes from allocating memory.
Private	Private is the current size, in kilobytes, of memory that this process has allocated that cannot be shared with other processes.

I/O Tab

The table below describes the information available in this section:

Column	Description
Disk	The disk number assignment.
Reading (KB/s)	The amount of bytes read from the device.
Writing (KB/s)	The amount of bytes written to the device.
Disk Read Time	Disk Read Time is the percentage of elapsed time that the selected disk drive was busy servicing read requests.
Disk Write Time	Disk Write Time is the percentage of elapsed time that the selected disk drive was busy servicing write requests.
Disk Time	Disk Time is the percentage of elapsed time that the selected disk was busy servicing requests.
Avg. Read Queue	Avg. Disk Read Queue Length is the average number of read requests that were queued for the selected disk during the sample interval.
Avg. Write Queue	Avg. Disk Write Queue Length is the average number of write requests that were queued for the selected disk during the sample interval.
Disk Reads/Sec	Disk Reads/Sec is the rate of read operations on the disk.
Disk Writes/Sec	Disk Writes/Sec is the rate of write operations on the disk.

Memory Tab

The Memory tab of the OS Detail page includes the following sections:

- [Cache Efficiency](#)
- [Free Physical](#)
- [Free Paged](#)
- [Paging Activity](#)
- [Page Faults](#)
- [Total Physical](#)
- [Total Paged](#)

Paging Activity

The Paging Activity section includes the following statistics:

- [Pages Input/Sec](#)
- [Pages Output/Sec](#)

Pages Input/Sec

The Pages Input/Sec statistic is the number of pages read from disk to resolve hard page faults. Hard page faults occur when a process requires code or data that is not in its working set or elsewhere in physical memory, and must be retrieved from disk.

Metrics

This value was designed as a primary indicator of the kinds of faults that cause system-wide delays. It includes pages retrieved to satisfy faults in the file system cache (usually requested by applications) and in non-cached mapped memory files. This counter counts numbers of pages, and can be compared to other counts of pages, such as Memory: Page Faults/sec, without conversion. This counter displays the difference between the values observed in the last two samples, divided by the duration of the sample interval.

Troubleshooting

Although it never hurts to have as much physical memory as your system can handle, there are some things you can check within your system to alleviate the memory bottleneck.

- Check to see if you have any drivers or protocols that are running but not being used. They use space in all memory pools even if they are idle.
- Check to see if you have additional space on your disk drive that you could use to expand the size of your page file. Normally, the bigger the initial size of your page file, the better, in performance terms.

Pages Output/Sec

The Pages Output/Sec statistic is the number of pages written to disk to free up space in physical memory. Pages are written back to disk only if they are changed in physical memory. A high rate of pages output might indicate a memory shortage.

Metrics

Windows NT writes more pages back to disk to free up space when low in physical memory. This counter counts numbers of pages, and can be compared to other counts of pages, without conversion. This counter displays the difference between the values observed in the last two samples, divided by the duration of the sample interval.

Troubleshooting

Although it never hurts to have as much physical memory as your system can handle, there are some things you can check within your system to alleviate the memory bottleneck.

- Check to see if you have any drivers or protocols that are running but not being used. They use space in all memory pools even if they are idle.
- Check to see if you have additional space on your disk drive that you could use to expand the size of your page file. Normally, the bigger the initial size of your page file, the better, in performance terms.

Free Physical

The Free Physical statistic is the amount of physical memory that is uncommitted.

Metrics

None.

Free Paged

The Free Paged statistic is the amount of uncommitted virtual memory.

Metrics

None.

Total Physical

The Total Physical statistic is the total physical memory available.

Metrics

None.

Total Paged

The Total Paged statistic is the amount of total virtual memory, in bytes. Used Memory is the physical memory that has space reserved on the disk paging file(s). There can be one or more paging files on each physical drive.

Metrics

None.

Page Faults/Sec

The Page Faults/Sec statistic is the overall rate faulted pages are handled by the processor. It is measured in numbers of pages faulted per second. A page fault occurs when a process requires code or data that is not in its working set. This counter includes both hard faults and soft faults.

Metrics

This counter displays the difference between the values observed in the last two samples, divided by the duration of the sample interval.

Troubleshooting

If the number of page faults remains consistently high, you can check with your Windows System Administrator for further investigation. Often, large numbers of page faults are not a problem so long as they are soft faults. However, hard faults, that require disk access, can cause delays.

Cache Efficiency

The Cache Efficiency section of the Memory tab succinctly communicates the general overall performance levels of the server's memory. The following statistics are available in this section:

- [Copy Read Hits%](#)
- [Data Map Hits%](#)
- [MDL Read Hits%](#)
- [Pin Read Hits%](#)

Copy Read Hits %

The Copy Read Hits % statistic is the percentage of cache copy read requests that hit the cache and does not require a disk read to provide access to the page in the cache.

Metrics

When the page is pinned in the memory, the page's physical address in the file system cache will not be altered. A copy read is a file read operation where a page in the cache is copied to the application's buffer. Because this value reflects hits, it ideally should be close to 100%. An amount below 100% indicates misses.

Troubleshooting

Adding physical memory to a server results in a larger file system cache, which is generally more efficient. Defragmenting disks also helps, putting related pages in the cache together and thereby improving the cache hit rate.

Data Map Hits %

The Data Map Hits % statistic is the percentage of data maps in the file system cache that could be resolved without having to retrieve a page from the disk.

Metrics

Because this value reflects hits, it ideally should be close to 100%. An amount below 100% indicates misses.

Troubleshooting

Adding physical memory to a server results in a larger file system cache, which is generally more efficient. Defragmenting disks also helps, putting related pages in the cache together and thereby improving the cache hit rate.

MDL Read Hits %

The MDL Read Hits % statistic is the percentage of Memory Descriptor List Read requests to the file system cache that hit the cache and does not require disk access to provide memory access to the pages in the cache.

Metrics

Because this value reflects hits, it ideally should be close to 100%. An amount below 100% indicates misses.

Troubleshooting

Adding physical memory to a server results in a larger file system cache, which is generally more efficient. Defragmenting disks also helps, putting related pages in the cache together and thereby improving the cache hit rate.

Pin Read Hits %

The Pin Read Hits % statistic is the percentage of pin read requests that hit the file system cache and does not require a disk read in order to provide access to the page in the file system cache.

Metrics

Because this value reflects hits, it ideally should be close to 100%. An amount below 100% indicates misses.

Troubleshooting

Adding physical memory to a server results in a larger file system cache, which is generally more efficient. Defragmenting disks also helps, putting related pages in the cache together and thereby improving the cache hit rate.

Space Tab

The Space tab of the OS Detail page includes the following sections:

- [Disk Space Free](#)
- [Disk Space Detail](#)

Disk Space Free

The Disk Space Free metric displays the amount of free disk space in megabytes.

Metric

None.

Disk Space Detail

The Disk Space Detail section of the Space tab succinctly communicates the general overall performance levels of the server's disks and space allotment. The table below describes the statistics in this section:

Statistic	Description
Partition	The drive letter of the disk.
Total Space	Total size of the disk/device's capacity expressed in MBs.
Used Space	Amount of MBs currently allocated on the particular disk/device.
Free Space	Amount of MBs currently unallocated and free on the particular disk/device.

Network Tab

The Network tab of the OS Detail page succinctly communicates the general overall performance levels of the server's networking. The statistics available in this section depend on the platform of operating system. The table below describes the information available in this section:

Column	Description
Network Interface	The name of network interface.
INET Address/Address	The IP address assigned to the network interface.
Pkts Sent/Sec	The number of packets sent per second.
Pkts Received/Sec	The number of packets received per second.
Sent (KB/Sec)	The number of bytes sent per second.
Received (KB/Sec)	The number of bytes received per second.
Out Pkts Discarded	The number of outbound packets discarded.
In Pkts Discarded	The number of inbound packets discarded.
Out Pkt Errors	The number of outbound packet errors.
In Pkt Errors	The number of inbound packet errors.
Queue Length	The queue length.
Collisions	The number of collisions.
Packets Discarded	The number of packets discarded.

Session Detail View

The Session Detail view is available for the following database platforms:

- [Oracle Session Detail View](#)
- [SQL Server Session Detail View](#)
- [Sybase Session Detail View](#)
- [DB2 Session Detail View](#)

Oracle Session Detail View

The following tabbed pages are available on the Session Detail view for Oracle:

- [Session Contention](#)
- [Session I/O](#)
- [Session Memory](#)
- [Session Network](#)
- [Session Objects](#)
- [Session SQL](#)
- [Session Statistics](#)

Session Memory Tab for Oracle

- [Metrics](#)

The Session Memory tab of the Session Detail view presents the statistics surrounding a session's memory usage. The table below describes the information available on the Session Memory tab of the Session Detail view for Oracle:

Column	Description
Statistic	The name of the memory related statistic.
Value	The cumulative value for the memory statistic.
Cache Hit Ratio	The percentage of data obtained from memory access vs. physical I/O.

Metrics

Sessions with abnormally high memory usage can affect overall performance at the server level, as this memory (PGA and UGA) is allocated outside of the Oracle SGA (unless the multi-threaded server option is being used). If cache hit ratios at the session level are lower than 85 percent, data access can be inefficient.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session I/O Tab for Oracle

- [Metrics](#)

The Session I/O tab of the Session Detail view presents the statistics surrounding a session's I/O activity. The table below describes the information available on the Session I/O tab of the Session Detail view for Oracle:

Column	Description
Statistic	The name of the I/O related statistic.
Value	The cumulative value for the I/O statistic.

Metrics

Seeing high values for physical reads and writes can indicate an inefficient session. Large numbers of physical reads can imply a session with too many large table scans or inefficient SQL operations. Large numbers of physical writes can be okay for sessions inputting large volumes of data into the database. Or, they could also indicate a session involved in heavy disk sort activity.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session Contention Tab for Oracle

- [Metrics](#)

The Session Contention tab of the Session Detail view presents information relating to resources on which the current session is waiting. The [first grid](#) displays user waits. The [second grid](#) displays user locks. The table below describes the information available in the User Waits grid on the Session Contention tab of the Session Detail view for Oracle:

Column	Description
Wait Cause	The wait event being experienced by the session.
Program	The program the session is executing against Oracle.
Seconds	The number of seconds the session has spent in the wait.

Column	Description
State	The status of the wait event (WAITING, etc.)

The table below describes the information available in the User Locks grid on the Session I/O tab of the Session Detail view for Oracle:

Column	Description
User	The user account being used by the session.
Terminal	The client machine name used by the session.
SID	The unique Oracle identifier for the session.
Serial #	The serial number for the session.
Table	The object locked by the session.
Lock Mode	The lock mode used by the session.
Title	The lock request issued by the session.

Metrics

You can ignore some waits, like the SQL*Net more data from client and SQL*Net message from client. Others, like enqueue waits, can be indicative of a lock contention problem. Waits, like db file scattered reads, can indicate sessions involved in long table scan operations.

Locks that are held for unusually long periods require further investigation. The application logic can be inefficient or the program is not issuing COMMITs frequently enough. The culprit of blocking-lock scenarios is usually the application design, or the SQL used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the correct SQL to get the job done is an art. Most DBAs who have had to face Oracle Forms applications have suffered through the dreaded SELECT...FOR UPDATE statements. These place unnecessary restrictive locks on nearly every read operation. The key to avoiding lock contention is to process user transactions as quickly and efficiently as possible.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session Objects Tab for Oracle

- [Metrics](#)

The Session Objects tab of the Session Detail view presents information regarding the objects in use by a session. The table below describes the information available in the Objects Accessed grid on the Session Objects tab of the Session Detail view for Oracle:

Column	Description
Owner	The owner of the object.
Type	The type of object (TABLE, VIEW, etc.).
Object	The name of the object.

The Rollback Segments Accessed grid displays the names of rollback segments currently being used by the session.

Metrics

Once you have an idea of which objects your users access most often, you can refine some processes to facilitate access to them. You can use the Oracle 8 concept of the KEEP buffer cache to force Oracle to hold often-referenced data for data objects. The KEEP buffer cache is ideal for holding small look-up tables. If you have an earlier version of Oracle or do not want to split up your current buffer cache, you can use the CACHE table attribute to encourage Oracle to keep data blocks of CACHE'd tables at the most recently used end of the LRU buffer cache chain.

If you consistently see a session with active rollbacks, it can indicate locks are being held for long durations. It can also indicate that a session is using code without frequent enough COMMIT points.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session Network Tab for Oracle

- [Metrics](#)

The Session Network tab of the Session Detail view presents information about requests being sent to and from the database with respect to the current session. The table below describes the information available on the Session Network tab of the Session Detail view for Oracle:

Column	Description
Statistic	The name of the SQL*Net related statistic.
Value	The cumulative value of the SQL*Net related statistic.

Metrics

None.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session SQL Tab for Oracle

- [Metrics](#)

The Session SQL tab of the Session Detail view presents information relating to any current SQL issued by the session as well as any SQL previously issued by the session.

Metrics

To determine access paths, you should export and run through an EXPLAIN PLAN session any SQL that you suspect of inefficient access.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Session Statistics Tab for Oracle

- [Metrics](#)

The Session Statistics tab of the Session Detail view presents information relating to all recorded performance and miscellaneous statistics for the current session. The table below describes the information available on the Session Statistics tab of the Session Detail view for Oracle:

Column	Description
Statistic	The name of the session related statistic.

Column	Description
Value	The cumulative value of the session related statistic.

Metrics

None.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

SQL Server Session Detail View

The Session Detail view down provides a granular look at the details when a process is acting in a way that merits further investigation. It also presents data about a particular process in a way that makes it easier to understand and view apart from all other processes that SQL Server is running.

The following tabbed pages are available on the Session Detail view for SQL Server:

- [All Locks](#)
- [Blocked By](#)
- [Blocking](#)
- [Overview](#)
- [SQL](#)

Overview Tab for SQL Server

- [Metrics](#)

The Overview tab of the Session Detail view displays information to analyze the details of a particular process. The tables below describe the statistics for each category on the Overview tab of the Session Detail view for SQL Server. The available categories are:

- [Contention](#)
- [General](#)
- [I/O](#)
- [Memory](#)
- [Network](#)
- [Users](#)

General Statistics

The table below describes the statistics in the General category on the Overview tab of the Session Detail view:

Statistic	Description
SPID	The SQL Server process ID. Unique value across all processes.
Login Name	The SQL Server login name of the process.
NT User	If using Windows Authentication, the name of the Windows NT user for this process. If using a trusted connection, the Windows NT user name.

Statistic	Description
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Database	The database in which the process is running.
Program	The executable the process is using against the server.
Host	The machine name that originated the process.

Memory Statistics

The table below describes the statistics in the Memory category on the Overview tab of the Session Detail view:

Statistic	Description
Memory Usage	The number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.
Buffer Cache Hit Ratio	The percentage of data page requests by this process that is available in memory as opposed to performing a physical I/O to disk.

Contention Statistics

The table below describes the statistics in the Contention category on the Overview tab of the Session Detail view:

Statistic	Description
Blocked By	If the process is being blocked, the SPID of the blocking process. A value of zero means that the process is not blocked.
Wait Time	The number of milliseconds that the process has been waiting to be serviced. A value of zero indicates that the process is not waiting.
Last Wait Type	The last or current SQL Server wait type.
Wait Resource	The SQL Server's textual representation of a lock resource.

I/O Statistics

The table below describes the statistics in the I/O category on the Overview tab of the Session Detail view:

Statistic	Description
Physical I/O	The number of physical and logical reads performed by this session.
Physical Reads	The number of physical reads from disk performed by this session.
Logical Reads	The number of reads from memory performed by this process.
Logical Writes	The number of writes to memory performed by this process.

Users Statistics

The table below describes the statistics in the Users category on the Overview tab of the Session Detail view:

Statistic	Description
CPU Usage	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Open Trans	The current number of open transactions owned by the process.
Login Time	For client process, the last time a client logged into the SQL Server instance. For system processes, the time that SQL Server was started.

Statistic	Description
Last Batch	For client process, the last time a remote stored procedure call or an EXECUTE statement was executed. For system processes, the time that SQL Server was started.

Network Statistics

The table below describes the statistics in the Network category on the Overview tab of the Session Detail view:

Statistic	Description
Net Address	The unique identifier of the network card in the client machine that owns the process.
Net Library	When a process is initiated from a client, the controlling mechanism is the network connection. Each network connection has a library associated with it. This value is the name library associated with the network connection responsible for this process.

Metrics

High memory usage and a low cache hit ratio for a given process over a sustained period of time could indicate that the process is using poorly written code. Check the SQL tab to investigate further.

Also, watch for an unusually high percentage of CPU use over a long period of time. This could indicate a rogue process that must be terminated by the DBA using a KILL command for the session.

SQL Tab for SQL Server

- [Metrics](#)

The SQL tab of the Session Detail view presents information relating to any current SQL issued by the session as well as any SQL previously issued by the session.

Metrics

To determine access paths, you should export and run through a QUERY PLAN session, any SQL suspect of inefficient access.

Blocked By Tab for SQL Server

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems. Although SQL Server supports row-level locking, blocking lock situations do crop up - sometimes frequently.

Metrics

The Blocked By tab contains information relating to processes that are currently blocking the process featured in the Session Detail view. The table below describes the information available on the Blocked By tab of the Session Detail view for SQL Server:

Column	Description
SPID	The SQL Server process ID. It is a unique value across all processes.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Login	The SQL Server login name of the process.
NT User	If using Windows Authentication, the name of the Windows NT user for this process. If using a trusted connection, the Windows NT user name.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Memory	The number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.
CPU	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Physical I/O	The current cumulative number of physical disk reads and writes issued by the process.
Blocked	If the process is being blocked, the SPID of the blocking process.
Database	The database in which the process is running.
Command	The current command being executed by the process.
Last Batch	For a client process, the last time a remote stored procedure call or an EXECUTE statement was executed. For system processes, the time that SQL Server was started.
Login Time	For a client process, the last time a client logged into the SQL Server instance. For system processes, the time that SQL Server was started.
Wait Time	The time that the process has been waiting to be serviced, in milliseconds. A value of zero indicates that the process is not waiting.
Wait Type	The last or current SQL Server wait type.
Open Xacts	The current number of open transactions owned by the process.
NT Domain	If using Windows Authentication or a trusted connection, the name of the Windows domain of the user who owns the process.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects the user was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in SQL Server. You can change this behavior by using the SET LOCK_TIMEOUT command, which limits the number of seconds that a process waits for a lock before timing out.

Blocking Tab for SQL Server

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems. Although SQL Server supports row-level locking, blocking lock situations do crop up - sometimes frequently.

Metrics

The Blocking tab contains information on blocks issued by the featured process that are blocking other processes. The table below describes the information available on the Blocking tab of the Session Detail view for SQL Server:

Column	Description
SPID	The SQL Server process ID. It is a unique value across all processes.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Login	The SQL Server login name of the process.
NT User	If using Windows Authentication, the name of the Windows NT user for this process. If using a trusted connection, the Windows NT user name.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Memory	The number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.
CPU	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Physical I/O	The current cumulative number of physical disk reads and writes issued by the process.
Database	The database in which the process is running.
Command	The current command being executed by the process.
Last Batch	For client process, this value represents the last time a remote stored procedure call or an EXECUTE statement was executed. For system processes, it represents the time at which SQL Server was started.
Login Time	For client process, the last time a client logged into the SQL Server instance. For system processes, the time that SQL Server was started.
Wait Time	The time that the process has been waiting to be serviced, in milliseconds. A value of zero indicates that the process is not waiting.
Wait Type	The last or current SQL Server wait type.
Open Xacts	The current number of open transactions owned by the process.
NT Domain	If using Windows Authentication or a trusted connection, the name of the Windows Domain of the user who owns the process.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects the user was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in SQL Server. You can change this behavior by using the SET LOCK_TIMEOUT command, which limits the number of seconds that a process waits for a lock before timing out.

All Locks Tab for SQL Server

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches even on large systems. Although SQL Server supports row-level locking, blocking lock situations do crop up - sometimes frequently.

Metrics

The All Locks tab contains information on all locks associated with the featured SPID, including locks that are held by the process and locks that are blocking the process. The table below describes the information available on the All Locks tab of the Session Detail view for SQL Server:

Column	Description
Database	The database where the locks are occurring.
Table Name	The name of the table involved in a lock. NULL for non-table locks or table locks that take place in the tempdb database.
Ndx ID	The index ID involved in the lock.
Lock Type	The type of lock (database, table, row ID, etc.).
Lock Mode	The mode of the lock (shared, exclusive, etc.).
Lock Status	The status of the lock (waiting or granted).
Owner Type	Whether the lock came from a regular session or a transaction.
Program	The executable the process is using against the server.
BLK SPID	If nonzero, the process ID of the process blocking the requested lock. A value of zero indicates that the process is not blocked.
Wait Time	The time the process has waited for the lock, in milliseconds.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Command	The command the process is currently issuing.
NT Domain	The name of the Windows 2000/NT domain.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects the user was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

By default, all processes wait indefinitely for locks in SQL Server. You can change this behavior by using the SET LOCK_TIMEOUT command, which limits the number of seconds that a process waits for a lock before timing out.

Sybase Session Detail View

The Session Detail view down provides a granular look at the details when a process is acting in a way that merits further investigation. It also presents data about a particular process in a way that makes it easier to understand and view apart from all other processes that Sybase is running.

The following tabbed pages are available on the Session Detail view for Sybase:

- [Overview](#)
- [SQL](#)
- [Blocked By](#)
- [Blocking](#)
- [All Locks](#)

Overview Tab for Sybase

The Overview tab of the Session Detail view displays information to analyze the details of a particular process. The tables below describe the statistics for each category on the Overview tab of the Session Detail view for Sybase. The available categories are:

- [Contention](#)
- [Execution](#)
- [General](#)
- [I/O](#)
- [Memory](#)
- [Users](#)

General Statistics

The table below describes the statistics in the General category on the Overview tab of the Session Detail view:

Statistic	Description
SPID	The Sybase process ID. Unique value across all processes.
Login Name	The Sybase login name of the process.
Family ID	The ID of the coordinating process and all of its worker processes.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Database	The database in which the process is running.
Program	The executable the process is using against the server.

Statistic	Description
Host	The machine name that originated the process.

Memory Statistics

The Memory Usage statistic in the Memory category on the Overview tab of the Session Detail view is the number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.

Contention Statistics

The table below describes the statistics in the Contention category on the Overview tab of the Session Detail view:

Statistic	Description
Blocked By	If the process is being blocked, the SPID of the blocking process. A value of zero indicates that the process is not blocked.
Time Blocked	The SQL Server's wait time.

I/O Statistics

The Physical I/O statistic in the I/O category on the Overview tab of the Session Detail view is the number of physical and logical reads performed by this session.

Users Statistics

The table below describes the statistics in the Users category on the Overview tab of the Session Detail view:

Statistic	Description
CPU Usage	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Active Trans	The current number of open transactions owned by the process.

Execution Statistics

The table below describes the statistics in the Execution category on the Overview tab of the Session Detail view:

Statistic	Description
Exec Class	The execution class for the current process.
Priority	The priority of the current process.
Affinity	The affinity level for the current process.

SQL Tab for Sybase

- [Metrics](#)

The SQL tab of the Session Detail view presents information relating to any current SQL issued by the session as well as any SQL previously issued by the session.

Metrics

To determine access paths, you should export and run through a QUERY PLAN session, any SQL suspect of inefficient access.

Blocked By Tab for Sybase

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches even on large systems.

Metrics

The Blocked By tab contains information relating to processes that are currently blocking the process featured in the Session Detail view. The table below describes the information available on the Blocked By tab of the Session Detail view for Sybase:

Column	Description
SPID	The Sybase process ID. This is a unique value across all processes.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Login	The Sybase login name of the process.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Memory	The number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.
CPU	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Physical I/O	The current cumulative number of physical disk reads and writes issued by the process.
Database	The database in which the process is running.
Command	The current command being executed by the process.
Time Blocked	The time that the process has been blocked, in seconds.
Transaction	The name of any transaction.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects the user was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

Blocking Tab for Sybase

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems.

Metrics

The Blocking tab contains information on blocks issued by the featured process that are blocking other processes. The table below describes the information available on the Blocking tab of the Session Detail view for Sybase:

Column	Description
SPID	The Sybase process ID. This is a unique value across all processes.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Login	The Sybase login name of the process.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Memory	The number of pages in the procedure cache (SQL Cache) that are currently allocated to this process. A negative number indicates that pages are being released (freed) from this process.
CPU	The cumulative CPU time for the process. The CPU usage is updated regardless of the value of the SET STATISTICS TIME ON option.
Physical I/O	The current cumulative number of physical disk reads and writes issued by the process.
Database	The database in which the process is running.
Command	The current command being executed by the process.
Time Blocked	The time that the process has been blocked, in seconds.
Transaction	The name of any transaction.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied - the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects they were accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

All Locks Tab for Sybase

- [Metrics](#)
- [Troubleshooting](#)

Without a doubt, blocking lock situations can give the appearance of a “frozen” database almost more than anything else. A single blocking user has the potential to stop work for nearly all other processes on a small system, and can cause major headaches on large systems.

Metrics The All Locks tab contains information on all locks associated with the featured SPID, including locks that are held by the process and locks that are blocking the process. The table below describes the information available on the All Locks tab of the Session Detail view for Sybase:

Column	Description
Database	The database where the locks are occurring.
Lock Type	The type of lock (database, table, row ID, etc.)
Object Name	The name of the object being blocked.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Lock Page	The page number where the lock is currently applied.
Lock Class	The name of the cursor the lock is associated with (if any).
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Command	The command the process is currently issuing.
Transaction	The name of any transaction.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Troubleshooting

Once discovered, a blocking lock situation can normally be quickly remedied—the DBA issues a KILL against the offending process, which eliminates the user's stranglehold on the objects the user was accessing. Other user processes then nearly almost always complete in an instant. Discovering the blocked lock situation is made easier by using tools like Performance Center, but preventing the blocking lock situation in the first place is tricky.

The culprit of blocking lock scenarios is usually the application design, or the SQL being used within the application itself. Properly coding an application to reference database objects in an efficient order, and then using the right SQL to get the job done, is an art. The key to avoiding lock contention is to process user transactions in the quickest and most efficient manner possible - something not always easy to do.

DB2 Session Detail View

The following tabbed pages are available on the Session Detail view for DB2:

- [Application Tab for DB2](#)
- [Unit of Work Tab for DB2](#)
- [Locking Tab for DB2](#)
- [Memory Tab for DB2](#)
- [I/O Tab for DB2](#)
- [SQL Statistics Tab for DB2](#)

The following information about the selected application is available on each page:

Field	Description
Agent ID	This is a system-wide unique identifier for the application.
Auth ID	This is the authorization ID of the user who invoked the application being monitored.

Field	Description
OS User ID	This is the authorization ID used to access the operating system.
Application	This is the name of the application executable.

Application Tab for DB2

The Application tab contains application and client detail information from the application snapshot record for the selected application.

Application Details

Statistic	Description
Application Agent ID	This is a system-wide unique identifier for the application.
Application Agent PID	The process ID (UNIX) or thread ID (Windows) of a DB2 agent.
Application Agent System CPU (sec)	This is the total system CPU time (in seconds) used by the database manager agent process.
Application Agent User CPU (sec)	This is the total CPU time (in seconds) used by database manager agent process.
Application Agents	This is the number of agents currently executing statements or subsections.
Application Agents Stolen	This is the number of times agents are stolen from the application. Agents are stolen when an idle agent is reassigned from one application to another.
Application Assoc Agents HWM	This is the maximum number of subagents associated with the application.
Application Assoc Sub-Agents	This is the number of subagents associated with the application.
Application Authorization ID	This is the authorization ID of the user who invoked the application being monitored.
Application Codepage	This is the code page identifier.
Application Connect Complete Time	This is the date and time a connection request was granted.
Application Connect Start Time	This is the date and time an application started a connection request.
Application Coord Agent PID	This is the process ID (UNIX) or thread ID (Windows) of the coordinator agent for the selected application.
Application Coord Node	In a multi-node system, this is the node number of the node where the selected application connected or attached to the instance.
Application Coord Token	This is the DRDA AS correlation token.
Application ID	This is generated when the application connects to the database at the database manager or when DDCS receives a request to connect to a DRDA database.
Application Idle Time	This is the number of seconds since the selected application last issued any requests to the server. This includes applications that have not terminated a transaction, for example not issued a commit or rollback.
Application Name	Name of the application executable.
OS User ID	The authorization ID used to access the operating system.
Application Priority	This is the priority of the agents working for this application.
Application Priority Type	This is the operating system priority type for the agent working on behalf of the application.
Application Sequence Number	This identifier is incremented when a unit of work ends (when a COMMIT or ROLLBACK terminates a unit of work). Together, the application ID and application sequence number uniquely identify a transaction.

Statistic	Description
Application Session Auth ID	This is the current authorization ID for the session being used by this application.
Application Status	This is the current status of the application.
Application Status Change Time	This is the date and time the application entered its current status.
Application Territory Code	This is the territory code (formerly country code) of the database for which the monitor data is being collected.

Application Authorities

Column	Description
Authority	This is the highest authority level granted to the application.
Explicit	Authorizations granted explicitly to a user.
Indirect	Indirect authorizations inherited from group or public.

Client Details

Statistic	Description
Client Database Alias	This is the alias of the database provided by the application to connect to the database.
Client Inbound Comm Address	This is the communication address of the client.
Client Node Name	This is the node name (nname) in the database manager configuration file at the client database partition.
Client PID	This is the process ID of the client application that made the connection to the database.
Client Platform	This is the operating system on which the client application is running.
Client Product and Version	This is the product and version that is running on the client.
Client Protocol	This is the communication protocol that the client application is using to communicate with the server.
TP Client Accounting String	This is the data passed to the target database for logging and diagnostic purposes (if the sqleseti API was issued in this connection).
TP Client Application Name	This name identifies the server transaction program performing the transaction (if the sqleseti API was issued in this connection).
TP Client User ID	This is the client user ID generated by a transaction manager and provided to the server (if the sqleseti API is used).
TP Client Workstation Name	This name identifies the client's system or workstation, for example CICS EITERMID, if the sqleseti API was issued in this connection.

Unit of Work Tab for DB2

The Unit of Work tab contains the SQL statement for the selected application, as well as statistics related to that statement.

SQL Statement

The SQL Statement field displays the SQL statement for the application. You can click **Explain SQL** to view an explain plan for the statement.

Statement Detail

Statistic	Description
SQL Statement	This is the text of the dynamic SQL statement.
Node	This is the node where the statement was executed.
Type	This is the type of statement processed.
Creator	This is the authorization ID of the user that pre-compiled the application.
Operation	This is the statement operation currently being processed or that was most recently processed (if none are currently running).
Agents Created	This is the maximum number of agents that were used when executing the statement.
Agents Working	This is the number of concurrent agents currently executing a statement or subsection.
Cursor Name	This is the name of the cursor corresponding to this SQL statement.
Blocking Cursor	This indicates if the statement being executed is using a blocking cursor.
Package Name	This is the name of the package that contains the SQL statement that is currently executing.
Package Version	This identifies the version identifier of the package that contains the currently executing SQL statement.
Section Number	This is the internal section number in the package for the SQL statement currently processing or most recently processed.
Parallelism Degree	This is the degree of parallelism requested when the query was bound.
Query Cost Estimate	This is the estimated cost for a query (in timerons) as determined by the SQL compiler.
Query Card Estimate	This is an estimate of the number of rows that will be returned by a query.

Statement Statistics

Statistic	Description
Statement Start Time	This is the date and time when the statement operation (stmt_operation) monitor element started executing.
Statement Stop Time	This is the date and time when the statement operation (stmt_operation) monitor element stopped executing.
Statement Sort Time (sec)	This is the total elapsed time (in seconds) for all sorts that have been executed.
Statement User CPU (sec)	This is the total user CPU time (in seconds) used by the currently executing statement.
Statement System CPU (sec)	This is the total system CPU time (in seconds) used by the currently executing statement.
Statement Elapsed Time (sec)	This is the elapsed execution time (in seconds) of the most recently completed statement.
UOW Start Time	This is the date and time that the unit of work first required database resources.
UOW Stop Time	This is the date and time that the most recent unit of work completed. This occurs when database changes are committed or rolled back.
UOW Prev Stop Time	This is the time the previous unit of work completed.
UOW Elapsed Time (sec)	This is the elapsed execution time (in seconds) of the most recently completed unit of work.
UOW Lock Wait Time (sec)	This is the total amount of elapsed time (in seconds) this unit of work has spent waiting for locks.
UOW Log Space Used (KB)	This is the amount of log space (in kilobytes) used in the current unit of work of the monitored application.
UOW Completion Status	This is the status of the unit of work and how it stopped.

Statement Activity

Statistic	Description
Sorts	This is the total number of times a set of data was sorted in order to process the statement operation (stmt_operation).
Sort Overflows	This is the total number of sorts that ran out of sort heap and may have used disk space for temporary storage.
Fetches	This is the number of successful fetches that were performed on a specific cursor.
Rows Read	This is the number of rows read from the table.
Rows Written	This is the number of rows changed (inserted, deleted, or updated) in the table.
Internal Rows Deleted	This is the number of rows deleted from the database as a result of internal activity.
Internal Rows Updated	This is the number of rows updated from the database as a result of internal activity.
Internal Rows Inserted	This is the number of rows inserted into the database as a result of internal activity that was caused by triggers.
Temporary Data Logical Reads	This indicates the number of data pages that have been requested from the buffer pool (logical) for temporary table spaces. NOTE: The functionality to record buffer pool information at the statement level is supported for API and CLP snapshot requests.
Temporary Data Physical Reads	Indicates the number of data pages that have been read in from the table space containers (physical) for temporary table spaces. NOTE: The functionality to record buffer pool information at the statement level is supported for API and CLP snapshot requests.
Temporary Index Logical Reads	Indicates the number of index pages that have been requested from the buffer pool (logical) for temporary table spaces. NOTE: The functionality to record buffer pool information at the statement level is supported for API and CLP snapshot requests.
Temporary Index Physical Reads	Indicates the number of index pages that have been read in from the table space containers (physical) for temporary table spaces. NOTE: The functionality to record buffer pool information at the statement level is supported for API and CLP snapshot requests.

Locking Tab for DB2

The Locking tab is a single application view of the [Lock View](#). Information that is found in the Locks Held and Locks Waiting tabs of the Lock View will be available here for the selected application.

Locks Held

Column	Description
Lock Mode	This is the type of lock being held.
Object Type	This is the type of object against which the application holds a lock (for object-lock-level information), or the type of object for which the application is waiting to obtain a lock (for application-level and deadlock-level information).
Table Schema	This is the schema of the table that the lock is on.
Table Name	This is the name of the table that the lock is on. This element is only set if Object Type indicates Table.
Tablespace	This is the name of the table space against which the lock is held.
Lock Status	This is the lock's status (waiting or granted).

Column	Description
Escalation	This indicates whether a lock request was made as part of a lock escalation.

Locks Waiting

Column	Description
Agent ID	This is the application handle of the agent holding a lock for which this application is waiting.
Application ID	This is the application ID of the application that is holding a lock on the object that this application is waiting to obtain.
Lock Mode	This is the type of lock being held.
Mode Requested	This is the lock mode being requested by the application.
Object Type	This is the type of object against which the application holds a lock.
Table Schema	This is the schema of the table that the lock is on.
Tablespace	This is the name of the table that the lock is on. This element is only set if Object Type indicates Table.
Wait Start Time	This is the date and time that this application started waiting to obtain a lock on the object that is currently locked by another application.
Escalation	This indicates whether a lock request was made as part of a lock escalation.

Memory Tab for DB2

The Memory tab displays all the memory pools for the application and key cache statistics specific to the application.

Memory Pools

Column	Description
Node	This is the number assigned to the node in the db2nodes.cfg file.
Memory Pool	This is the type of memory pool.
Utilization	This is the percentage of memory pool used.
High Watermark (MB)	This is the largest size of a memory pool (in megabytes) since its creation.
Current Size (MB)	This is the current size of a memory pool (in megabytes).
Max Size (MB)	This is the internally configured size of a memory pool (in megabytes) in DB2.

Memory Statistics

Statistic	Description
Application Section Inserts	This is the number of inserts of SQL sections by an application from its SQL work area.
Application Section Lookups	This is the number of lookups of SQL sections by an application from its SQL work area.
Catalog Cache Inserts	This is the number of times that the system tried to insert table descriptor or authorization information into the catalog cache.
Catalog Cache Lookups	This is the number of times that the catalog cache was referenced to obtain table descriptor information or authorization information.
Catalog Cache Overflows	This is the number of times that the catalog cache overflowed the bounds of its allocated memory.

Statistic	Description
Package Cache Inserts	This is the total number of times that a requested section was not available for use and had to be loaded into the package cache. This includes any implicit prepares performed by the system.
Package Cache Lookups	This is the number of times an application looked for a section or package in the package cache.
Private Workspace Inserts	This is the number of inserts of SQL sections by an application into the private workspace.
Private Workspace Lookups	This is the number of lookups of SQL sections by an application in its agents' private workspace.
Private Workspace Overflows	This is the number of times that the private workspaces overflowed the bounds of its allocated memory.
Private Workspace HWM (KB)	This is the largest size (in kilobytes) reached by the private workspace.
Shared Workspace Inserts	This is the number of inserts of SQL sections by applications into shared workspaces.
Shared Workspace Lookups	This is the number of lookups of SQL sections by applications in shared workspaces.
Shared Workspace Overflows	This is the number of times that shared workspaces overflowed the bounds of their allocated memory.
Shared Workspace HWM (KB)	This is the largest size (in kilobytes) reached by shared workspaces.

Cache Hit Ratios

Ratio	Description
Catalog Cache	The catalog cache hit ratio indicates how well the catalog cache is helping to avoid actual accesses to the catalog on disk. A high ratio indicates successful avoidance of actual disk I/O accesses.
Package Cache	The package cache hit ratio indicates how well the package cache is helping to avoid reloading packages and sections for static SQL from the system catalogs as well as helping to avoid recompiling dynamic SQL statements. A high ratio indicates successful avoidance of these activities.
Shared Workspace	The shared workspace hit ratio indicates how well the shared SQL workspace is helping to avoid having to initialize sections for SQL statements that are about to be executed. A high ratio indicate successful avoidance of this action.
Private Workspace	The private workspace hit ratio indicates how well the private SQL workspace is helping to avoid having to initialize sections for SQL statements that are about to be executed. A high ratio indicate successful avoidance of this action.
Application Workspace	The application workspace hit ratio indicates how well the application SQL workspace is helping to avoid having to initialize sections for SQL statements that are about to be executed. A high ratio indicate successful avoidance of this action.

I/O Tab for DB2

The I/O tab displays detailed I/O information from the application snapshot record for the selected application.

I/O Statistics

Statistic	Description
Buffered Data Logical Reads	This indicates the number of data pages that have been requested from the buffer pool (logical) for regular and large table spaces.

Statistic	Description
Buffered Data Physical Reads	This indicates the number of data pages that have been read from the table space containers (physical) for regular and large table spaces.
Buffered Data Writes	This indicates the number of times a buffer pool data page was physically written to disk.
Buffered Index Logical Reads	This indicates the number of index pages that have been requested from the buffer pool (logical) for regular and large table spaces.
Buffered Index Physical Reads	This indicates the number of index pages that have been read from the table space containers (physical) for regular and large table spaces.
Buffered Index Writes	This indicates the number of times a buffer pool index page was physically written to disk.
Buffered Read Time (sec)	This indicates the total amount of time (in seconds) spent reading data and index pages from the table space containers (physical) for all types of table spaces.
Buffered Write Time (sec)	This indicates the total amount of time (in seconds) spent physically writing data or index pages from the buffer pool to disk.
Direct Reads	This is the number of read operations that do not use the buffer pool.
Direct Read Requests	This is the number of requests to perform a direct read of one or more sectors of data.
Direct Writes	This is the number of write operations that do not use the buffer pool.
Direct Write Requests	This is the number of requests to perform a direct write of one or more sectors of data.
Direct Read Time (sec)	This is the elapsed time (in seconds) required to perform the direct reads.
Direct Write Time (sec)	This is the elapsed time (in seconds) required to perform the direct writes.
Extended Storage – Data Pages From	This is the number of buffer pool data pages copied from extended storage.
Extended Storage – Data Pages To	This is the number of buffer pool data pages copied to extended storage.
Extended Storage – Index Pages From	This is the number of buffer pool index pages copied from extended storage.
Extended Storage – Index Pages To	This is the number of buffer pool index pages copied to extended storage.
Prefetch Pages Unread	This indicates the number of pages that the prefetcher read in that were never used.
Prefetch Wait Time (sec)	This is the time an application spent waiting for an I/O server (prefetcher) to finish loading pages into the buffer pool.
Temporary Data Logical Reads	This indicates the number of data pages which have been requested from the buffer pool (logical) for temporary table spaces.
Temporary Data Physical Reads	This indicates the number of data pages read in from the table space containers (physical) for temporary table spaces.
Temporary Index Logical Reads	This indicates the number of index pages which have been requested from the buffer pool (logical) for temporary table spaces.
Temporary Index Physical Reads	This indicates the number of index pages read in from the table space containers (physical) for temporary table spaces.

I/O Distribution Ratios

Ratio	Description
Direct Read Ratio	Direct Reads are read operations that do not use the buffer pool. Direct Read Ratio is the percentage of all reads that were direct reads.

Ratio	Description
Logical Read Ratio	Logical Reads is the sum of all Buffer Pool Data Logical Reads and Buffer Pool Index Logical Reads. Logical Read Ratio is the percentage of all reads that were logical reads.
Physical Read Ratio	Physical Reads is the sum of all Buffer Pool Data Physical Reads and Buffer Pool Index Physical Reads. Physical Read Ratio is the percentage of all reads that were physical reads.
Direct Write Ratio	Direct Writes are write operations that do not use the buffer pool. Direct Write Ratio is the percentage of all writes that were direct writes.
Buffered Write Ratio	Buffered Writes is the sum of all Buffer Pool Data Writes and Buffer Pool Index Writes. Buffered Write Ratio is the percentage of all writes that were buffered writes.

SQL Statistics Tab for DB2

The SQL Statistics tab contains statistics about the SQL statement for the selected application.

SQL Statistics

Statistic	Description
Binds and Pre-Compiles	This is the number of binds and pre-compiles attempted.
Cursor Block Requests Accepted	This is the number of times a request for an I/O block was accepted.
Cursor Block Requests Rejected	This is the number of times a request for an I/O block at the server was rejected and the request was converted to non-blocked I/O.
Cursors Open Local	This is the number of local cursors currently open for this application, including those cursors counted by Cursors Open Local with Blocking.
Cursors Open Local with Blocking	This is the number of local blocking cursors currently open for this application.
Cursors Open Remote	This is the number of remote cursors currently open for this application, including those cursors counted by Cursors Open Remote with Blocking.
Cursors Open Remote with Blocking	This is the number of remote blocking cursors currently open for this application.
Internal Automatic Rebinds	This is the number of automatic rebinds (or recompiles) that have been attempted.
Internal Commits	This is the total number of commits initiated internally by the database manager.
Internal Rollbacks	This is the total number of rollbacks initiated internally by the database manager.
Internal Deadlock Rollbacks	This is the total number of forced rollbacks initiated by the database manager due to a deadlock. A rollback is performed on the current unit of work in an application selected by the database manager to resolve the deadlock.
Internal Rows Deleted	This is the number of rows deleted from the database as a result of internal activity.
Internal Rows Inserted	This is the number of rows inserted into the database as a result of internal activity caused by triggers.
Internal Rows Updated	This is the number of rows updated from the database as a result of internal activity.
Rows Deleted	This is the number of row deletions attempted.
Rows Inserted	This is the number of row insertions attempted.
Rows Read	This is the number of rows read from the table.
Rows Selected	This is the number of rows that have been selected and returned to the application.
Rows Updated	This is the number of row updates attempted.
Rows Written	This is the number of rows changed (inserted, deleted, or updated) in the table.

Statistic	Description
SQL DDL Statements	This indicates the number of SQL Data Definition Language (DDL) statements that were executed.
SQL Commit Statements	This indicates the total number of SQL COMMIT statements that have been attempted.
SQL Dynamic Statements	This indicates the number of dynamic SQL statements that were attempted.
SQL Failed Statements	This indicates the number of SQL statements that were attempted and failed.
SQL Requests Since Last Commit	This indicates the number of SQL requests submitted since the last commit.
SQL Rollback Statements	This indicates the total number of SQL ROLLBACK statements that have been attempted.
SQL Select Statements	This indicates the number of SQL SELECT statements that were executed.
SQL Static Statements	This indicates the number of static SQL statements that were attempted.
SQL UID Statements	This indicates the number of SQL UPDATE, INSERT, and DELETE statements that were executed.

SQL Distribution Ratios

Column	Description
DDL Statements	This is the percentage of all executed statements that were SQL DDL Statements.
UID Statements	This is the percentage of all executed statements that were SQL UID Statements.
Failed Statements	This is the percentage of all executed statements that were SQL Failed Statements.
Select Statements	This is the percentage of all executed statements that were SQL Select Statements.

Top Sessions View

The following tabbed pages are available on the Top Sessions view:

- [Memory Tab](#)
- [I/O Tab](#)
- [CPU Tab](#)

Memory Tab

The information on the Memory tab of the Top Sessions view depends on the target DBMS:

- [Memory Tab for Oracle](#)
- [Memory Tab for SQL Server](#)
- [Memory Tab for Sybase](#)
- [Memory Tab for DB2](#)

Memory Tab for Oracle

- [Metrics](#)

It is frequently the case that one or two users cause the majority of run-time problems. The problem could originate with a runaway process, an untuned batch procedure, or other user-initiated operation. User connections can get out of hand with memory consumption, and extreme cases have caused difficulties at both the database and operating system levels (ORA-4030 errors).

The table below describes the information available on the Leading Sessions tab of the Memory Detail view and the Memory tab of the Top Sessions view for Oracle:

Column	Description
User Name	The logon name the session is using.
SID	The unique Oracle identifier for the session.
Serial #	The serial number assigned to the session.
Status	The status of the session, ACTIVE or INACTIVE.
Machine	The name of the client machine name that the session is using.
PGA Memory (KB)	The Program Global Area (PGA) is a private memory area devoted to housing the global variables and data structures for a single Oracle process, in KB.
UGA Memory (KB)	The User Global Area (UGA) contains session specific information regarding open cursors, state information for packages, database link information, and more. When using Oracle's Multi-threaded Server (MTS), the UGA can be moved up into the SGA, in KB.
Memory Sorts (KB)	The total number of memory sorts a session has performed.
Total Memory (KB)	The memory (PGA + UGA) that the session is consuming, in KB.

NOTE: This information is available on both the [Leading Sessions tab](#) of the Memory Detail view and the Memory tab of the Top Sessions view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

If your database server does not have an overabundance of memory, you should check periodically to see who your heavy memory users are and the total percentage of memory each takes up. If you see that one or two users use more than 5-15 percent of the total memory, you should investigate the sessions further to see what activities they are performing.

Memory Tab for SQL Server

- [Metrics](#)

It is not uncommon for one or two users to cause the majority of runtime problems that plague a database. The problem could be a runaway process, an untuned batch procedure, or other user-initiated operation. User connections can get out of hand with memory consumption, and extreme cases have caused headaches at both the database and operating system levels.

Performance Center displays information to find processes that are using the most memory on the server on the Leading Sessions tab of the Memory Detail view and the Memory tab of the Top Sessions view.

The table below describes the information available on these tabs:

Column	Description
PID	The process ID of the connected session.
User Name	The user name assigned to the process.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The program the process has invoked against SQL Server.
Memory Usage	The total number of memory pages allocated to the process.
Pct Mem Used	The percentage of overall memory among all processes that can be attributed to the process.
Database	The database in which the process is currently running.
Command	The command the process is currently issuing.
Open Trans	The number of open transactions for the process.
Blocked	The PID of any process blocking the current process.
Wait Time	The current wait time for the process, in milliseconds.

NOTE: This information is available on both the [Leading Sessions tab](#) of the Memory Detail view and the Memory tab of the Top Sessions view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

If your database server does not have an overabundance of memory, you should periodically check to see who your heavy memory users are along with the total percentage of memory each takes up. If you see one or two users who have more than 5-15 percent of the total memory usage, you should investigate the sessions further to see what activities they are performing.

Memory Tab for Sybase

- [Metrics](#)

It is not uncommon for one or two users to cause the majority of runtime problems that plague a database. The problem could be a runaway process, an untuned batch procedure, or other user-initiated operation. Often, user connections can get out of hand with memory consumption, and extreme cases have caused headaches at both the database and operating system levels.

This tab displays information to find processes that are using the most memory on the server. The table below describes the information available on the Leading Sessions tab of the Memory Detail view and the Memory tab of the Top Sessions view for Sybase:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
FID	The process ID of the worker process' parent.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Memory Usage	The memory currently used by the process.
Pct Mem Used	The percentage of memory currently used by the process.
Database	The database in which the process is running.
Command	The command the process is currently issuing.
Transaction	The name of any transaction.
Blocked	The PID of any process blocking the current process.
Time Blocked	The time that the process has been blocked, in seconds.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

If your database server does not have an overabundance of memory, you should periodically check to see who your heavy memory users are along with the total percentage of memory each takes up. If you see one or two users who have more than 5-15 percent of the total memory usage, you should investigate the sessions further to see what activities they are performing.

Memory Tab for DB2

- [Metrics](#)

It is not uncommon for one or two users to cause the majority of runtime problems that plague a database. The problem could be a runaway process, an untuned batch procedure, or other user-initiated operation. Often, user connections can get out of hand with memory consumption, and extreme cases have caused headaches at both the database and operating system levels.

This tab displays information to find processes that are using the most memory on the server. The table below describes the information DB2 on the Leading Sessions tab of the Memory Detail view and the Memory tab of the Top Sessions view for DB2:

Column	Description
Agent ID	The application handle of the agent holding a lock for which this application is waiting.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
OS User ID	The operating system ID of the process.
Client PID	The process ID of the client application that made the connection to the database.
Application	The name of the application executable.
Status	The current status of the application.
UOW Elapsed Time (sec)	The elapsed execution time of the most recently completed unit of work.
Memory Overflows	Total number of memory overflows.
Memory Used (KB)	Total memory pool usage for the application.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

If your database server does not have an overabundance of memory, you should periodically check to see who your heavy memory users are along with the total percentage of memory each takes up. If you see one or two users who have more than 5-15 percent of the total memory usage, you should investigate the sessions further to see what activities they are performing.

I/O Tab

The information on the I/O tab of the Top Sessions view depends on the target DBMS:

- [I/O Tab for DB2](#)
- [I/O Tab for SQL Server](#)
- [I/O Tab for Sybase](#)
- [I/O Tab for DB2](#)

I/O Tab for Oracle

- [Metrics](#)

When a system undergoes heavy I/O activity, all the user connections can contribute somewhat equally to the overall load. Frequently, however, one or two user connections are responsible for 75 percent or more of the I/O activity. It may be that a large batch load or other typical process is running, and that is perfectly okay for your system. Or, it may be a runaway process or rogue connection that you should track down and eliminate.

It is a good idea to periodically check the leading sessions in your system with respect to I/O and make sure all is well. You can use Performance Center to perform this function with the information available on this tab. The table below describes the information available on the Leading Sessions tab of the I/O Detail view and the I/O tab of the Top Sessions view for Oracle:

Column	Description
User Name	The logon name the session is using.
SID	The unique Oracle identifier for the session.
Serial #	The serial number assigned to the session.
Status	The status of the session, ACTIVE or INACTIVE.
Machine	The name of the client machine name that the session is using.
Reads	The number of physical reads.
Writes	The number of physical writes.
Total I/O	The total of all physical I/O operations for the session.

NOTE: This information is available on both the [Leading Sessions tab](#) of the I/O Detail view and the I/O tab of the Top Sessions view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Pinpointing sessions with abnormally high I/O activity relative to other sessions in the system can aid in ferreting out accounts that are dragging down overall system performance. You should examine the activity of each session to determine the system workload and to see if you can reduce the workload or tune the system for better performance.

I/O Tab for SQL Server

- [Metrics](#)

When a system undergoes heavy I/O activity, sometimes you find that all the user connections are contributing somewhat equally to the overall load. Frequently, however, one or two user connections are responsible for 75 percent or more of the I/O activity. It can be that a large batch load or other typical process is running that is perfectly okay for your system. Alternatively, it can be a runaway process or other rogue connection that you should track down and possibly eliminate.

Performance Center displays information to find processes that are using the most memory on the server on the Leading Sessions tab of the I/O Detail view and the I/O tab of the Top Sessions view.

The table below describes the information available on these tabs:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Physical I/O	The current cumulative number of reads and writes issued by the process.
Pct I/O Used	The percentage of overall I/O that can be attributed to the process.
Database	The database in which the process is running.
Command	The command the process is currently issuing.
Open Trans	The number of open transactions for the process.
Blocked	The PID of any process blocking the current process.
Wait Time	The current wait time for the process, in milliseconds.

NOTE: This information is available on both the [Leading Sessions tab](#) of the I/O Detail view and the I/O tab of the Top Sessions view.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Finding one more two users that are consuming more than 75 percent of the total I/O load can indicate a runaway or improper process. By drilling down into the I/O activity of all users, you can quickly see if this is the case.

I/O Tab for Sybase

- [Metrics](#)

When a system undergoes heavy I/O activity, sometimes you find that all the user connections are contributing somewhat equally to the overall load. More often than not, however, one or two user connections are responsible for 75 percent or more of the I/O activity. It can be that a large batch load or other typical process is running that is perfectly okay for your system. Or it can be a runaway process or other rogue connection that needs to be tracked down and possibly eliminated.

It is a good idea to periodically check who the leading sessions are in your system with respect to I/O and make sure all is well. You can use Performance Center to easily perform this function with the leading sessions tab of the I/O Detail view. The table below describes the information available on the I/O tab of the Top Sessions view for Sybase:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
FID	The process ID of the worker process' parent.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
Physical I/O	The current cumulative number of reads and writes issued by the process.
Pct I/O Used	The percentage of overall I/O that can be attributed to the process.
Database	The database in which the process is running.
Command	The command the process is currently issuing.
Transaction	The name of any transaction.
Blocked	The PID of any process blocking the current process.
Time Blocked	The time that the process has been blocked, in seconds.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Pinpointing sessions with abnormally high I/O activity relative to other sessions in the system help you ferret out accounts dragging down overall system performance. You should examine the activity of each session to determine the workload being placed on the system and if you can reduce or tune that workload for better performance.

I/O Tab for DB2

- [Metrics](#)

When a system undergoes heavy I/O activity, sometimes you find that all the user connections are contributing somewhat equally to the overall load. More often than not, however, one or two user connections are responsible for 75 percent or more of the I/O activity. It can be that a large batch load or other typical process is running that is perfectly okay for your system. Or it can be a runaway process or other rogue connection that needs to be tracked down and possibly eliminated.

It is a good idea to periodically check who the leading sessions are in your system with respect to I/O and make sure all is well. You can use Performance Center to easily perform this function with the leading sessions tab of the I/O Detail view. The table below describes the information available on the I/O tab of the Top Sessions view for DB2:

Column	Description
Agent ID	The application handle of the agent holding a lock for which this application is waiting.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
OS User ID	The operating system ID of the process.
Client PID	The process ID of the client application that made the connection to the database.
Application	The name of the application executable.
Status	The current status of the application.
UOW Elapsed Time (sec)	The elapsed execution time of the most recently completed unit of work.
Buffered I/O Time (ms)	The total time spent by application in performing buffered reads and writes.
Direct I/O Time (ms)	The total time spent by application in performing non-buffered reads and writes.
Total I/O Time (ms)	The total time spent by application in performing buffered and non-buffered reads and writes.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

Metrics

Pinpointing sessions with abnormally high I/O activity relative to other sessions in the system help you ferret out accounts dragging down overall system performance. You should examine the activity of each session to determine the workload being placed on the system and if you can reduce or tune that workload for better performance.

CPU Tab

The information on the CPU tab of the Top Sessions view depends on the target DBMS:

- [CPU Tab for Oracle](#)
- [CPU Tab for SQL Server](#)
- [CPU Tab for Sybase](#)
- [CPU Tab for DB2](#)

CPU Tab for Oracle

The table below describes the information available on the CPU tab of the Top Sessions view for Oracle:

Column	Description
User Name	The logon name the session is using.
SID	The unique Oracle identifier for the session.
Serial #	The serial number assigned to the session.
Status	The status of the session, ACTIVE or INACTIVE.
Machine	The name of the client machine name that the session is using.
Program	The executable the process is using against the server.
CPU	The CPU used by the process when the call started.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

CPU Tab for SQL Server

The table below describes the information available on the CPU tab of the Top Sessions view for SQL Server:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
CPU	The cumulative CPU time for the process.
Pct CPU Used	The percentage of the CPU dedicated to this process.
Database	The database in which the process is running.
Command	The command the process is currently issuing.
Open Trans	The number of open transactions for the process.
Blocked	The PID of any process blocking the current process.
Wait Time	The current wait time for the process, in milliseconds.

TIP: To configure the grid to show/hide row numbers, use the [Options Editor](#).

CPU Tab for Sybase

The table below describes the information available on the CPU tab of the Top Sessions view for Sybase:

Column	Description
PID	The process ID.
User Name	The user name assigned to the process.
FID	The process ID of the worker process' parent.

Column	Description
Status	Indicates if the process is actively performing work, is idle, blocked by another process, etc.
Host	The machine name that originated the process.
Program	The executable the process is using against the server.
CPU	The cumulative CPU time for the process in ticks.
Pct CPU Used	The percentage of the CPU dedicated to this process.
Database	The database in which the process is running.
Command	The command the process is currently issuing.
Transaction	The name of any transaction.
Blocked	The PID of any process blocking the current process.
Time Blocked	The time that the process has been blocked, in seconds.

To configure the grid to show/hide row numbers, use the [Options Editor](#).

CPU Tab for DB2

The table below describes the information available on the CPU tab of the Top Sessions view for DB2:

Column	Description
Agent ID	The application handle of the agent holding a lock for which this application is waiting.
Auth ID	The authorization ID of the user who invoked the application that is being monitored.
OS User ID	The operating system ID of the process.
Client PID	The process ID of the client application that made the connection to the database.
Application	The name of the application executable.
Status	The current status of the application.
UOW Elapsed Time (sec)	The elapsed execution time of the most recently completed unit of work.
Agent ID	The application handle of the agent holding a lock for which this application is waiting.
User CPU Time (sec)	The total user CPU time used by the application agents.
System CPU Time (sec)	The total system CPU time used by the application agents.
Total CPU Time (sec)	The total user + system CPU time used by the application agents.

To configure the grid to show/hide row numbers, use the [Options Editor](#).

Top SQL View

- [Metrics](#)

One or two bad queries can cause a lot of trouble for the remaining sessions in a database. It is important to find them before they get into a production system, but sometimes a few sneak through.

By applying custom filters and performance-related thresholds, the Top SQL view locates inefficient SQL. By applying filters to certain I/O and statistical counters, you hope to isolate queries that far exceed their nearest competitors in the same area (like disk reads). When you find them, you should reduce the number of sorts a query performs. Or, for a query that returns only a few records, you should try to minimize the number of rows a query processes.

The Top SQL view displays requested SQL for SQL Server, Oracle, DB2, and Sybase datasources.

Metrics

When you begin to look for inefficient SQL in a database, there are two primary questions you need to answer:

- 1 What has been the worst SQL that has historically been run in my database?
- 2 What is the worst SQL that's running right now in my database?

When troubleshooting a slow system, you should be on the lookout for any query that shows an execution count that is significantly larger than any other query on the system. It may be that the query is in an inefficient Transact SQL loop, or other problematic programming construct. Only by bringing the query to the attention of the application developers will you know if the query is being mishandled from a programming standpoint.

Index

Symbols

% Privileged Time 92
% User Time 92

A

Active Connections
 Sybase 18, 57
Address Lock Contention 48
AIX 84
All Locks Tab
 Oracle 75
 SQL Server 75
 Sybase 54, 76
All User Locks Tab 77
Applications Tab 63
Archive View 72
Available Paged Memory 89
Available Physical Memory 88
Available Swap Memory 89
Average Disk Queue 95
Average Disk Queue Length 87

B

Blocked 53
Blocked Users
 Sybase 42
Blocking Lock Rate 14
Blocking Locks Tab
 Oracle 78
 SQL Server 79
 Sybase 55, 65, 80
Blocks Input/Sec 95
Blocks Output/Sec 95
Bottleneck Analysis
 OS 85
Buffer Size 97
Bytes per I/O Operation 95
Bytes Received 21
Bytes Sent 21

C

Cache Activity Tab 29
Cache Allocations 27
Cache Bindings
 Index Statistics 45
 Storage 46
 Table Statistics 44
Cache Detail Tab 38
Cache Efficiency 97
Cache Size 97
Clean Buffer Grab Rate 14
Clock Algorithm Scans 97
Clustered Table Inserts 67
Committed Transactions 18, 59
Completed Disk I/Os 30
Contention Detail View
 Sybase 54
Contention Health Index 73

Contention Performance Category View
 Statistics 46
Context Switches/Sec 93
Copy Read Hits % 97
CPU Events 92
CPU Tab 91
CPU Utilization 92
Current Locks
 Sybase 19, 51, 58

D

Data Cache Allocations 27
Data Cache Hit Activity 22
Data Cache Hit Rate 12
Data Map Hits % 97
Database Detail View
 Sybase 42
Database Low on Space 19
Database Overview
 Sybase 36
Database Summary
 Sybase 41
Databases Performance Category View
 Statistics 41
Datasource Health Index 73
Deadlock Rate 15, 50
Deadlocks
 Sybase 51
Deferred Deletes 67
Deferred Updates 67
Delayed Disk I/Os 31
Device Detail 99
Device Detail Tab 38
Device I/O Contention 16, 48
Device Overview 37
Device Summary 99
Devices Tab 34
Direct Cheap Updates 67
Direct Deletes 67
Direct Expensive Updates 67
Direct in Place Updates 67
Dirty Buffers Grabbed 23
Dirty Read Requests 23
Dirty Read Restarts 23
Disk Analysis
 OS 85
Disk I/O Structures 49
Disk I/O Time 95
Disk Time 86
Disk Transfers/Sec 95
DML Detail Tab 67

E

Engine Configuration Limit 50
Engines Tab 34

F

Free Disk Space 90

G

Group Commit Sleeps 48

H

Health Index View 73

Heap Table Inserts 67

HIDD_OS_PC_TOPMEMPROC_ORA 90

Home View Statistics

Sybase 11

Contention Vital Signs 14

I/O Vital Signs 16

Memory Vital Signs 12

Network Vital Signs 20

Space Vital Signs 19

Users Vital Signs 17

Hot Objects View 73

Hot Code Tab 74

Hot Tables Tab 73

HP-UX 84

I

I/O Detail View

Sybase 33

I/O Details 94

I/O Error Rate

Sybase 32

I/O Errors 17

I/O Performance Category View

Statistics 30

I/O Tab 126

Inactive Connections

Sybase 57

Inbound Packet Errors 99

Inbound Packets Discarded 99

Index Demographics 44

Index Scans Tab 35

Index Statistics Tab 44

INET Address 99

Interrupts/Sec 92

K

Key Resource Usage

OS 85

L

Large I/O Acquired 26

Large I/O Denied 26

Large I/O Hit Rate 13, 26

Leading Sessions Tab

Sybase

I/O 33

Memory 28

Linux 84

Load Average 86

Load Averages 93

Lock Contention

Sybase 52

Locks Tab

Sybase 64

Locks View 74

All Locks Tab 75

All User Locks Tab 77

Blocking Locks Tab 78

Locks View for DB2 81

Log Overview

Sybase 36

Logical Lock Contention 47

Logs Low on Space

Sybase 20

M

MDL Read Hits % 97

Memory Analysis

OS 85

Memory Available 97

Memory Detail View

Sybase 28

Memory Freed 97

Memory Health Index 73

Memory Performance Category View

Statistics 21

Memory Tab 95, 123

Modify Conflicts 48

N

Network Contention Rate 16, 53, 70

Network Delays 20, 54, 70

Network Details 99

Network Errors 69

Network Performance Category View

Statistics 68

Network Queue Length 88

Network Requests 20, 54, 70

New Pages Allocated 23

Number of Logins 91

Number of Processes 91

O

Object Detail Tab 41

Objects Accessed 101

Objects Health Index 73

Operating System Limit 50

Operating System Statistics 84

Operating System View 83

Options Tab

Sybase 46

OS Detail 91

OS Drill Down 91

OS Statistics 84

OS View

Processor 86

Processor Speed 86

Outbound Packet Errors 99

Outbound Packets Discarded 99

Outstanding Disk I/Os 31

P

Packet Collisions 99

Packet Discard 99

Packet Discards 99

Packet Errors 99

Packets Received/Sec 99

- Packets Sent/Sec 99
 - Page Activity Tab 29
 - Page Faults/Sec 87
 - Page Replacements 97
 - Paged In 95
 - Paged Memory Used 86
 - Paged Out 95
 - Pages Input/Sec 95
 - Pages Output/Sec 95
 - Paging Activity 95
 - Partition 98
 - Performance Analyst for Oracle Statistics
 - OS Page 84
 - Available Paged Memory 89
 - Available Physical Memory 88
 - Available Swap Memory 89
 - Average Disk Queue Length 87
 - Disk Time 86
 - Free Disk Space 90
 - Load Average 86
 - Network Output Queue Length 88
 - Network Queue Length 88
 - Number of Logins 91
 - Number of Processes 91
 - OS Detail
 - CPU Tab 91
 - CPU Events Context
 - Switches/Sec 93
 - CPU Events Interrupts/Sec 92
 - CPU Utilization 92
 - CPU Utilization % Privileged
 - Time 92
 - CPU Utilization % User
 - Time 92
 - Processor Queue Length 93
 - I/O Tab 94
 - Memory Tab 95
 - Cache Efficiency 97
 - Cache Efficiency Copy Read
 - Hits % 97
 - Cache Efficiency Data Map
 - Hits % 97
 - Cache Efficiency MDL Read
 - Hits % 97
 - Cache Efficiency Pin Read Hits
 - % 98
 - Paging Activity 95
 - Paging Activity Pages
 - Input/Sec 95
 - Paging Activity Pages
 - Output/Sec 95
 - Network Tab 99
 - Processes Tab 93
 - Space Tab 98
 - Page Faults/Sec 87
 - Paged Memory Used 86
 - Processor Queue Length 88
 - Processor Time 85
 - Swap Memory Used 87
 - Top CPU Process 91
 - Top I/O Process 91
 - Top Memory Process 90
 - Total Disk Space 90
 - Total Paged Memory 89
 - Total Physical Memory 89
 - Total Swap Memory 89
 - Used Disk Space 90
 - Pin Read Hits % 98
 - Procedure Cache Activity 24
 - Procedure Cache Allocations 27
 - Procedure Cache Hit Rate 13
 - Procedure Reads from Disk 25
 - Procedure Removals 26
 - Procedure Requests 25
 - Procedure Writes to Disk 25
 - Processes Tab 93
 - Sybase 63
 - Processor Queue Length 93
 - Processor Time 85
- R
 - Received (KB/Sec) 99
 - Requested Disk I/Os 30
 - Rollback Segments Accessed 101
 - Rows Deleted 60
 - Rows Inserted 59
 - Rows Updated 60
 - Rows Updated (Data Locks Only) 60
- S
 - Segment Detail 45
 - Segment Detail Tab 39
 - Sent (KB/Sec) 99
 - Server Configuration Limit 49
 - Server I/O Busy Rate
 - Sybase 31
 - Session Contention Tab 100
 - Session Detail View
 - Oracle 99
 - SQL Server 103
 - Sybase 109
 - Session I/O Tab 100
 - Session Leaders
 - Sybase
 - CPU 62
 - I/O 32, 61
 - Memory 27, 61
 - Session Memory Tab 100
 - Session Network Tab 102
 - Session Objects Tab
 - Oracle 101
 - Session SQL Tab 102
 - Session Statistics Tab 102

- Solaris 84
- Space Detail View
 - Sybase 38
- Space Health Index 73
- Space Performance Category View
 - Statistics 36
- Space Tab 98
- Storage Tab 45
- Suspect Databases 42
- Suspect Objects 42
- Suspect Objects Tab 42
- Suspect Pages 42
- Swap Memory Used 87
- Sybase Expert Guide 10
- System Calls/Sec 93
- T
- Table Demographics 43
- Table Statistics Tab 43
- Top CPU Process 91
- Top I/O Process 91
- Top Memory Process 90
- Top Sessions View 122
 - DB2
 - CPU Tab 132
 - I/O Tab 129
 - Memory Tab 125
 - Oracle
 - CPU Tab 131
 - I/O Tab 126
 - Memory Tab 123
 - SQL Server
 - CPU Tab 131
 - I/O Tab 127
 - Memory Tab 123
 - Sybase
 - CPU Tab 131
 - I/O Tab 128
 - Memory Tab 124
- Total Bytes Received 69
- Total Bytes Sent 69
- Total Connections
 - Sybase 18
- Total Disk Queue 95
- Total Disk Space 90
- Total Packets Received 69
- Total Packets Sent 69
- Total Paged Memory 89
- Total Physical Memory 89
- Total Rows Affected 61
- Total Server Reads
 - Sybase 17
- Total Server Writes
 - Sybase 17
- Total Swap Memory 89
- Transaction Log Allocations 31–32
- Transaction Log Writes 17, 31–32
- Transactions Tab 67
- Transfer Rate 95
- Transmission Queue Length 99
- Transmission Rate
 - Bytes 99
 - Packets 99
- Txn Log Writes 17
- U
- ULC Flushes 59
- Unix 84
- Used Disk Space 90
- Users Blocked
 - Sybase 58
- Users Detail View
 - Sybase 62
- Users Health Index 73
- Users Performance Category View
 - Statistics 57
- W
- Windows 84

