



Embarcadero® PowerSQL™ 1.1 Installation Guide

Copyright © 1994-2008 Embarcadero Technologies, Inc.

Embarcadero Technologies, Inc.
100 California Street, 12th Floor
San Francisco, CA 94111 U.S.A.
All rights reserved.

All brands and product names are trademarks or registered trademarks of their respective owners.
This software/documentation contains proprietary information of Embarcadero Technologies, Inc.; it is provided under a license agreement containing restrictions on use and disclosure and is also protected by copyright law. Reverse engineering of the software is prohibited.

If this software/documentation is delivered to a U.S. Government Agency of the Department of Defense, then it is delivered with Restricted Rights and the following legend is applicable:

Restricted Rights Legend Use, duplication, or disclosure by the Government is subject to restrictions as set forth in subparagraph (c)(1)(ii) of DFARS 252.227-7013, Rights in Technical Data and Computer Software (October 1988).

If this software/documentation is delivered to a U.S. Government Agency not within the Department of Defense, then it is delivered with Restricted Rights, as defined in FAR 552.227-14, Rights in Data-General, including Alternate III (June 1987).

Information in this document is subject to change without notice. Revisions may be issued to advise of such changes and additions. Embarcadero Technologies, Inc. does not warrant that this documentation is error-free.

Technical Requirements

Before installing PowerSQL, verify that your environment meets the following requirements.

Hardware Requirements

The following minimum hardware requirements:

- Pentium 4-Level Processor
- 512 MB of memory
- 500 MB of disk space
- 1024 x 768 screen resolution

Operating System Requirements

Operating System Requirements

PowerSQL supports the following operating systems:

- Microsoft Windows XP (x86-32, Win32)
- Microsoft Vista (x86-32, Win32)
- Microsoft Windows Server 2003
- Red Hat Enterprise Linux 5.0, x86-32, GTK 2
- SuSe Linux Enterprise Server (x86) GTK+ 2.x

DBMS Support

PowerSQL supports the following platforms:

- Generic JDBC
- IBM DB2 LUW 8.0 - 9.0
- Microsoft SQL Server 2000 and 2005
- Oracle 8i - 11g
- Sybase 12.5 - 15.0

Installation Notes

PowerSQL can be installed as a standalone application (RCP installation) or as an Eclipse plug-in (Plug-in installation). Eclipse is an open source development framework that supports application plug-ins to provide additional functionality.

The Eclipse plug-in version of PowerSQL requires Eclipse version 3.3 or higher, and Sun Java Standard Edition 5.0 Update 11 or later, in addition to regular system requirements.

Before installing the plug-in version of PowerSQL, ensure that Eclipse and Java is installed on your machine. You can download Eclipse from the following Web site: <http://www.eclipse.org/downloads>.

Installing PowerSQL

Notes on the PowerSQL Installer

To install PowerSQL, run the installer and follow the prompts provided by the **Installation Wizard**. The notes below provide information on parts of the installation process that are not self-explanatory. When the installation is complete, it is advised that you review the ReadMe file to check if it contains any known issues or advisory notes that will affect your installation of the product.

License Agreement

If you accept the PowerSQL **Software License and Support Agreement**, select **I accept the terms in the license agreement** and click **Next** to continue the installation process. If you select **I do not accept the terms in the license agreement**, the **Next** button will be grayed out, indicating that the installation of the product cannot continue.

Choose Install Set

Choose to install PowerSQL as a stand-alone application or a plug-in for Eclipse. The stand-alone application can be used as if the PowerSQL interface and framework are a separate application.

If you choose to install PowerSQL as a plug-in for Eclipse, you will need to have Eclipse framework already installed on your machine.

PowerSQL can be installed as a standalone application (RCP installation) or as an Eclipse plug-in (Plug-in installation). Eclipse is an open source development framework that supports application plug-ins to provide additional functionality.

The Eclipse plug-in version of PowerSQL requires Eclipse version 3.3 or higher, and Sun Java Standard Edition 5.0 Update 11 or later, in addition to regular system requirements.

Before installing the plug-in version of PowerSQL, ensure that Eclipse and Java is installed on your machine. You can download Eclipse from the following Web site: <http://www.eclipse.org/downloads>.

Licensing PowerSQL After Installation

NOTE: The following information is not relevant to the Professional Unlimited edition of PowerSQL.

- You may register any number of data sources.
- The first data sources you connect to are automatically allocated licenses from your pool of data source licenses (five licenses for the Personal Edition, ten for the Professional Edition).
- Once all the licenses in the pool have been assigned, attempting to connect to an unlicensed data source brings up a message that you may purchase additional licenses or reallocate the ones you have.

To reallocate a license:

- 1 Click **Open License Manager** in the dialog, or select **Help > Embarcadero License Manager > Data Sources**.
- 2 In the **Product** column, double-click **PowerSQL**.
- 3 In the **Data Source Licenses** dialog, uncheck a data source to be unlicensed, and check the data source you want to connect to.

- 4 Click OK, then Close.